

**EXECUTIVE ENGINEER BUILDINGS DIVISION KAMBER-SHAHDADKOT**

**STANDARD BIDDING DOCUMENT  
PROCUREMENT OF WORKS  
(For Contracts Costing up to Rs 2.5 MILLION)**

**NAME OF WORK:- M & R TO GOVERNMENT DISPENSARY @ VILLAGE  
MENA.**

*Standard Bidding Document* is intended as a model for admeasurements (Percentage Rate/unit price for unit rates in a Bill of Quantities) types of contract. The main text refers to admeasurements contracts.

  
EXECUTIVE ENGINEER,  
BUILDINGS DIVISION  
KAMBER-SHAHDADKOT

Email:- [xenbuildingskamber@gmail.com](mailto:xenbuildingskamber@gmail.com)

**NIT S.NO: 15**

**BIDDING DATA**

**Name of Contractor:- \_\_\_\_\_**

(This section should be filled in by the Executive Engineer/ Project Agency before issuance of the Biding Documents).

Name of Contractor:- \_\_\_\_\_

(a). Name of Procuring Agency :-

Executive Engineer, Buildings Division  
Kamber-Shahdadt Kot @ D.C Secretariat Kamber.  
M & R TO GOVERNMENT DISPENSARY @ VILLAGE  
MENA.

1. Brief Description of Works:-

(b). Procuring Agency's Address:-

D.C Complex Kamber.

(c). Estimated Cost :-

Rs. 2.000 (Million)

(d). Amount of Bid Security :-

05%

(Fill in lum sum amount in %age of bid  
amount / estimated cost, but not exceeding 5%)

(e). Period of Bid Validity (days) :-

90 Days

(f). Security Deposit (including bid security) :-

(in %age of bid amount / estimated cost equal to 10%)

1.

(g). Percentage, if any, to be deducted from bills:- 07.50% (I/Tax) & 5% Security Deposit.

(h). Deadline for Submission of Bids along with time:- Dated: 07-11-2017 upto Time 12.00 P.M  
23-11-2017 upto Time 12.00 P.M

(i). Venue, Time, and Date of Bid Opening:- Bid opening Dated: 08-11-2017 at Time 12.30 P.M  
24-11-2017 at Time 12.30 P.M  
Office of the Executive Engineer, Buildings Division  
Kamber-Shahdadt Kot @ D.C Secretariat Kamber.

(j). Time for Completion from written order of commence:- \_\_\_\_\_

(k). Liquidity damages :-

(0.05 of Estimated Cost or NBid Cost per day of delay,  
But total not exceeding 10%)

(i). Call Deposit Receipt :- No. \_\_\_\_\_ Dated: \_\_\_\_\_ Amount:- \_\_\_\_\_/-

(m). D.R. No. \_\_\_\_\_ No. \_\_\_\_\_ Dated: \_\_\_\_\_ Amount:- 3000/-

(m). Rate quoted by Contractor :- Part-A Rs. \_\_\_\_\_ Part-B Rs. \_\_\_\_\_  
Part-C Rs. \_\_\_\_\_ Part-D Rs. \_\_\_\_\_

(CONTRACTOR)

  
EXECUTIVE ENGINEER,  
BUILDINGS DIVISION  
KAMBER-SHAHDADKOT

**M/R TO GOVERNMENT DISPENSARY AT VILLAGE MENA TALUKA KAMBER DISTRICT  
KAMBER SHAHDAD KOT**

**SCHEDULE-B**

**"PART A CIVIL WORK"**


S.N	Item of work.	Quantity		Rate.	Unit	Amount.
1	2	3		4	5	6
1	Dismantling Pacca Brick work (SINO:13 P10).	45	Sft:	1285.63	% Sft	579
2	Dismantling Reinforcement Cement Contrect work (SINO:20P10).	721	Sft:	5445	% Sft	39258
3	Removing cement or lime plaster (S.No: 53 P-14)	2450	Cft	121.00	%oCft	2965
4	Dismantling cement concrete Plain(S.I.No:20-P-10)	23	Cft:	3327.50	%Cft	765
5	Excavation in foundation of buildings in other structure with excavated earth watering and ramming lead upto one chain 5 ft in ordinary soil (SINO: 18-P-4).	659	Cft:	3176.25	%0 Cft:	2093
6	Cement Concrete Brick or stone ballast 1 ½ " to 2" gage 1:5:10 (S.I.No:4, (c) P-16).	1735	Cft	8694.95	%Cft	150857
7	Pacca Brick work in foundation and plinth in Ratio: 1:6 (S.I.No:4, P-25).	143	Cft	11948.36	%Cft	17086
8	Reinforced Cement Concrete work including all lab our and material except the cost of steel reinforcement and it's labor for bending & separately. This rate also including all kinds of forms moulds lifting shuttering curing rending and finishing the expos	59	Cft	337.00	P.Cft	19,883
9	Fabrication of mild steel reinforcement for cement concrete including cutting bending, laying in position. Making joints and fastenings including cost of binding wire (also include removal of rust from bars.)(S.I.No:7(a)(i), P-17).	3.161	Cwt	5001.70	P.Cwt	15809
10	Pacca brick work other than building i/c striking joints upto 20' feet height in (SI NO. 7 P-26).	113	Cft.	12346.65	%Cft	13952
11	of Cement Concrete Plain 1:2:4 (SINO:19 P10).	1301	Sft:	14429.25	% Sft	187725

S.N	Item of work.	Quantity		Rate.	Unit	Amount.
1	2	3		4	5	6
12	Applying flooring coat of cement 1/2 thick (S.I.No. 14 P-53).	2450	Cft:	660.00	% Sft:	16,170
13	Pacca Brick work in ground floor in(1:6). (S.I.No:5,(e) P-25).	649	Sft	12674.36	%Sft	82,257
14	Supplying and filling sand under floor and plugged in walls.(S.I.No:29,P-26 ).	796	Cft	1141.25	%Cft	9,084
15	Extra lead 3.0 miles	796	Cft	579.41	%Cft	4,612
16	C.C Topping i/c smooth surface dividing 2" Ratio (1:2:4) thick.(S.I.No: ,P- ).	320	Sft	3275.50	% Sft	10482
17	Cement Plaster (1:6)Ratio 1/2 "Thick(S.I.NO.13,P-58) 20'ft height.	2660	Sft	2206.60	%Sft	58696
18	Cement Plaster (1:4) Ratio 3/8"thick upto(S.I.No:19P-58) 20'ft Height.	2660	Sft	2197.52	%Sft	58454
19	Cement Pointing Strking joints on walls 1.3 ratio. (S.I.No. 19(b) P-53).	1950	Sft:	1213.58	% Sft:	23,665
20	Providing and fixing G.I. frame/chowkats of size 7"x2" x41/2"x3" for door using 20 gauge G.I. sheet welded hinges and fixing at site with necessary hold fasts. Filling with cement sand slurry of ration 1:6 and repairing the jambs. The cost also i/c all carriage, tools and plants used in making and fixing(SINO:29 P-98.)	17	Rft	228.90	P. Rft:	3,891
B	Window	32	Rft	240.50	P. Rft:	7,696
21	First Class deodar wood wrought joinery in doors and windows etc fixed in position i/c chowkats hold fasts hinges, iron, tower bolts, handles and cords with hooks, Deodar paneled or paneled and glazed or fully glazed (b) 1x3/4" thick etc complete. (SI NO: 7 P-65) (Only Shutters).	18	Sft:	902.93	P.Sft:	18,942
22	First Class deodar wood wrought joinery work in wire guage door and and windows with 22 S.W.G Galvanized wire guage 144 mesh per square inch iron fitting complete Glvanized wire gauage fixed to chowkats with 3/4" deodar stips and screws (SI NO. 14(d) P. 60	208	Sft:	190.72	P.Sft:	39,670
23	S/Fixing M.S Girder at site of work.	25.0	Cwt	3850.00	P.Cwt	96,250

S.N	Item of work.	Quantity		Rate.	Unit	Amount.
1	2	3		4	5	6
24	S/ Fixing T-iron at site of work.	19.00	Cwt	3575.00	P.Cwt	67,925
25	Erecting rail steel beams or old rail in roofs etc correction and fixing in position.(S.I.No:6-P.91)	44	Cwt	186.34	P.Cwt	8,199
26	Second class tile roofing consisting of 4"earth and 1"mud plaster with gobri leaping over 1/2" thick cement plaster. 1:6 with 34lbs. of hot bitumen coating sand blinded provide over 2, layers of	1442	Sft	7607.25	%Sft	109,697
27	Providing single layer of polythine sheet 0.13" thick for water proofing as per specifying and instruction of	1442	Sft:	10.70	P.Sft	15,429
28	Single layer of tiles 9" x4 1/2" x 2" laid over 4" earth 1" mud plaster without Bhoosa grouted with cement sand 1:3 on	1442	Sft:	5310.35	%Sft	76,575
29	Making & fixing steel grated doors with complete locking arrangements angle iron frame 2"x2"x3/8" & 3/4" square bars 4" centre (S.I.No. 24 P-92).	48	Sft:	726.72	P.Sft:	34,882
30	Providing & fixing false ceiling of thermopile in panels of required design and size including frame work of Aluminum T- section hanged with nail wire to ceiling etc: completed.	132	Sft	91.50	%Sft	12078
31	Providing & fixing false plaster of paris ceiling border Of 8"-10" ceiling with of speci fied design and thickness ic fixing besides ceiling with nail /screws with jetties.	46	Sft	104.22	P. Rft	4794
32	Providing & fixing false plaster of paris center pices of 2-0' dia i/c fixing in ceiling with nail screws .	2	p each	346.5	P.Sft:	693
33	Supplying & fixing in position iron/steel grill of 3/4" x 1/4" size flat iron of approved design including painting 3 coats etc. complete (weight not to be less than 3.7 Lbs./Sq . Foot of finished grill)	86	Sft:	180.50	P.Sft:	15,523
34	White Glazed tiles 1/4 "thick dado jointed in white cement and laid over 1:2 cement sand mortar 3/4 "thick i/c finishing. ( SI NO 37 P-50).	132	Sft	28253.61	% Sft:	37,295

S.N	Item of work.	Quantity		Rate.	Unit	Amount.
1	2	3		4	5	6
35	White Washing in 2 Coats(S.I.NO:26,P-60).	1365	Sft:	1213.18	% Sft:	16,560
36	Distemping in 2 Coats (S.I.No. 24 P-54).	6008	Sft	1043.90	% Sft:	62718
37	Preparing the surface and painting % sft with weather coat i/c rubbing th surface paper filling the weather coat appr: new surface (SINO: 36 P-61).	3700	Sft:	1948.10	% Sft:	72,080
38	Preparing Old Surface and painting on doors and windows any type in 3 Coats.	568	Sft	1489.68	%Sft	8461
39	Painting surface guard bars bars grating roiling including standard brasna etc	448	Sft:	896.39	% Sft:	4,016
					<b>Total</b>	<b>1,427,764</b>

CONTRACTOR

  
 Executive Engineer  
 (Buildings) Division  
 Kamber-Shahdadkot.

**M/R TO GOVERNMENT DISPENSARY AT VILLAGE MENA TALUKA KAMBER DISTRICT  
KAMBER SHAHDAD KOT**

**SCHEDULE-B**

S.N	Item of work.	Quantity	Rate.	Unit	Amount.
1	2	3	4	5	6
<b>PART-B (W/S &amp; S/F)</b>					
1	Providing & Fixing Orisa type white or coloured glazed earthen ware W.C pan with cost of low level plastic flush tank of 3 gallons capacity of approved quality i/c making requisite number of holes to wall plinth & floor & making good in cement concrete 1:2:4.(i)with 4" dia C.I trap (SIN0:03(i)-P-2 )	2 Nos.	5836.60	P.No	11,673
2	Providing & Fixing 24"x18" lavatory basin in white glazed earthen ware complete with i/c the cost of W.I or C.I canti lever bracket 6 inches built in to wall painted white in two coat after a primary coat of red lead paint a pair of 1/2" good in cement concrete (1:2:4) standard pattern (SIN0.8-P-3)	2 Nos.	4253.70	P.No	8,507
3	Add extra for labour for providing & fixing of earthen ware Padestal white or coloured glazed (SIN0.9-P-3)	2 Nos.	938.47	P.No	1,877
4	Providing and fixing European white glazed earthen ware wash down W.C pan complete with and i/c the cost of white/black plastic seat (Best Quality) and lid c.p brass hineges and buffers 3 gallons white glazed earthen ware low level foushing cistern with siphon fitting 1-1/2" dia white porcelain enamelled flush bend 3/4" dia and making requisite number of holes in wall and plinth and floor for pipe connection and making good in cement concrete (1:2:4) (SIN0.05-P-02)	1 Nos.	11477.40	P.No	11,477
5	Providing & Fixing 6"x2" or 6"x3" C.I floor trap of the approved self cleaning design with a C.I screwed down grating with or without a vent arm complete with i/c making requisite number of holes in walls,plinth and floor for pipe connections and making good cement concrete 1;2;4(SIN0.20-P-6)	1 Nos	2042.43	P.No	2,042
6	P/F in position nylon connection complete with 1/2" dia bras stop cock of brass nuts and lining jointed to nylon connection (SIN0.23 -P-6)	1 Nos.	447.15	P.No	447
7	P/F 3" dia C.I Waste and vent pipe including cutting fitting and extra painting to match the colour of buildings (SIN0.13-P-10)	1 Nos	289.25	P.No	289
	Providing & Fixing PVC pipe of class D.				
	(a) 1 1/2" dia.	80 Rft:	121	P-Rft:	9,680
	(b) 3/4" dia	150 Rft:	80.0	P-Rft:	12,000
	(c) 1" dia	20 Rft:	128.55	P-Rft:	2,571

S.N.	Item of work.	Quantity	Rate.	Unit	Amount.
1	2	3	4	5	6
8	Providing G.I pipes specials & clamps etc including fixing cutting and fitting complete with and i/c the cost of breaking through walls and roof making good etc painting two coats after cleaning the pipe etc with white zink paint with pigment to match the colour of the building and testing with water to a pressure head of 200 feet and handling(SIN0.01-P-12)				
	(i) 1/2" dia G.I Pipe	0 Rft:	73.21	P-Rft:	-
	(ii) 3/4" dia G.I Pipe	10 Rft:	95.79	P-Rft:	958
	(iii) 1" dia G.I Pipe	10 Rft:	128.55	P-Rft:	1,286
	(iv) 1-1/4" dia G.I Pipe	5 Rft:	153.19	P-Rft:	766
9	Supplying & fixing cancelled stop cock of superior quality C.P hed 1/2" dia. (SIN0.11-P-18)	1 Nos.	478.28	P.No	478
10	Supplying & fixing cancelled Tee stop cock of superior quality with C.P head 1/2" dia. (SIN0.12(a)-P-18)	1 Nos.	843.92	P.No	844
11	Supplying & Fixing long bib cock of crystal head with 1/2" dia. (SIN.13(b)- P-19)	1 Nos.	1384.24	P.No	1,384
12	Supplying & Fixing jet shower with rod of superior quality single C.P head 1/2" dia. (SIN0.15-P-19)	1 Nos.	1142.24	P.No	1,142
13	Supplying & Fixing washbasen mixture of superior quality with C.P head 1/2" dia (SIN0.14(b)-P-19)	1 Nos.	3179.00	P.No	3,179
14	Supplying & Fixing sink mixture cock of superior quality with C.P head etc complete. (SIN0.17-P-19)	1 Nos.	2745.60	P.No	2,746
15	Supplying & Fixing C.P muslim showerer with double bib cock & ring pipe etc complete.(SIN0.19(a)-P-19).	1 Nos.	3432.00	P.No	3,432
16	Providing & Fixing handle Valves (China).(SIN0.5-P-17)				
	(i) 1/2" dia.	10 Nos	200.42	P.No	2,004
	(ii) 3/4" dia	3 Nos	271.92	P.No	816
	(iii) 1" dia	1 Nos	365.42	P.No	365
17	Supplying & Fixing bathroom accessories set ( 7 pieces) including towel rod,brush hloder,soap tray,shelf of approved quality & design etc complete.(SIN0.27-P-19)	1 Nos.	8000.00	P.No	8,000
18	Providing R.C.C pipe with colors class "B" and digging trenches to required depth and fixing in position i/c cutting,fitting and jointing with maxphalt composition and cement mortor 1:1 and testing with water pressure to a head of 4 feet above the top of the highest pipe and refilling with excavated staff. (SIN0:02-P-24)				
	(c) 6" dia R.C.C pipe class (B)	11 Rft:	199.25	P-Rft:	2,192
19	Providing & Fixing piston pump set 1 H.P single phase 220 volts with 1 1/4"x1/4" suction & delivery local make etc complete (S.I.No. 25/P-32).	1 Nos.	15600	P.No	15,600

S.N	Item of work.	Quantity	Rate.	Unit	Amount.
1	2	3	4	5	6
20	Providing & fixing 300 gallons fibre glass tank of approve quality and design and wall thickness 4.5mm as specified i/c cost of nuts bolts & fixing in plate from of cement concrete 1:3:6 and making connection for in-let out-let & over flow pipes etc complete (SINO:03-P-21)	1 Nos.	21989.61	P.No	21,990
				<b>TOTAL Rs:-</b>	<b>127,746</b>
<b>NON SHEDULE ITEM</b>					
	P/F Hand pump i/c boring ,pipe.machine	1 Nos.	10000	P.No	10,000

<b>G:TOTAL Rs:-</b>	<b>137,746</b>
---------------------	----------------

CONTRACTOR

  
Executive Engineer  
(Buildings) Division  
Kamber-Shahdaddock.

**M/R TO GOVERNMENT DISPENSARY AT VILLAGE MENA TALUKA  
KAMBER DISTRICT KAMBER SHAHDAD KOT (ELECTRIC WORK)**


<b>SCHEDULE-B</b>					
<b>Item of work.</b>	<b>Quantity</b>		<b>Rate.</b>	<b>Unit</b>	<b>Amount.</b>
<b>2</b>	<b>3</b>		<b>4</b>	<b>5</b>	<b>6</b>
<b>PART-"C" ELECTRIC WORK.</b>					
<b>"a".SCHEDULE ITEMS</b>					
1 Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") PVC channel patti on surfce as required. (SINO: 129-P-15)	20	Nos	910.0	P.NO	18,200
2 Wiring for plug point with 3/.029 PVC insulated wire in 20mm (3/4") PVC channel patti on surface as required. (SINO: 130-P-15)	10	Nos	742.0	P.NO	7,420
3 Providing and laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit on surface. (SINO:3-P-1)	80	P.M	171.0	P.M	13,680
4 Providing and laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.044(6mm <sup>2</sup> ) copper conductor in 1" dia PVC conduit on surface. (SINO:5-P-1)	20	P.M	305	P.M	6,100
5 Providing and laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.052(10mm <sup>2</sup> ) copper conductor in 1" dia PVC conduit on surface. (SINO:6-P-1)	40	P.M	428.00	P.M	17,120
6 Providing and fixing one way SP 5amp switch flush type.(SINO:219-P-33)	35	Nos	54.00	P.NO	1,890
7 Providing and fixing 2 pin 5amp plug and socket flush type.(SINO:225-P-33)	20	Nos	83.00	P.NO	1,660
8 Providing and fixing 3 pin 15 amp plug and socket flush type.(SINO:227-P-33)	3	Nos	162.00	P.NO	486
9 Providing and fixing brass pattern holder.(SINO:232-P-33)	35	Nos	70.00	P.NO	2,450
10 Providing and fixing brass back light ceiling rose with 2 terminals.(SINO:228-P-33)	10	Nos	72.00	P.NO	720

11	Providing and fixing brass ceiling fan 56" (good quality).(SINO:235-P-34)	8	Nos	3185	P.NO	25,480
12	Providing and fixing circuit breaker 15,20,30,40,50,and 60 amp TP (XS-100NS) on prepared board as required.(SINO:207-P-31)	1	Nos	9261	P.NO	9,261
13	Providing and fixing circuit breaker 6, 10,15.20,30,40,50and 63 amp SP (TB S5) on prepared board as required.(SINO:207-P-31)	6	Nos	916	P.NO	5,496
14	Wiring for call bell point with 3/.029 PVC insulated wire in 20mm (3/4") PVC conduit on surface as required.	1.0	Nos	1380.00	P.NO	1,380
					<b>PART-"A"</b>	<b>111,343</b>

<b>PART "b" NON-SCHEDULE ITEMS</b>						
1	P/F main pannel board double shutter to accommodate heavy duty circuit breakers bus bar painting (S.I No.8,P/13)	1.0	Nos	1426.34	P.NO	1,426
2	Fixing A.C ceiling fan regulator on S.W board (S.I.No:1,P-14)	6.0	Nos	91.30	P.NO	548
3	Providing & Fixing Mild steel bar fan clamp 15.8 mm (5/8") dia suitable for roof.	12	Nos	141	P.NO	1,692
4	Providing and fixing Energy saver quality i/c finshing on exiting holder etc complete.	25	Nos	497.00	P.NO	12,425
5	Providing and fixing Capsual light.	10	Nos	600	P.NO	6,000
6	brecket fan	1		5000		5,000
					<b>PART-"B"</b>	<b>27,091</b>

**G- TOTAL:- 138,434**

CONTRACTOR

  
Executive Engineer  
(Buildings) Division  
Kandhar Shahdadkot.