

JINNAH SINDH MEDICAL UNIVERSITY KARACHI PLANNING & DEVELOPMENT DEPARTMENT

Ref#: JSMU/P&D/PROC/ 1763

Dated: 03-01-20(8

The Director SPPRA,

Sindh Public Procurement Regulatory Authority, Barrack 8 Secretariats 4A, Court Road, Karachi.

Subject:

HOSTING FOR NOTICE INVITING TENDERS

Enclosed please find herewith the NIT alongwith bidding documents in Soft & hard copy for hosting on your website.

Construction Dental OPD Annexe Building at JSMU Karachi

In this regard a cross cheque an amounting to Rs.2000/= bearing No. 000/23i Date 30-12-2017 on account of hoisting charges on SPPRA website is enclosed herewith for of further necessary action.

CONSULTANT

P & D / Procurement Department Jinnah Sindh Medical University Karachi

Encl: As Above

- · Original Cheque enclosed (
- NIT
- Bidding Documents.
- Soft Copy (CD)
- · Notification of Procurement Committee.
- · Notification of Redressal Committee.
- Annual Procurement Plan.

Copy to:

PS to Vice Chancellor

Incharge IT (01 Set Bidding Documents for hoisting on University Website).

Rafiqui H.J. Shaheed Road, Karachi. Postal Code# 75510
Tel: 99204776, 35223812-15 Ext. 330, Fax # 99201372 www.jsmu.edu.pk



Office Of The Vice Chancellor Jinnah Sindh Medical University

No: JSMCU/

Ref No: JSMU/VC-(22)/2017/42 Dated: 11th August, 2017

NOTIFICATION

A Procurement Committee comprising the following is hereby constituted in terms of rules 7 & 8 of the Sindh Public Procurement Rules, 2010 (amended 2017) and notified by the Government of Sindh vide Notification No. SORI(SGA&CD)2-30-2010, dated 8-3-2010 for procurement of goods, civil works and services, with immediate effect and till further orders:

 Prof. Dr. Farhat Hussain Mirza, Head of Forensic Medicine Department, SMC, JSMU

Chairman

 Mr. Malik Hameedullah, Administrative Officer, National Institute of Cardiovascular Diseases (NICVD).

Member

 Mr. Mumtaz Ali Channa, Consultant, Planning, Development & Procurement Department, JSMU.

Member/Secretary

 Mr. Naveed Ali Procurement Officer, Planning, Development & Procurement Department, JSMU.

Member

 Mr. Majid Ali Memon, Senior Hospital Equipment Engineer, National Institute of Child Health (NICH).

Member

This supersedes Notification bearing Ref No: JSMU/VC-(22)/2017/04 dated 05-07-2017.

(PROF. DR. S. M. TARIO RAFI)

Copy to:

- 1) The Secretary (Universities & Boards), Chief Minister's Secretariat, Karachi.
- 2) The Executive Director NICVD, Karachi.
- 3) The Director, NICH, Karachi.
- 4) All Members of the Procurement Committee.
- 5) Advisor to Vice Chancellor on Administration, JSMU.
- 6) The Director Finance, JSMU.
- 7) Director HR/Admin, JSMU.
- 8) Advisor to Vice Chancellor on Audit, JSMU.
- 9) Notification File.



Office Of The Vice Chancellor: Jinnah Sindh Medical University

NOTIFICATION

In accordance with Rules 31 of the Sindh Public Procurement Rules, 2010, a Committee comprising the following members is constituted to address the complaints of bidders that may occur through the procurement proceedings:

1)	Prof. Dr. Muhammad Yousuf Salat,
	Vice Principal / Head of Pharmacology
	Department, JMSU.

Chairman

Mr. Muhammad Sameeh Shafi 2) Consulting Engineer, Procurement / Planning & Development Department, JSMU.

Member

Additional Secretary (Procurement), 3) Health Department, Govt. of Sindh.

Member

4) One representative from the office of the Accountant General Sindh, Karachi not below the rank of Deputy Accountant General.

Member

5) Mr. Zameer Katpar, Additional Director Finance, JSMU

Member / Secretary

Term of Reference of Committee:

The Committee will address the complaints of bidders aggrieved by any act or decision of the procuring agency during the procurement proceedings, as per SPPRA Rules.

This supersedes Notification bearing No. JSMU/VC/2014/12

(PROF. DK S.M. TARIO RAFI) VICE CHANCELLOR

No: JSMU/VC-(49-11)/2016/ 105

Dated: 7th December, 2016

Copy to:

- The Secretary (Universities & Boards), Chief Minister's Secretariat, Karachi. 1)
- The Secretary Health Department, Government of Sindh, Karachi. 2)
- The Advisor to Governor Sindh (Higher Education). Governor's House, Karachi. 3)
- "The Accountant General Sindh, Audit Account Complex, University Road, Karachi 4)
- All Members of the Committee. 5)
- The Advisor Admn / Finance, JSMU. 6)
- The Director Finance, JSMU. 7)
- 8) The Advisor Audit, JSMU.
- Notification File 9)

ANNUAL PROCUREMENT PLAN (Works, Goods & Services) Financial Year 2017-2018

		Quantity	Estimate	Total	F de	Source of Funds	Proposed		Timing of P	rocurement																		
S/N	Procurement Where Where Estimated Allocated Non Non	Procurem ent Method	1 st Qtr	2 nd Qtr	3rd Qtr	4 th Qtr	Remarks																					
1	Office Stationary			8.0 (M)	80 (M)																							
2	Printing and Publication			6.0 (M)	6.0 (M)																							
3	Publicity and Advertisements			6.0 (M)	6.0 (M)			07/2017 10/2017 To To 09/2017 12/2017		То																		
4	Chemical and Kits			10.0 (M)	10.0 (M)		Single Stage																					
	Purchase of Transport					Sindh Govt	One & Two				04/2018 To 06/2018																	
5	Point Bus services & insurance	As per Requirement	Expected Unit Cost as per	75.0 (M)	75.0 (M)	Grant & Universities	envelopas perSPPRA																					
6	Machinery & Equipment	of University	Market rate	15.0 (M)	15.0 (M)	Own	Rule																					
7	Electrical Equipment	,		,	,	,	,	,	,	,	,	,	,	,		25.0 (M)	25.0 (M)	Resources	(2010) Amended									
8	Office Equipment																			5.0 (M)	5.0 (M)	1	(2017)					
9	Lab Equipment															35.0 (M)	35.0 (M)											
10	Dental Equipment																35.0 (M)	35.0 (M)										
11	Furniture & Fixture			25.0 (M)	25.0 (M)																							
12	Others			10.0 (M)	10.0 (M)	İ																						
13	Convocation																											
*****	Sound System			2.0 (M)	2.0 (M)																							
	Printing material			2.0 (M)	2.0 (M)																							
******	Photography			2.0 (M)	2.0 (M))																				
	Gowns		************	2.0 (M)	2.0 (M)			/	1																			

Consultant
Planning Development
Procurement Dept: JS*

PROCUREMENT OFFICER
PED | Procurement Bepartment
Jinnah Sindh Medical University

ANNUAL PROCUREMENT PLAN (Works, Goods & Services) Financial Year 2017-18

	Description of	Description of Procurement Quantity Where Applicable Applicable Estimate Unit Cost Where Applicable Applicable Source of Estimated Cost Funds Allocated Cost Source of Funds (ADP, Non ADP) Proposed Procurement Method	of Quantity Unit Cost Total Funds	Funds	The state of the s	Proposed		t	Domodes			
S/N	[[[[[[[[[[[[[[[[[[[THE PROPERTY OF THE PARTY OF TH	1 st Qtr	2 nd Qtr	3 rd Qtr	4 th Qtr	Remarks				
14	¹ Hardware	As Per Requirement of University	Expected Unit Cost as per Market rate	20.0 (M)	20.0 (M)	1				5		
15	Software			40.0 (M)	40.0 (M)							
	Building & Structure (Civ	il Work)					Single Steer en					
16	Office Buildings			50.0 (M)	50.0 (M)	Sindh Govt	Single Stage one & Two envelop as per SPPRA Rule	07/2017 10/2017 To To 09/2017 12/2017	То	01/2018 To 03/2018	04/2018 To 06/2018	
17	Hostels / Residential Buildings			15.0 (M)	15.0 (M)	Grant & Universities Own						
18	Electrification, Plumbing and other infrastructural works	As per demand of	Cost as per Schedule of	460.0 (M)	460.0 (M)	Resources	(2010) Amended (2017)		12/2017			
19	Life health insurance	Site	Rates	12.0 (M)	12.0 (M)							
20.	Security services & Security equipment			30.0(M)	30.0(M)							
			Total	890.0 (M)	890.0 (M)							

ADP Scheme

Strengthening of Existing Facilities / Infrastructure for JSMU, Karachi (ADP#1727)	As per demand of Site	Cost as per Schedule of Rates	200 (M)	200 (M)	Sindh Govt Grant & Universities Own Resources	Single Stage One & Two envelop as per SPPRA Rule (2010) Amended (2010)	07/2017 To 09/2017	10/2017 To 12/2017	01/2018 To 03/2018	04/2018 To 06/2018
--	-----------------------------	-------------------------------------	---------	---------	--	--	--------------------------	--------------------------	--------------------------	--------------------------

Consultant
Planning Development
Procurement Dept: JS*

PROCUREMENT OFFICER PBD / Procurement Bepartment Jinnah Sindh Medical University



JINNAH SINDH MEDICAL UNIVERSITY, KARACHI

CONSTRUCTION OF DENTAL OPD ANNEXE BUILDING AT JSMU, KARACHI

BIDDING AND CONTRACT DOCUMENTS

VOLUME - I

INVITATION FOR BIDS
INSTRUCTIONS TO BIDDERS & BIDDING DATA
FORM OF BID & SCHEDULES TO BID
CONDITIONS OF CONTRACT & CONTRACT DATA
STANDARD FORMS
SPECIFICATIONS
DRAWINGS



 $\sqrt{}$

DECEMBER - 2017



NATIONAL ENGINEERING SERVICES PAKISTAN (Pvt.) LTD.

ARCHITECTURE & PLANNING DIVISION

4th Floor, N.I.C.L. Building, Abbasi Shaheed Road, Karachi, Tel: 99225430-34

TABLE OF CONTENTS

Description	1					Page No.
INVITATIO	N FOR B	IDS				1
	Form					2
INSTRUCTI	ONS TO	BIDDERS				3
A.	Gener	ral				
	IB.1	Scope of Bid				4
	IB.2	Source of Funds				4
	IB.3	Eligible Bidders				4
	IB.4	One Bid Per Bidder				
	IB.5	Cost of Bidding				5 5
	IB.6	Site Visit				5
В.	Riddir	ng Documents				
		8				
	IB.7	Contents of Bidding Doo	cuments			5
	IB.8	Clarification of Bidding				6
	IB.9	Amendment of Bidding		0.1		6
C.	Prena	ration of Bids				
				in in		
	IB.10.	Language of Bid				6
		Documents Accompanyi	ng the Bid			6
		Bid Prices		-		8
		Currencies of Bid and Pa	vment			9
		Bid Validity	9			9
	IB.15					9
		Alternate Proposals by B	idder	A 1		10
		Pre-Bid Meeting	rador			10
	IB.18	Format and Signing of B	id			11
	10.16	1 offilat and Signing of D	ra g			11
D.	Submi	ission of Bids				
	IB.19	Sealing and Marking of l	Bids			11
	IB.20	Deadline for Submission				12
	IB.21	Late Bids				12
	IB.22	Modification, Substitution	n and Witho	lrawal of Bids		12
					Ω	
E.	Bid O	pening and Evaluation	17		4.	
	IB.23	Bid Opening			V .	13
	IB.24	Process to be Confidentia	al		18.	13
	IB.25					14
		Examination of Bids and	Determinat	ion of Respons	iveness	14
		Correction of Errors	_ c.c.iiiiidt			15
	ID 20	Evaluation and Comparis	on of Ride		Ŷ.	15

F.	Award of Contract		
	Bids IB.31 Notification of IB.32 Performance S IB.33 Signing of Con IB.34 General Perfor IB.35 Integrity Pact		17 17 18 18 19 19 19
BIDDING DA	TA	l v	21
BUILDINGS	LOCATION PLANS		25
FORM OF BI	D AND APPENDICES	TO BID	27
	FORM OF BID Appendix-A to Bid Appendix-B to Bid Appendix-C to Bid Appendix-D to Bid Appendix-E to Bid Appendix-F to Bid Appendix-G to Bid Appendix-H to Bid Appendix-I to Bid Appendix-J to Bid Appendix-J to Bid Appendix-K to Bid	: Special Stipulations : Foreign Currency Requirements : Price Adjustment (Under Clause 13.8) : Bill of Quantities : Proposed Construction Schedule : Method of Performing the Work : List of Major Equipment – Related Items : Construction Camp and Housing Facilities : List of Subcontractors : Estimated Progress Payments : Organization Chart of the Supervisory Staff and Labour : Integrity Pact	27 29 30 31 32 33 35 36 38 39 40 41
FORMS	INDENTURE FOR SE GENERAL CONDITION	MENT VANCE GUARANTEE/BOND	44 46 48 50 52 56



INVITATION FOR BIDS

INVITATION FOR BID

Refer Newspaper





JINNAH SINDH MEDICAL UNIVERSITY KARACHI PLANNING & DEVELOPMENT/ PROCUREMENT DEPARTMENT

Ref:# JSMU/P&D/PROC/NIT/ 1696

Dated: 26-12-2017

INVITATION FOR BID

1. Jinnah Sind Medical University, invites sealed bids from interested bidders with valid license from Pakistan Engineering Council (PEC) in Category C3 or above and having capability & experience as per Post Qualification Criteria to carry out Construction of Dental OPD Annexe Building at Jinnah Sindh Medical University Karachi. The proposals are invited under SPPRA Rules for the works as mentioned below.

Description	Last date of Purchase of Bids	Date/Time of Submission of Bids	Date & Timing of Opening of Technical Bids	Earnest Money/ Bid Security
Construction of Dental OPD Annexe Building at Jinnah Sindh Medical University, Karachi.	January 20, 2018 Up-to 1500 Hours	January 22, 2018 _at 11.00 Hours	January 22, 2018 at 11.30 Hours	3% of Bid Price in the form of Deposit at Call, Pay Order or Bank Guarantee valid beyond 28 days after bid validity.

- A complete set of Bidding Documents alongwith Post Qualification Document may be obtained from January 01, 2018 from the office of the undersigned on submission of a written application and payment of non-refundable Bidding Document cost Rs. 5,000/- in shape of a pay order/ bank draft in favor of Vice Chancellor, Jinnah Sindh Medical University Karachi.
- A Pre-Bid Meeting will be held on January 09, 2018 at 11.00 AM at National Engineering Services Pakistan (Pvt.) Limited, 4th Floor, NICL Building, Abbasi Shaheed Road, Karachi, Tel:021-99225430-4
- 4 Single Stage Two Envelope procedure will be adopted as per Rule-46(2) of SPPRA 2010 (Amended 2017).
- Bid must be accompanied by a Bid Security minimum 3% of their Bid Price. Proof of Bid Security hiding the Bid Security amount must be attached with Technical Bids. Bids without Bid Security shall be rejected.
- Partial, incomplete, Conditional Bids or Bids received after the specified date and time will be rejected. Also, Bids submitted through fax, email or telegraph shall not be accepted.
- Technical Bid & Financial Bid Documents, in separate envelopes, are to be submitted at the office of Consultant P&D/Procurement Planning & Development Department, Jinnah Sindh Medical University, Karachi on 22-01-2018 at 11:00 Hours. The Technical Bid is to be prepared based on information required as per Post Qualification Document and shall be opened on the same date at 22-01-2018 at 11:30 hours in the presence of the bidder's representative & Procurement Committee of JSMU. Bids received after the prescribed time/date shall be not entertained. Financial bids of only Post Qualified Bidders shall be opened on a date communicated later.
- Procuring Agency reserves the right to reject all or any bids subject to the relevant provisions of Sindh Public Procurement Rules-2010 (Amended 2017).
- Government Notified Blacklisted Firms / Suppliers shall not be entertained.

In case bids are not opened on the scheduled dated due to unscheduled holiday or any other reason, the same shall be opened on the next working day. Other terms and conditions of the bids shall however remain unchanged.

Procurement Officer

P&D / Procurement Department
Jinnah Sindh Medical University Karachi

Consultant

P&D / Procurement Department
Jinnah Sindh Medical University Karachi.

INSTRUCTIONS TO BIDDERS

(Note: These Instructions to Bidders along with Bidding Data will not be part of the Contract and will cease to have effect once the contract is signed.)

A. GENERAL

IB.1 Scope of Bid

- 1.1 The Procuring Agency as defined in the Bidding Data hereinafter called "the Procuring Agency" wishes to receive bids for the construction and completion of works as described in these Bidding Documents, and summarised in the Bidding Data hereinafter referred to as the "Works".
- 1.2 The successful bidder will be expected to complete the Works within the time specified in Appendix-A to Bid.

IB.2 Source of Funds

2.1 The Procuring Agency has received/allocated/applied for loan/grant/Federal/ Provincial/Local Government funds from the source(s) indicated in the bidding data in various currencies towards the cost of the project /scheme specified in the bidding data, and it is intended that part of the proceeds of this loan/grant/funds will be applied to eligible payments under the Contract for which these Bidding Documents are issued.

IB.3 Eligible Bidders

3.1 This Invitation for Bids is open to all interested bidders who are eligible under provisions of Sindh Public Procurement Rules as mentioned below and the criteria given in the Notice Inviting Tender (NIT)/ Bidding Document.

Firms and individuals, national or international, may be allowed to bid for any project where international competitive bidding is feasible. Any conditions for participation shall be limited to those that are essential to ensure the bidder's capability to fulfill the contract in question.:

- a) Bidders may be excluded if;
 - (i) as a matter of law or official regulations, commercial relations are prohibited with the bidder's country by the federal government in case of ICB, or
 - (ii) a firm is blacklisted/ debarred by the procuring agency and the matter has been reported to the Authority, subject to Rule 30 of Sindh Public Procurement Rules 2010.
- b) Government-owned enterprises or institutions may participate only if they can establish that they are;
 - (i) legally and financially autonomous, and
 - (ii) operate under commercial law.

Provided that where government-owned universities or research centers in the country are of a unique and exceptional nature, and their participation is critical to project implementation, they may be allowed to participate; and;

Bidders shall include all those contractors who are registered or incorporated in Pakistan, irrespective of the nationality of their owners and professional staff, or

- (c) Bidders are:-
 - Registered with Pakistan Engineering Council in particular category C3 or above with Specialization Code CE10
 - (ii) registered with relevant tax authorities (income/sales tax, wherever applicable)
 - (iii) duly pass the Criteria listed in Post Qualification Document.

IB.4 One Bid per Bidder

4.1 Each bidder shall submit only one bid either by himself, or as a partner in a joint venture. A bidder who submits or participates in more than one bid (other than alternatives pursuant to Clause IB.16) will be disqualified.

IB.5 Cost of Bidding

5.1 The bidders shall bear all costs associated with the preparation and submission of their respective bids and the Procuring Agency will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

IB.6 Site Visit

- 6.1 The bidders are advised to visit and examine the Site of Works and its surroundings and obtain for themselves on their own responsibility all information that may be necessary for preparing the bid and entering into a contract for construction of the Works. All cost in this respect shall be at the bidder's own expense.
- Agency to enter upon his premises and lands for the purpose of such inspection, but only upon the express condition that the bidders, their personnel and agents, will release and indemnify the Procuring Agency, his personnel and agents from and against all liability in respect thereof and will be responsible for death or personal injury, loss of or damage to property and any other loss, damage, costs and expenses incurred as a result of such inspection.

B. BIDDING DOCUMENTS

IB.7 Contents of Bidding Documents (SSP RULE 21)

- 7.1 The Bidding Documents, in addition to invitation for bids, are those stated below and should be read in conjunction with any Addenda issued in accordance with Clause IB.9.
 - 1. Instructions to Bidders.
 - Bidding Data.
 - General Conditions of Contract, Part-I (GCC).
 - 4. Special Conditions of Contract, Part-II (PCC).
 - Specifications Special Provisions.
 - Specifications Technical Provisions.
 - Form of Bid & Appendices to Bid.
 - Bill of Quantities (Appendix-D to Bid).
 - 9. Form of Bid Security.



- 10. Form of Contract Agreement.
- Forms of Performance Security and Mobilization Advance Guarantee, Integrity Pact and Indenture bond for secured advance.
- 12. Drawings.
- 13. Post Qualification Document (for Technical Qualification of firms/Constructors)
- 7.2 The bidders are expected to examine carefully the contents of all the above documents. Failure to comply with the requirements of bid submission will be at the Bidder's own risk. Pursuant to Clause IB.26, bids which are not substantially responsive to the requirements of the Bidding Documents will be rejected.

IB.8 Clarification of Bidding Documents (SSP RULE 23(1)):

8.1 Any interested bidder requiring any clarification (s) in respect of the Bidding Documents may notify the Procuring Agency in writing at the Procuring Agency's address indicated in the Invitation for Bids/NIT. The Procuring Agency will respond to any request for clarification provided they are received at least five calendar days prior to the date of opening of bid. provided that any clarification in response to query by any bidder; shall be communicated to all parties who have obtained bidding documents, but without identifying its source.

IB.9 Amendment of Bidding Documents

- 9.1 At any time prior to the deadline for submission of bids, the Procuring Agency may, for any reason, whether at his own initiative or in response to a clarification requested by a interested bidder, modify the Bidding Documents by issuing addendum.
- 9.2 Any addendum thus issued shall be part of the Bidding Documents pursuant to Sub-Clause 7.1 hereof and shall be communicated in writing to all the bidders. Intrested bidders shall acknowledge receipt of each addendum in writing to the Procuring Agency.
- 9.3 To afford bidders reasonable time in which to take an addendum into account in preparing their bids, the Procuring Agency may extend the accordance with Clause IB.20

C. PREPARATION OF BIDS

IB.10 Language of Bid

10.1 The bid and all correspondence and documents related to the bid exchanged by a bidder and the Procuring Agency shall be in the language stipulated in the Bidding Data and Special Conditions of Contract. Supporting documents and printed literature furnished by the bidders may be in any other language provided the same are accompanied by an accurate translation of the relevant parts in the bid language, in which case, for purposes of evaluation of the bid, the translation in bid language shall prevail.

IB.11 Documents Accompanying the Bid

11.1 Each bidder shall:

 submit a written authorization on the letterhead of the bidding firm authorizing the signatory of the bid to act for and on behalf of the bidder;

- (b) update the information indicated and listed in the Bidding Data and previously submitted with the application for post qualification, and continue to meet the minimum criteria set out in the post qualification documents which as a minimum, would include the following:
 - (i) Evidence of access to financial resources along with average annual construction turnover;
 - (ii) Financial predictions for the current year and the two following years including the effect of known commitments;
 - (iii) Work commitments since prequalification;
 - (iv) Current litigation information; and
 - (v) Availability of critical equipment.

and

(c) furnish various Appendices to Bid specially the following:

Appendix-E to Bid

Proposed Construction Schedule

Appendix-F to Bid

Method of Performing the Work

Appendix-G to Bid

List of Major Equipment

Appendix-K to Bid

Organization Chart for Supervisory Staff

and other pertinent information such as mobilization programme etc;

- 11.2 Bids submitted by a joint venture of two (2) or more firms shall comply with the following requirements:
 - (a) one of the joint venture partners shall be nominated as being in charge; and this authorization shall be evidenced by submitting a power of attorney signed by legally authorized signatories of all the joint venture partners;
 - (b) the bid and in case of a successful bid, the Form of Contract Agreement shall be signed so as to be legally binding on all partners;
 - (c) the partner-in-charge shall always be duly authorized to deal with the Procuring Agency regarding all matters related with and/or incidental to the execution of Works as per the terms and Conditions of Contract and in this regard to incur any and all liabilities, receive instructions, give binding undertakings and receive payments on behalf of the joint venture;
 - (d) all partners of the joint venture shall at all times and under all circumstances be liable jointly and severally for the execution of the Contract in accordance with the Contract terms and a statement to this effect shall be included in the authorization mentioned under Sub-Para(a) above as well as in the Form of Bid and in the Form of Contract Agreement (in case of a successful bid); and



- (e) a copy of the agreement entered into by the joint venture partners shall be submitted with the bid stating the conditions under which it will function, its period of duration, the persons authorized to represent and obligate it and which persons will be directly responsible for due performance of the Contract and can give valid receipts on behalf of the joint venture, the proportionate participation of the several firms forming the joint venture, and any other information necessary to permit a full appraisal of its functioning. No amendments / modifications whatsoever in the joint venture agreement shall be agreed to between the joint venture partner without prior written consent of the Procuring Agency.
- 11.3 Bidders shall also submit proposals of work methods and schedule, in sufficient detail to demonstrate the adequacy of the Bidders' proposals to meet the technical specifications and the completion time referred to in Sub-Clause 1.2 hereof.

IB.12 Bid Prices

- 12.1 Unless stated otherwise in the Bidding Documents, the Contract shall be for the whole of the Works as described in Sub-Clause 1.1 hereof, based on the unit rates and / or prices submitted by the bidder or percentage quoted above or below on the rates of Composite Schedule of Rates (CSR), as the case may be.
- 12.2 The bidders shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items against which no rate or price is entered by a bidder will not be paid for by the Procuring Agency when executed and shall be deemed covered by rates and prices for other items in the Bill of Quantities. In case of Composite Schedule of Rates, if the bidder fails to mention the percentage above or below, it shall be deemed to be at par with the rates of Composite Schedule of Rates.
- 12.3 The bid price submitted by the contractor shall include all rates and prices including the taxes. All duties, taxes and other levies payable by the contractor under the contract, or for any other cause during the currency of the execution of the work or otherwise specified in the contract deadline for submission of bids.
 - Additional / reduced duties, taxes and levies due to subsequent additions or changes in legislation shall be reimbursed / deducted as per Sub-Clause 13.7 of the General Conditions of Contract Part-I.
- 12.4 The rates and prices quoted by the bidders are subject to adjustment during the performance of the Contract in accordance with the provisions of Clause 13.7 of the Conditions of Contract. The bidders shall furnish the prescribed information for the price adjustment formulae in Appendix-C to Bid, and shall submit with their bids such other supporting information as required under the said Clause. Adjustment in prices quoted by bidders shall be allowed as Instructions to bidders and bidding data.



IB.13 Currencies of Bid and Payment

- 13.1 The unit rates and the prices shall be quoted by the bidder entirely in Pak rupees. A bidder expecting to incur expenditures in other currencies for inputs to the Works supplied from outside the Procuring Agency's country (referred to as the "Foreign Currency Requirements") shall indicate the same in Appendix-B to Bid. The proportion of the Bid Price (excluding Provisional Sums) needed by him for the payment of such Foreign Currency Requirements either (i) entirely in the currency of the Bidder's home country or, (ii) at the bidder's option, entirely in Pak rupees provided always that a bidder expecting to incur expenditures in a currency or currencies other than those stated in (i) and (ii) above for a portion of the foreign currency requirements, and wishing to be paid accordingly, shall indicate the respective portions in his bid.
- 13.2 The rates of exchange to be used by the bidder for currency conversion shall be the selling rates published and authorized by the State Bank of Pakistan prevailing on the date, 07 (seven) days prior to the deadline for submission of bids. For the purpose of payments, the exchange rates used in bid preparation shall apply for the duration of the contract.

IB.14 Bid Validity

- 14.1 Bids shall remain valid for the period stipulated in the Bidding Data after the Date of Bid Opening specified in Clause IB.23.
- In exceptional circumstances, prior to expiry of the original bid validity period, the Procuring Agency may request that the bidders extend the period of validity for a specified additional period which shall in no case be more than the original bid validity period. The request and the responses thereto shall be made in writing. A bidder may refuse the request without forfeiting his Bid Security. A bidder agreeing to the request will not be required or permitted to modify his bid, but will be required to extend the validity of his Bid Security for the period of the extension, and in compliance with Clause IB.15 in all respects.

IB.15 Bid Security

- 15.1 Each bidder shall furnish, as part of his bid, a Bid Security in the amount stipulated in the Bidding Data in Pak Rupees or an equivalent amount in a freely convertible currency.
- 15.2 The Bid Security shall be, at the option of the bidder, in the form of Deposit at Call or a Bank Guarantee issued by a Scheduled Bank in Pakistan or from a foreign bank duly counter guaranteed by a Scheduled Bank in Pakistan in favour of the Procuring Agency which should commensurate with the bid validity period. The bank guarantee for bid security shall be acceptable in the manner as provided at Annexure BS-1.
- 15.3 Any bid not accompanied by an acceptable Bid Security shall be rejected by the Procuring Agency as non-responsive.
- 15.4 Bid security shall be released to the unsuccessful bidders once the contract has been signed with the successful bidder or the validity period has expired.



- 15.5 The Bid Security of the successful bidder will be returned when the bidder has furnished the required Performance Security and signed the Contract Agreement.
- 15.6 The Bid Security may be forfeited:
 - (a) if the bidder withdraws his bid except as provided in Sub-Clause 22.1;
 - (b) if the bidder does not accept the correction of his Bid Price pursuant to Sub-Clause 27.2 hereof; or
 - (c) In the case of successful bidder, if he fails within the specified time limit to:
 - furnish the required Performance Security; or
 - (ii) sign the Contract Agreement.

IB.16 Alternate Proposals by Bidder

- 16.1 Each bidder shall submit only one bid either by himself, or as a member of a joint venture, until and unless they have been requested or permitted for alternative bid, then he has to purchase separate bidding documents and alternate bid shall be treated as separate bid.
- 16.2 Alternate proposals are allowed only for procurement of works where technical complexity is involved and more than one designs or technical solutions are being offered. Two stage two envelope bidding procedure will be appropriate when alternate proposal is required.
- 16.3 Alternate bid(s) shall contain (a) relevant design calculations; (b) technical specifications; (c) proposed construction methodology; and (d) any other relevant details / conditions, provided that the total sum entered on the Form of Bid shall be that which represents complete compliance with the bidding documents.

IB.17 Pre-Bid Meeting

- 17.1 The Procuring Agency may, on his own motion or at the request of any bidder(s), hold a pre-bid meeting to clarify issues and to answer any questions on matters related to the Bidding Documents. The date, time and venue of pre-bid meeting, if convened, shall be communicated to all bidders. All bidders or their authorized representatives shall be invited to attend such a pre-bid meeting at their own expense.
- 17.2 The bidders are requested to submit questions, if any, in writing so as to reach the Procuring Agency not later than seven (7) days before the proposed pre-bid meeting.
- 17.3 Minutes of the pre-bid meeting, including the text of the questions raised and the replies given, will be transmitted without delay to all purchasers of the Bidding Documents. Any modification of the Bidding Documents listed in Sub-Clause 7.1 hereof which may become necessary as a result of the pre-bid meeting shall be made by the Procuring Agency exclusively through the issue of an Addendum pursuant to Clause IB.9 and not through the minutes of the pre-bid meeting.
- 7.4 Absence at the pre-bid meeting will not be a cause for disqualification of a bidder.

IB.18 Format and Signing of Bid

- 18.1 Bidders are particularly directed that the amount entered on the Form of Bid shall be for performing the Contract strictly in accordance with the Bidding Documents.
- 18.2 All appendices to Bid are to be properly completed and signed.
- 18.3 Alteration is not to be made in the Form of Bid nor in the Appendices thereto except in filling up the blanks as directed. If any such alterations be made or if these instructions be not fully complied with, the bid may be rejected.
- 18.4 Each bidder shall prepare by filling out the forms completely and without alterations and shall provide an original copy along with photocopies as per the requirement of the procuring agency specified in the bidding data. The original as well as copies of the document shall be clearly marked as "ORIGINAL" and "COPY", as the case may be. If there is any discrepancy between original and copy (ies) then the original shall prevail.
- 18.5 The original and all copies of the bid shall be typed or written in indelible ink (in the case of copies, Photostats are also acceptable) and shall be signed by a person or persons duly authorized to sign on behalf of the bidder pursuant to Sub- Clause 11.1(a) hereof. All pages of the bid shall be initialled and stamped by the person or persons signing the bid.
- 18.6 The bid shall contain no alterations, omissions or additions, except to comply with instructions issued by the Procuring Agency, or as are necessary to correct errors made by the bidder. Such corrections shall be initialled by the person (s) signing the bid.
- 18.7 Bidders shall indicate in the space provided in the Form of Bid their full and proper addresses at which notices may be legally served on them and to which all correspondence in connection with their bids and the Contract is to be sent.
- 18.8 Bidders should retain a copy of the Bidding Documents as their file copy.

D. SUBMISSION OF BIDS

IB.19 Sealing and Marking of Bids

- 19.1 Single stage two envelope procedure
 - (a) bid shall comprise a single package containing two separate envelopes.
 Each envelope shall contain separately the financial proposal and the technical proposal;
 - (b) envelopes shall be marked as "FINANCIAL PROPOSAL" and "TECHNICAL PROPOSAL" in bold and legible letters to avoid confusion;
 - (c) initially, only the envelope marked "TECHNICAL PROPOSAL" shall be opened. The Technical Proposal should be prepared as per the Evaluation Criteria Documents provided with the Tender Documents.
 - envelope marked as "FINANCIAL PROPOSAL" shall be retained in the custody of the procuring agency without being opened;
 - (e) procuring agency shall evaluate the technical proposal in a manner prescribed in advance in the Post Qualification Document, without reference



- to the price and reject any proposal which does not conform to the specified requirements;
- (f) no amendments in the technical proposal shall be permitted during the technical evaluation;
- (g) financial proposals of technically qualified bids shall be opened publicly at a time, date and venue announced and communicated to the bidders in advance;
- (h) financial proposal of bids found technically non-responsive shall be returned un-opened to the respective bidders; and
- (j) bid found to be the lowest evaluated or best evaluated bid shall be accepted. Each bidder shall submit his bid as under:
- (a) ORIGINAL and one copy of the Bid shall be separately sealed and put in separate envelopes and marked as such.
- (b) The envelopes containing the ORIGINAL and 01 COPY of Technical Bids shall be put in one sealed envelope and addressed as given in Sub- Clause 19.2 hereof.
- 19.2 The inner and outer envelopes shall:
 - (a) be addressed at the address provided in the Bidding Data;
 - (b) bear the name and identification number of the contract as defined in the Bidding Data; and
 - (c) provide a warning not to open before the time and date for bid opening, as specified in the Bidding Data.
- 19.3 In addition to the identification required in Sub- Clause 19.2 hereof, the inner envelope shall indicate the name and address of the bidder to enable the bid to be returned unopened in case it is declared "late" pursuant to Clause IB.21
- 19.4 If the outer envelope is not sealed and marked as above, the Procuring Agency will assume no responsibility for the misplacement or premature opening of the Bid.

IB.20 Deadline for Submission of Bids

- 20.1 (a) Bids must be received by the Procuring Agency at the address specified no later than the time and date stipulated in the Bidding Data.
 - (b) Bids with charges payable will not be accepted, nor will arrangements be undertaken to collect the bids from specified above. Bidders shall bear all expenses incurred in the preparation and delivery of bids. No claims will be entertained for refund of such expenses.
 - (c) Where delivery of a bid is by mail and the bidder wishes to receive an acknowledgment of receipt of such bid, he shall make a request for such acknowledgment in a separate letter attached to but not included in the sealed bid package.
 - (d) Upon request, acknowledgment of receipt of bids will be provided to those making delivery in person or by messenger.



20.2 The Procuring Agency may, at his discretion, extend the deadline for submission of bids by issuing an amendment in accordance with Clause IB.9, in which case all rights and obligations of the Procuring Agency and the bidders previously subject to the original deadline will thereafter be subject to the deadline as extended.

IB.21 Late Bids

- 21.1 (a) Any bid received by the Procuring Agency after the deadline for submission of bids prescribed in Clause IB.20 will be returned unopened to such bidder.
 - (b) Delays in the mail, delays of person in transit, or delivery of a bid to the wrong office shall not be accepted as an excuse for failure to deliver a bid at the proper place and time. It shall be the bidder's responsibility to submit the bid in time.

IB.22 Modification, Substitution and Withdrawal of Bids

- 22.1 Any bidder may modify, substitute or withdraw his bid after bid submission provided that the modification, substitution or written notice of withdrawal is received by the Procuring Agency prior to the deadline for submission of bids.
- 22.2 The modification, substitution, or notice for withdrawal of any bid shall be prepared, sealed, marked and delivered in accordance with the provisions of Clause IB.19 with the outer and inner envelopes additionally marked "MODIFICATION", "SUBSTITUTION" or "WITHDRAWAL" as appropriate.
- 22.3 No bid may be modified by a bidder after the deadline for submission of bids except in accordance with Sub-Clauses 22.1 and 27.2.
- 22.4 Withdrawal of a bid during the interval between the deadline for submission of bids and the expiration of the period of bid validity specified in the Form of Bid may result in forfeiture of the Bid Security in pursuance to Clause IB.15.

E. BID OPENING AND EVALUATION

IB.23 Bid Opening

- 23.1 The Procuring Agency will open the bids, including withdrawals, substitution and modifications made pursuant to Clause IB.22, in the presence of bidders' representatives who choose to attend, at the time, date and location stipulated in the Bidding Data. The bidders or their representatives who are present shall sign an attendance sheet.
- 23.2 Envelopes marked "MODIFICATION", "SUBSTITUTION" or "WITHDRAWAL" shall be opened and read out first. Bids for which an acceptable notice of withdrawal has been submitted pursuant to Clause IB.22 shall not be opened.
- 23.3 Procuring agency shall read aloud the name of the bidder, total bid price and price of any Alternate Proposal(s), if any, discounts, bid modifications, substitution and withdrawals, the presence or absence of bid security, and such other details as the procuring agency may consider appropriate, and total amount of each bid, and of any alternative bids if they have been requested or permitted, shall be read aloud and recorded when opened.



23.4 Procuring Agency shall prepare minutes of the bid opening, including the information disclosed to those present in accordance with the Sub-Clause 23.3.

IB.24 Process to be Confidential (SPP Rule 53)

Information relating to the examination, clarification, evaluation and comparison 24.1 of bid and recommendations for the award of a contract shall not be disclosed to bidders or any other person not officially concerned with such process before the announcement of bid evaluation report in accordance with the requirements of Rule 45, which states that Procuring agencies shall announce the results of bid evaluation in the form of a report giving reasons for acceptance or rejection of bids. The report shall be hoisted on website of authority and that of procuring agency if it website exists and intimated to all bidders at least seven (7) days prior to the award of contract The announcement to all bidders will include table(s) comprising read out prices, discounted prices, price adjustments made, final evaluated prices and recommendations against all the bids evaluated. Any effort by a bidder to influence the procuring agency s processing of bids or award decisions may result in the rejection of such bidder s bid. Whereas, any bidder feeling aggrieved, may lodge a written complaint as per Rule 31; however mere fact of lodging a complaint shall not warrant suspension of the procurement process.

IB.25 Clarification of Bids (SPP Rule 43)

25.1 To assist in the examination, evaluation and comparison of bids, the Procuring Agency may, at its discretion, ask any bidder for clarification of the bid, including breakdowns of unit rates. The request for clarification and the response shall be in writing but no change in the price or substance of the bid shall be sought, offered or permitted except as required to confirm the correction of arithmetic errors discovered by the Procuring Agency in the evaluation of the bids in accordance with Clause IB.28.

IB.26 Examination of Bids and Determination of Responsiveness

- Prior to the detailed evaluation of bids, the procuring agency will determine whether the bidder fulfills all codal requirements of eligibility criteria given in the tender notice such as registration with tax authorities, registration with PEC (where applicable), turnover statement, experience statement, and any other condition mentioned in the NIT and bidding document. If the bidder does not fulfill any of these conditions, it shall not be evaluated further.
- Once found to be fulfilling the eligibility criteria, as mentioned in sub-clause 26.1, the bids of eligible bidders will be evaluated for technical responsiveness as per specification and criteria given in the bidding documents. Technical and financial evaluations may be carried out in accordance with single stage-one envelope, single stage-two envelopes, or two stage-two envelopes bidding procedures, depending on the selection procedure adopted by the procuring agency.
- A bid will be considered technically responsive if it (i) has been properly signed; (ii) is accompanied by the required bid security; and (iii) conforms to all the terms, conditions and specifications of the bidding documents, without material deviation or reservation. A material deviation or reservation is one (i) which affect in any substantial way the scope, quality or performance of the works; (ii) which limits in any substantial way, inconsistent with the bidding documents, the procuring agency s rights or the bidder's obligations under the contract; or (iii) adoption/rectification



whereof would affect unfairly the competitive position of other bidders presenting substantially responsive bids.

26.4 If a bid has major deviations to the commercial requirements and technical specifications will be considered technically non responsive. As a general rule, major deviations are those that if accepted, would not fulfill the purposes for which the bid is requested, or would prevent a fair comparison or affect the ranking of the bids that are compliant with the bidding documents.

(A). Major (material) Deviations include:-

- (i) has not been properly signed;
- (ii) is not accompanied by the bid security of required amount and manner;
- (iii) stipulating price adjustment when fixed price bids were called for;
- (iv) failing to respond to specifications;
- failing to comply with Mile-stones/Critical dates provided in Bidding Documents;
- (vi) sub-contracting contrary to the Bidding Documents;
 Conditions of Contract specified in
- (vii) refusing to bear important responsibilities and liabilities allocated in the Bidding Documents, such as performance guarantees and insurance coverage;
- (viii) taking exception to critical provisions such as applicable law, taxes and duties and dispute resolution procedures;
- (ix) a material deviation or reservation is one:
 - (a) which affect in any substantial way the scope, quality or performance of the works;
 - (b) adoption/rectification whereof would affect unfairly the competitive position of other bidders presenting substantially responsive bids.

(B) Minor Deviations

- (i) Bids that offer deviations acceptable to the Procuring Agency and which can be assigned a monetary value may be considered substantially responsive at least as to the issue of fairness. This value would however be added as an adjustment for evaluation purposes only during the detailed evaluation process.
- 26.5 If a bid is not substantially responsive, it will be rejected by the procuring agency, and may not subsequently be made responsive by correction or withdrawal of the non-conforming deviation or reservation.

IB.27 Correction of Errors

- 27.1 Bids determined to be substantially responsive will be checked by the Procuring Agency for any arithmetic errors. Errors will be corrected by the Procuring Agency as follows:
 - (a) where there is a discrepancy between the amounts in figures and in words, the amount in words will govern; and
 - (b) where there is a discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern, unless in the opinion of the Procuring Agency there is an



obviously gross misplacement of the decimal point in the unit rate, in which case the line item total as quoted will govern and the unit rate will be corrected.

27.2 The amount stated in the Form of Bid will be adjusted by the Procuring Agency in accordance with the above procedure for the correction of errors and with the concurrence of the bidders, The amount thus corrected shall be considered as binding upon the bidder. If the bidder does not accept the corrected bid price, his bid will be rejected, and the bid security shall be forfeited in accordance with sub-clause IB 15.6(b) hereof.

IB.28 Evaluation and Comparison of Bids

- 28.1 The Procuring Agency will evaluate and compare only the Bids determined to be substantially responsive in accordance with Clause IB.26.
- 28.2 In evaluating the Bids, the Procuring Agency will determine for each Bid the evaluated Bid Price by adjusting the Bid Price as follows:
 - (a) making any correction for errors pursuant to Clause IB.27;
 - excluding Provisional Sums and the provision, if any, for contingencies in the Summary Bill of Quantities, but including competitively priced Daywork;
 - (c) making an appropriate adjustment for any other acceptable variation or deviation.
- 28.3 The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be taken into account in Bid evaluation.
- 28.4 If the bid of the successful bidder is seriously unbalanced in relation to the procuring agency's estimate of the cost of work to be performed under the contract, the procuring agency may require the bidder to produce detailed price analyses for any or all items of the Bill of Quantities to demonstrate the internal consistency of those prices with the construction methods and schedule proposed. After evaluation of the price analyses, the procuring agency may require that the amount of the Performance Security set forth in clause IB.32 be increased at the expense of the successful bidder to a level sufficient to protect the procuring agency against financial loss in the event of default of the successful bidder under the contract.
- 28.5 "Corrupt and Fraudulent Practices": Bidders may be excluded if involved in means either one or any combination of the practices given below SPP Rule2(q);
 - (i) "Coercive Practice" means any impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence the actions of a party to achieve a wrongful gain or to cause a wrongful loss to another party;
 - (ii) "Collusive Practice" means any arrangement between two or more parties to the procurement process or contract execution, designed to achieve with or without the knowledge of the procuring agency to establish prices at artificial, noncompetitive levels for any wrongful gain;



- (ii) "Corrupt Practice" means the off directly or indirectly, of anything another party for wrongful gain; ering, giving, receiving or soliciting, of value to influence the acts of
- (iv) "Fraudulent Practice" means any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
- (v) "Obstructive Practice" means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in a procurement process, or affect the execution of a contract or deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements before investigators in order to materially impede an investigation into allegations of a corrupt, fraudulent, coercive or collusive intimidating any party to prevent it matters relevant to the investigation or from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or acts intended to materially impede rights provided for under the Rules.

28.6 Evaluation Report (SPP Rule 45)

After the completion of evaluation process, as described in clauses IB 27 and IB 28, the procuring agency shall announce the results of bid evaluation in the form of report (available on the website of the authority) giving reasons for acceptance and rejection of bid. The report shall be hoisted on website of the authority and that of procuring agencies if its website exists and intimated to all bidders at least seven (7) days prior to the award of contract.

F. AWARD OF CONTRACT

IB.29 Award (SPP Rule 49)

- 29.1 Subject to Clauses IB.30 and IB.34, the Procuring Agency shall award the Contract to the bidder whose bid has been determined to be substantially responsive to the Bidding Documents and who has offered the lowest evaluated Bid Price, but not necessarily the lowest submitted price, within the original or extended period of bid validity. Provided that such bidder has been determined to be eligible in accordance with the provisions of clause IB 03 and qualify pursuant to sub-clause IB 29.2.
- 29.2 The Procuring Agency, at any stage of the bid evaluation, having credible reasons for or *prima facie* evidence of any deficiency(ies) in supplier's or contractor's capacities, may require the suppliers or contractors to provide information concerning their professional, technical, financial, legal or managerial competence whether already pre-qualified or not:

Provided that such qualification shall only be laid down after recording reasons therefor in writing. They shall form part of the records of that bid evaluation report.

IB.30 Procuring Agency's Right to reject all Bids or Annul / Cancellation the Bidding Process (SPP Rule 25)

30.1 Notwithstanding Clause IB.29, and provision of the rule: (1) A procuring agency reserves may cancel the bidding process at any time prior to the acceptance of a bid or proposal; (2) The procuring agency shall incur no liability towards bidders solely by virtue of its invoking sub-rule (1);



(3) Intimation of the cancellation of bidding process shall be given promptly to all bidders and bid security shall be returned along with such intimation; (4) The procuring agency shall, upon request by any of the bidders, communicate to such bidder, grounds for cancellation of the bidding process, but is not required to justify such grounds.

IB.31 Notification of Award (SPP Rule 25)

- 31.1 Prior to expiry of the period of bid validity, including extension, prescribed by the procuring agency, the procuring agency shall notify the successful bidder in writing ("Letter of Acceptance") that his bid has been accepted. This letter shall mention the sum which the procuring agency will pay to the contractor in consideration of the execution and completion of the works by the contractor as prescribed by the contract (hereinafter and in the conditions of contract called the "Contract Price").
- 31.2 No negotiation with the bidder having evaluated as lowest responsive or any other bidder shall be permitted, however, procuring agency may hold meetings to clarify any item in the bid evaluation report.
- 31.3 The notification of award and its acceptance by the bidder will constitute the formation of the contract, binding the procuring agency and the bidder till signing of the formal Contract Agreement.
- 31.4 Upon furnishing by the successful bidder of a Performance Security and signing of the contract, the procuring agency will promptly notify the name of the successful bidder to all bidders and return their bid securities accordingly.
- 31.5 Within seven days of the award of contract, procuring agency shall publish on the website of the Authority and on its own website, if such a website exists, the results of the bidding process, identify the bid through procurement identifying numbers, and the following information:
 - (1) Evaluation Report;
 - (2) Form of Contract and letter of Award;
 - (3) Bill of Quantities or Schedule of Requirement.

31.6 Debriefing (SPP Rule 51).

- (a) A bidder may ask the procuring agency for reasons for non acceptance of his bid and may request for a debriefing meeting and procuring agency shall give him the reasons for such non acceptance, either in writing or by holding a debriefing meeting with such a bidder.
- (b) The requesting bidder shall bear all the costs of attending such a debriefing.

IB.32 Performance Security (SPP Rule 39)

- 32.1 The successful bidder shall furnish to the Procuring Agency a Performance Security in the form pay order or demand draft or bank guarantee, and the amount stipulated in the Bidding Data and the Conditions of Contract within a period of 28 days after the receipt of Letter of Acceptance.
- 32.2 Failure of the successful bidder to comply with the requirements of Sub-Clause IB.32.1 or Clauses IB.33 or IB.35 shall constitute sufficient grounds for the annulment of the award and forfeiture of the Bid Security.
- 32.3 Validity of performance security shall extend at least ninety days beyond the date of completion of contract, or as mentioned in the bidding data to cover defects liability period or maintenance period subject to final acceptance by the procuring agency.



IB.33 Signing of Contract Agreement (SPP Rule 39)

Within 14 days from the date of furnishing of acceptable Performance Security under the Conditions of Contract, the Procuring Agency will send the successful bidder the Contract Agreement in the form provided in the Bidding Documents, incorporating all agreements between the parties.

33.2 The formal Agreement between the Procuring Agency and the successful bidder shall be executed within 14 days of the receipt of the Contract Agreement by the successful

bidder from the Procuring Agency.

A procurement contract shall come into force when the procuring agency requires signs contract, the date on which the signatures of both the procuring agency and the successful bidder are affixed to the written contract. Such affixing of signatures shall take place within the time prescribed in the bidding documents. Provided that the procuring agency may reduce the maximum time limit for signing of contract, as and when required, and shall be mentioned in the bidding documents.

33.4 Stamp Duty.

The formal Agreement between the Procuring Agency and the successful bidder shall be duly stamped at rate of ----% *of bid price (updated from time to time) stated in Letter of Acceptance

IB.34 General Performance of the Bidders

Procuring agency may in case of consistent poor performance of the contractor and his failure to remedy the underperforming contract may take such action as may be deemed appropriate under the circumstances of the case including the rescinding the contract and/or black listing of such contractor and debarring him from participation in future bidding process.

IB.35 Integrity Pact (SPP Rule 89)

The Bidder shall sign and stamp the Integrity Pact provided at Appendix-L to Bid in the Bidding Documents for all Provincial/Local Government procurement contracts exceeding Rupees ten million. Failure to provide such Integrity Pact shall make the bidder non-responsive.

IB.36 Instructions not Part of Contract

Bids shall be prepared and submitted in accordance with these Instructions which are provided to assist bidders in preparing their bids, and do not constitute part of the Bid or the Contract Documents.

IB.37 Arbitration (SPP Rule 34)

Any dispute that is not amicably resolved shall be finally settled, unless otherwise specified in the Contract, under the Arbitration Act 1940 updated from time to time and would be held anywhere in the Province of Sindh at the discretion of procuring agency.



^{*} Note: See Bidding Data

BIDDING DATA



Bidding Data

1.1 Name and Address of the Procuring Agency:

Consultant,
P&D / Procurement Department,
Jinnah Sindh Medical University,
Rafiqui H.J. Shaheed Road, Karachi.

1.1 Name of the Project & Summary of the Works:

Construction of Dental OPD Annexe Building at JSUM, Karachi.

Construction of multi storey building with complete civil works including structural, architectural, plumbing, electrical & mechanical works(gas piping) as described in the drawings, BOQ & Specifications in detail.

2.1 Name of the Borrower/Source of Financing/Funding Agency:

The project is financed by Government of Sindh.

2.1 Amount and type of financing: Not Applicable

8.1 Time limit for clarification:

Bidders may seek clarification in writing at least three (03) days before Pre bid meeting.

10.1 Bid language:

English

11.1 (b) Post-qualification Information to be updated:

Updated information shall be submitted in accordance with the Appendices to the Tender along with current contractual and financial commitments.

13.1 Bidders to quote entirely in Pak. Rupees only.

14.1 Period of Bid Validity:

90 days after the date of Bid opening

15.1 Amount of Bid Security:

Bid Security for the amount of minimum 3.0% of the quoted Bid Price in the form of Deposit at Call or a Bank Guarantee issued by a Scheduled Bank in Pakistan or from a foreign bank duly counter guaranteed by a Scheduled Bank in Pakistan in favour of the Procuring Agency.

17.1 Venue, time, and date of the pre-Bid meeting:

Venue: Conference Room, Architecture & Planning Division Karachi, NESPAK, 4th Floor, NIC Building, Abbasi Shaheed Road off. Shahrah-e-Faisal, Karachi Time and date: As notified in Notice Inviting Tenders (NIT)



18.4 Number of copies of the Bid to be completed and returned:

One Original plus one(01) copy of all tender documents. However the drawing set shall be acceptable original only with the bidders sign and stamp.

19.2(a) address for the purpose of Bid submission:

Advisor P&D / Procurement, Jinnah Sindh Medical University, Rafiqui H.J. Shaheed Road, Karachi. Postal Code# 75510 Tel: 35223811-15 Ext. 350, Fax # 99201372 www.jsmu.edu.pk

19.2(b)Name and Number of the Contract: (

20.1(a)Deadline for submission of bids:

As notified in Notice Inviting Tenders NIT

23.1 Venue, time, and date of Bid opening:

Venue: As notified by the Procuring Agency in Notice Inviting Tenders Time: As notified by the Procuring Agency in Notice Inviting Tenders Date: As notified by the Procuring Agency in Notice Inviting Tenders

26. Examination of Bids and Determination of Responsiveness/Qualification:

The bids shall be prepared and submitted as per SPPRA 2010 Rule 46(2) "Single Stage – Two Envelope" bidding process. However, it is essential that each bidder shall submit all required data / information as per Evaluation Criteria Document & Appendices to Bid to demonstrate responsiveness and qualification.

32.1 Standard form and amount of Performance Security acceptable to the Employer:

Performance Security shall be equal to 10% of Contract Amount stated in the Letter of Acceptance. Such Security shall be in the form of unconditional on-demand Bank Guarantee from a Schedule bank in Pakistan.

32.3 Validity of Performance Security:

Performance Security shall be valid up to completion of Defects Liability Period.

33.3 Signing of Contract Agreement:

Within fourteen (14) days from the date of furnishing acceptable Performance security, the successful bidder shall bring Contract Agreement (as per format given in Tender documents) on stamp paper of the value as per stamp duty Act latest version, signed and stamped by him for Employer's signature and stamp.

33.4 Stamp duty

Stamp duty on contract agreement or other papers shall be paid by the successful bidder/contractor as per percentage given in stamp duty Act latest version.



BUILDING'S LOCATION PLAN

FORM OF BID AND APPENDICES TO BID

FORM OF BID

Bid Re	ference No(Name of Contract/Works)	
To:	Consultant, P&D / Procurement Department,, Jinnah Sindh Medical University, Rafiqui H.J. Shaheed Road, Karachi.	
1.	Having examined the Bidding Documents including Instructions to Bidders, Bidding Data Conditions of Contract. Specifications, Drawings and Bill of Quantities and Addenda Note for the execution of the above-named Works, we the undersigned, offer to execute and complete such Works and remedy any defects therein it conformity with the Conditions of Contract. Specifications, Drawings, Bill of Quantities and Addenda for the sum of Rs. [Rupees	s. e, in
2.	We understand that all the Appendices attached hereto form part of this Bid.	
3.	As security for due performance of the undertakings and obligations of this Bid, we subm herewith a Bid Security in the amount of Rupees (Rs) drawn in your favour or made payable to you and valid for period of days beginning from the date Bids are opened.	
4.	We/I undertake, if our Bid is accepted, to commence the Works and to complete the whole of the Works comprised in the Contract within the time stated in Appendix-A to Bid.	f
5.	We/I agree to abide by this Bid for the period of days from the date fixed for receiving the same and it shall remain binding upon us and may be accepted at any time before the expiration of that period.	
6.	Unless and until a formal Agreement is prepared and executed, this Bid, together with you written acceptance thereof, shall constitute a binding contract between us.	ır
7.	We do hereby declare that the Bid is made without any collusion, comparison of figures of arrangement with any other bidder for the Works.	r
Γ		
1)		
1		

- 8. We understand that you are not bound to accept the lowest or any Bid you may receive.
- We undertake, if our/my bid is accepted, to execute the Performance Security referred to in Clause 4.2 of Conditions of Contract for the due performance of the Contract.

jointly and s	everally for the execution of	hat all partners of the joint venture shall be lied f the Contract and the composition or the constitution
		without the prior consent of the procuring agency.
	e this in case of Bid form a si	
in the capaci	ty ofduty authorized	d to sign Bids for and on behalf of
Dated this _	day of	20
Signature: _		
in the capaci	ty ofduly authorized	ed to sign Bids for and on behalf of
-	(Name of Bidder in Block	ck Capitals)
	(Seal)	
Address:		
Witness:		II
Without.		
Signature:	4	
Name:		
2-27 STM 34-4 SW SW		
Address.		
Occupation		



SPECIAL STIPULATIONS Clause Conditions of Contract

S.No	Description	*Ref	Summary		
1.	Engineer's Authority to issue Variation in	3.1	2% of the Contract Price stated in the		
2.	Amount of Performance Security	4.2	Letter of Acceptance. 10% of contract price stated in the Letter of Acceptance. Performance Security shall be in the form of bank guarantee from a Schedule bank in Pakistan.		
3.	Time for Furnishing Programme	8.3	Within 14 days from the date of receipt of Letter of Acceptance.		
4.	Minimum amount of Third Party Insurance	18.3	Rs. 500,000/- for property damage and Rs. 500,000/- for personnel injury / death per occurrence with number of occurrences unlimited.		
5.	Time for Commencement	8.1	Within 07 days from the date of receipt of Engineer's Notice to Commence which shall be issued within fourteen (14) days after signing of Contract Agreement or issuance of LOA.		
6.	Time for Completion	8.2 & 10.2	Twelve (12) calendar Months from the date of receipt of Engineer's Notice to Commence.		
7.	a) Amount of Liquidated Damages / Delay Damages/Penalties	8.7	0.08% of Contract Amount for each day of delay in completion of the Works subject to a maximum of 10% of Contract Price stated in the Letter of Acceptance.		
	b) Amount of Bonus		Not Applicable		
8.	Defects Liability Period	11.1	365 days from the effective date of Taking Over Certificate.		
9.	Percentage of Retention Money	14.2	10 % of the amount of Interim Payment Certificate.		
10.	Limit of Retention Money	14.2	5 % of Contract Price stated in the Letter of Acceptance.		
11.	Minimum amount of Interim Payment Certificates (Running Bills)	14.2	PKR 2.0Millon,		
12	Time of Payment from delivery of Engineer's Interim Payment Certificate to the Procuring Agency.	14.7	28days from the Issuance date of Interim Payment Certificate by the Engineer.		
13	Mobilization Advance	*14.2	10% of Contract Price stated in the Letter of Acceptance.		

^{*}Note: For complete text please Refer related clause in Conditions of Contract



SE 70/12 00

PRICE ADJUSTMENT UNDER CLAUSE 70/13.80
OF CONDITIONS OF CONTRACT

The source of indices and the weightages or coefficients for under Clause 13.80 shall be as follows:

adjustment formula

Cost Element	Description	Weightages pable index
(1)	(2)	(3) (4)
(i)	Fixed Portion	
(ii)	Cement – in bags	T OM
(iii)	Reinforcing Steel	A 7/2
	Total /	

Notes:

- Indices for "in the "(iv)" are taken from the Government of Pakistan Federal Bureau of Statistical Bulletin. For steel reinforcement the prices for 1/2" dia bar shall be reinforcement the prices for 1/2" dia bar shall be reinforcement the prices for 1/2" dia bar shall be reinforcement the prices for 1/2" dia bar shall be reinforcement the prices for 1/2" dia bar shall be reinforcement the prices for 1/2" dia bar shall be those applying 28 days prior to the last day of the monthly billing period.
- Any fluctuation in the indices or prices of materials other than those given above shall not be subject to adjustment of the Contract Price.



BD-1

Appendix-D to Bid

BILL OF QUANTITIES



JINNAH SINDH MEDICAL UNIVERSITY, KARACHI CONSTRUCTION OF DENTAL OPD ANNEXE BUILDING AT JSMU, KARACHI SUMMARY OF BID PRICE

Item No.	Description	Total Amount (Rupees)
(1)	(2)	(3)
1	C. CIVIL WORKS	
2	P. PLUMBING WORKS	
3	E. ELECTRICAL & TELECOMMINICATION V a) Electrical Works	VORKS
9	b) Tele communication Works	
4	M. MECHANICAL WORKS (Gas Piping)	
	Bid	Price
Ri	d Price in Words	



JINNAH SINDH MEDICAL UNIVERSITY, KARACHI DENTAL OPD ANNEXE BUILDING, KARACHI

(Based on Composite Schedule of Rates (CSR) 2012. Government of Sindh)

Item							OF QUANTITIES
No.	C.S.R. 2012 Item No.	Description	Unit		Qty.	Unit Rate (Rupees)	Total Amount (Rupees)
(1)	(2)	(2)	(3)		(4)	(5)	(6)
1C		C. CIVIL WORKS CHAPTER NO. 1 EXCAVATION AND EMBANKMENT Excavation in foundation of Building, Bridges and other structures including dagbelling dressing, refilling around structure with excavated earth watering and ramming lead unto 5 ft. (b) In ordinary soil.	%0 Cft		49,500	2 176 25	457 224 20
2C		Filling, watering and ramming earth under floor with new earth (Excavated from outside).	%0 Cft		38,600	3,176.25 3,630.00	157,224.38 140,118.00
		CHAPTER NO. 4 CONCRETE					
3C		Cement concrete plain including placing, compacting, finishing and curing, complete (including screening and washing at stone aggregate without shuttering.					
		(h) Ratio. 1: 3: 6 (sub - floor, Under Plinth, Ramp & Steps)	%Cft		1,750	12,595.00	220,412.50
		(i) Ratio. 1: 4: 8 (under foundations, Plinth Beams)	%Cft	*	2,010	11,288.75	226,903.88
4C		Damp Proof Course (3" thick) with (1:2:4) cement concrete including two coats of asphaltic mixture.	%Sft		400	4,982.18	19,928.72
5C		Providing and laying 1:3:6 cement concrete solid block masonry wall 6" and below in thickness set in 1:6 cement mortar in ground floor. Super Structure including raking out joints & curing etc. complete.	%Cft		1,547	15,771.01	244,007.49
6C		Providing and laying 1:3:6 cement concrete solid block masonry wall 6" and below in thickness set in 1:6 cement mortar in first to roof floor Super Structure including raking out joints & curing etc. complete.				ν,΄	
	(a) (b) (c) (d) (e) (f) (q) (h)	Ground Floor First Floor Second Floor Third Floor Fourth Floor Fifth Floor Sixth Floor Roof Plan	%Cft %Cft %Cft %Cft %Cft %Cft %Cft		1,700 3,350 3,550 4,370 3,550 3,550 3,755 1,175	15,771.01 16,099.98 16,531.04 16,962.10 17,710.79 17,710.79 17,710.79 17,710.79	268,107.17 539,349.33 586,851.92 741,243.77 628,733.05 628,733.05 665,040.16 208,101.78
		CHAPTER NO. 9 SURFACE RENDERING					
7C	Page No. 52, Sr.No.11	Cement plaster 1:4 upto 12' height. Interior Surface					
	('b)	1/2" thick (Ground/F, Ceiling & walls).	% Sft.		7,525	2,283.93	171,865.73

	L WORKS		T		Unit	OF QUANTITIES Total
tem No.	C.S.R. 2012 Item No.	Description	Unit	Qty.	Rate (Rupees)	Amount (Rupees)
1)	(2)	(2)	(3)	(4)	(5)	(6)
	(b+29)	1/2" thick (First/F, Ceiling & walls).	% Sft.	6,420	2,424.90	155,678.58
	(b+29)	1/2" thick (Second/F, Ceiling & walls).	% Sft.	5,850	2,565.87	150,103.40
	(b+29)	1/2" thick (Third/F, Ceiling & walls).	% Sft.	11,095	2,706.84	300,323.90
	(b+29)	1/2" thick (Fourth/F, Ceiling & walls).	% Sft.	6,615	2,847.81	188,382.63
	(b+29)	1/2" thick (Fifth/F, Ceiling & walls).	% Sft.	6,615	2,988.78	197,707.80
	(b+29)	1/2" thick (Sixth/F, Ceiling & walls).	% Sft.	6,960	3,129.75	217,830.60
	(b+29)	1/2" thick (Roof Plan, Ceiling & walls).	% Sft.	2,640	3,270.72	86,347.01
		3/4" thick Exterior surface				
	(d+29)	3/4" thick (Exterior surfaces).	% Sft.	8,500	3,332.73	283,282.05
		Distempering with priming coat of chalk distemper (sample and shade approved by the Architect / Engineer).	% Sft.	14,129	1,522.40	215,097.72
		Preparation the surface and painting with matt finish i/c rubbing the surface with Bathy (silicon carbide rubbing brick) filling the voids with zink/chalk/plaster of paris mixture, applying first coat premix, making the surface smooth and then painting 3 coats with matt finish of approved make etc. complete. (new surface). sample and shade approved by the Architect / Engineer.				
	(a) (b) (c) (d) (e) (f) (q) (h)	Ground Floor First Floor Second Floor Third Floor Fourth Floor Fifth Floor Sixth Floor Roof Plan	% Sft. % Sft. % Sft. % Sft. % Sft. % Sft. % Sft. % Sft.	7,166 6,115 5,569 9,282 6,296 6,296 6,625 1,338	2,717.00 2,717.00 2,717.00 2,717.00 2,717.00 2,717.00 2,717.00 2,717.00 2,717.00	194,705.65 166,136.40 151,315.71 252,184.33 171,057.02 171,057.02 180,014.02 36,365.55
		Preparation the surface and painting with weather coat i/c rubbing the surface with rubbing brick / sand paper, filling the voids with chalk / plaster of paris and then painting with weather coat of approved make. B2014.(sample and shade approved by the Architect / Engineer).	% Sft.	8,500	1,948.10	165,588.50
		CHAPTER NO. 18 MISCELLANEOUS				
.C	Page No. 109, Sr.No.92	Providing Anti - termite treatment by spraying / sprinkling/spreading Neptachlar 0.5% Emulsion as an overall pre-construction treatment in slab type construction under the slab and along attached perches or entrances etc. complete as per direction of Engineer Incharge. (ground floor area will be	P.Sft.	5,370	9.74	52,303.80

	WORKS					OF QUANTITI
o.	C.S.R. 2012 Item No.	Description	Unit	Qty,	Unit Rate	Total Amount
1)	(2)	(2)	(3)	(4)	(Rupees) (5)	(Rupees) (6)
		NON - SCHEDULE ITEMS				
2C	NSR	Dismantling/Demolishing and removing of all existing block masonry, concrete (any type) and all other structure works etc complete in all respects including removing of dismentaled stuff to designated place as per instructions of Employer/Engineer.	L.S.	1		
BC .	NSR	Designing, providing, installing, operating and maintaining a dewatering system and protective sheeting (for all project) complete including mobilization & demobilization of equipment, materials and personnel for this work and stand by arrangements for keeping the water table to specified limit as to enable the construction of office building to proceed and keep the construction area dry.	L.S.	1		
c	NSR	Two coats of hot bitumen grade 10/20 @ of 0.20 lbs/Sft per coat to all structural concrete surfaces in contact with earth as specified.	Sft	25,000		
С	NSR	STONE SOLING Providing & Laying compacted stone soling.				
		a) 6 inch thick	Sft	5,500		
ic .	NSR	Providing and laying reinforcement bars using hot rolled deformed billet steel bars " Grade-60 " conforming to ASTM A-615 including the cost of straightening, cutting, bending, binding, wastage and such overlaps as are not shown over the drawings, placing in position on chairs, tying with binding wires etc., in all kinds of RCC works complete in all respects and/or as directed by the Engineer.	Tonne	275		*
		PLAIN AND REINFORCED CONCRETE				
		Providing and laying cement concrete including mixing, transporting, hoisting, placing, form work, vibrating and curing etc., including the cost of form work and its removal complete as per drawings and specifications (but excluding the cost of the reinforcement).	3.00		N.	
		SUB-STRUCTURE			1	
С	NSR	Class 'A' ratio 1:1:2 reinforced concrete using sulphate resistant cement in following sub structures as per design shown on the drawings:				
		a) Raft/Foundations	Cft	14,350		
		b) Columns	Cft	810		
		c) Plinth Beams	Cft	1,025		
		d) Stair Case	Cft	200		

	WORKS					OF QUANTITI
tem No.	C.S.R. 2012 Item No.	Description	Unit	Qty.	Unit Rate (Rupees)	Total Amount (Rupees)
(1)	(2)	(2)	(3)	(4)	(5)	(fd)
L8C	NSR	Class 'A' reinforced concrete using sulphate resistant cement in U.G.W.T and Lift Well applying Single layer 4 mm thick Sika PG-150 including primer or equivalent (as per Manufacturer recommandation) as per design shown on the drawings:				
	b) c) d)	UGWT Base UGWT Walls UGWT Top Slab Lifts Base Lift Walls	Cft Cft Cft Cft Cft	360 310 235 125 505		
9C	NSR	Class 'A' reinforced concrete using ordinary portland cement in following super structures as per design shown on the drawings:				
		a) Columns	Cft	10,660		2
		b) Beams	Cft	11,300		
		c) Slab & Waffle Slab	Cft	18,200		
		d) Stair Case	Cft	1,600		
		e) Lift Walls	Cft	7,500		
0C	NSR	Providing and laying Imported (Malaysia, UAE & Thailand) Porcelain (Non Skid) tiles (Crete Sol "A" grade or equivalent) full body on floor & skirting / dado of approved quality / colour / shade and design over pattern i/c border tiles a base of Class - "C" (1:2:4) cement concrete / rough base plaster (1:4), setting tile in dry bond (Sika Ceram 90 VOC less Or Equivalent), Sika Tile grouting with matching Colour, washing, cleaning and curing etc. complete in all respects as per drawings, specifications and/or as directed by the Architect / Engineer (sample and shade/colour approved by the Architect / Engineer).				
		$24" \times 24"$ non skid tiles with border tiles on floor.	Sft.	11,155		
	(b)	24" x 4" glazed tiles matching with floor.	Sft.	2,580		
	('c)	12" \times 12" unglazed Porcelain tiles on floor with colour grout.	Sft.	2,388		
;	(d)	12" \times 24" unglazed tiles cladding matching with floor upto 5'-0".	Sft.	5,645		

(e) 12" \times 12" Porcelain tiles wainscot upto 3'-6" High.



1,610

Sft.

CIVIL WORKS BILL OF QUANTITIES Item C.S.R. 2012 Unit Total Description Unit Qty. Rate Amount No. Item No. (Rupees) (Rupees) (1) (2) (3) (4) (5) (6) 21C NSR Providing and laying 3/4" thick granite stone one piece on trade and risers of approved quality / colour / shade i/c non slip carborandum inserts, Tiles laying over base of Class - "C" (1:2:4) cement concrete , setting tile in dry bond (Sika Ceram 90 VOC less Or Equivalent), Sika Tile grouting with matching colour, torch flaming, grinding, polishing, washing, cleaning and curing etc. complete in all respects as per drawings, specifications and/or as directed by the Architect / Engineer (sample and shade/colour approved by the Architect 2.112 22C NSR Providing and laying 3/4" thick granite stone in flooring/skirting/Dado in specified area of approved quality / colour / shade over base of Class - "C" (1:2:4) cement concrete, setting tile in dry bond (Sika Ceram 90 VOC less Or Equivalent), Sika Tile grouting with matching colour, torch flaming, grinding, polishing, washing, cleaning and curing etc. complete in all respects as per drawings, specifications and/or as directed by the Architect / Engineer (sample shade/colour approved by the Architect / Engineer). (a) As above item but size 24" x 24" x 3/4" thick Sft. 2,265 Granite flooring. (b) 3/4" thick x 4" high Granite skirting matching Sft. 410 with Floor, ('c) 3/4" thick 12" x 24" Granite tiles upto 8'-0" Sft. 1,685 high (Typical all lift Well walls) Sft. 11,630 22C **NSR** Providing and applying 5mm thick Sika Epoxy coating 750 micron with using of Sika rapid level 300, over 2" to 3" (Avg) Class - "C" (1:2:4) cement concrete, complete in all respects as per drawings, specifications and/or as directed by the Architect / Engineer (sample and shade/colour approved by the Architect / Engineer). Providing and laying Coving 4" high & 2" Rft. 450 23C NSR Curved SIKA floor 161 with aggregate SIKA manufacturer's DUR as per recommendations complete in all respects as per drawings, specifications and/or as directed by the Architect / Engineer.

Item No.	C.S.R. 2012 Item No.	Description	Unit	Qty.	Unit Rate	OF QUANTITIE Total Amount
(1)	(2)	(2)	(3)	(4)	(Rupees) (5)	(Rupees) (6)
24C	NSR	Providing and laying 1/2" thick Corian vanity counter top (Dupont or equivalent) of approved colour / shade over base of Class - "C" (1:2:4) cement concrete , setting tile in cement slurry, filling the joint with matching colour, cleaning and curing etc. complete in all respects as per drawings, specifications and/or as directed by the Architect / Engineer (sample and shade/colour approved by the Architect / Engineer).	Sft.	200	*	
25C	NSR	Providing and laying 3/4" thick Granite Vanity / counter top of approved colour / shade over base of Class - "C" (1:2:4) cement concrete , setting tile in cement slurry, filling the joint with matching colour, cleaning and curing etc. complete in all respects as per drawings, specifications and/or as directed by the Architect / Engineer (sample and shade/colour approved by the Architect / Engineer).	Sft.	180		
26C	NSR	Providing and laying following thickness interlocking pavers (Envicrete or equivalent) of approved quality over sand cushion complete in all respects as per drawings/details and/or as directed by the Architect / Engineer (sample and shade/colour approved by the Architect / a) 80mm Thick b) 40mm Thick	Sft.	3,800 1,000		
27C	NSR	Providing and laying Kerb Blocks size 6" x 12" x18" of approved quality (Envicrete or equivalent) complete in all respects as per drawings/details and/or as directed by the Architect / Engineer (sample and shade/colour approved by the Architect / Engineer).	Rft	250		
28C	NSR	Providing and laying 2" thick Class-"C" concrete flooring 6'-0"x6'-0" laid in panel complete in all respects as per drawings, specifications and/or as directed by the Architect / Engineer.	Sft.	150		
29C		Providing and fixing wooden Engineerd doors of the following type consisting of Metal frame 16 SWG and solid core commercial ply wood with 3mm thick approved veneer on both side with groove shutters consists of 2" thick 4" wide frame of Red Meranti wood filling with MDF approved quality including Lever Handle SS 5mm plate 170mm x 170mm, Lock case body, Knob profile cylinder 70mm length, 4 Nos ball bearing Hinges 4" x 3" x3mm thick,wall door stopper, overhead door closer, Tower bolt 8" high (Newise or equivalent) + striking plates s.s. finish, door closer tower bolts, 10 mm Lipping and beading / architrave, painting/polishing and Kick plate/ wired glass view pannel and etc. complete in all respects as shown on drawings / specifications and/or				

420 21

Sft.

Sft.

as shown on drawings / specifications and/or

(a) Type - D1

(b) Type - D3

tem No.	C.S.R. 2012 Item No.	Description	Unit	. Qty.	Unit Rate (Rupees)	Total Amount (Rupees)
(1)	(2)	(2)	(3)	(4)	(5)	(6)
30C	NSR (a)	Providing and fixing uPVC doors of the following type, approved quality including NW 160 lever handle on rose with escutchuon, Lock Body, Toilet cylinder 60mm, wall door stopper,hold fast, hinges, lock (approved quality), tower bolts etc. complete in all respects as shown on drawings / specifications and/or as directed by the Architect / Engineer (sample approved by the Architect / Engineer). Type - D2 (uPVC Doors i/c frame)	Sft.	525		
31C	NSR	Providing and fixing fully glazed anodized aluminum doors, windows and ventilators of approved manufacturer using 2mm thick 4" wide extruded sections, glazed with distortion free 5mm thick tinted glass, fly proof shutter including all hardware, PVC / rubber gasket and sealant complete as per schedule & specifications and/or as directed by the Architect / Engineer (sample as approved by the Architects/Engineer).				
	(b)	Type - ALD1 Type - ALD2 Type - ALD3 (Louvered Door)	Sft. Sft. Sft.	42 341 35		
	(a)	Windows Type - W1	Sft.	940		
	(b)	Type - W2	Sft.	2,270		
	(c)	Type - W3	Sft.	205		
	(d)	Type - W4	Sft.	590		X 2
	(e)	Type - W5	Sft.	30		
	(f)	Type - W6	Sft.	210		
	(p)	Type - W7	Sft.	380		
	(h)	Type - W8	Sft.	65		
	(a)	Ventilators Type - V1	Sft.	48		
2C	NSR	Providing, fabricating and fixing stainless steel (SS) Staircase hand railing of the following types complete in all respects as shown on drawings / details and/or as directed by the Architect / Engineer.(sample approved by the Architect/Engineer).				

P

(a) Floor Mounted

(b) Wall Mounted

Rft.

Rft.

150

200

Item	C.S.R. 2012	Description	Unit	Qty.	Unit Rate	Total Amount
No.	Item No.				(Rupees)	(Rupees)
33C	NSR	Roof treatment over roof / chajja comprising 132 x 268 x 34mm National insulation Tiles laid over Sika Lite 100 PK (powder 2% mix by weight of cement, in C.S mortar)or approved equivalent as per manufacturer recommendation over cleaned surfaces, 2" to 3" thick (average) Class -"C" (1:2:4) cement concrete screed laid in slope & panel including making edges / chamfering all-around parapet & curing etc. complete in all respect and / or as directed by the Architect / Engineer.	Sft.	5,500	(5)	(6)
34C	NSR	Providing and applying 3 coats of Distemper on ceiling over a coat of primer of approved manufacturer to all specified surfaces including smooth filling complete in all respects as shown on drawings and/or as directed by the Architect / Engineer (sample approved by the Architect/Engineer).	Sft.	14,835		
35C	NSR	Providing and fixing Powder coated Metalic perforated false ceiling (24"x24") Dampa or Equivalent with channels and suspension system etc. complete in all respects as shown on drawings and/or as directed by the Architect / Engineer.	Sft.	2,390		
36C	NSR	Providing and fixing of 9mm thick gypsum board false ceiling finish in Texture coating with aluminum strip false ceiling of approved colour and patten including all accessories for built in light fixtures and G.I bar hangers with 18 SWG. G.I adjuster at any elevation as directed by the Engineer.	Sft.	12,440		
37C	NSR	Providing and applying Sika Top seal 107 A+B, 4 coats for top slab, as per manufacturer's instructions / recommendations complete in all respects and/or as directed by the Architect / Engineer (U.G water tanks).	Sft.	250		
38C	NSR	Water proof plaster inside, 3/4" thick 1:4 cement sand plaster after applying sika seal 105-N A+B, 4 coats @ 2kg / Sq.m or as per manufacturer's instructions / recommendations complete in all respects and/or as directed by the Architect / Engineer (inside O.H. water tanks).	Sft.	1,298		
39C	NSR	Water proof plaster outside, 3/4" thick 1:4 cement sand plaster with mixing Sika Lite 100 PK powder @ 2% by weight of cement or as per manufacturer's instructions / recommendations complete in all respects and/or as directed by the Architect / Engineer (outside O.H. W. Tank).	Sft.	1,298		

CIVIL 9 of 9 CIVIL WORKS **BILL OF QUANTITIES** C.S.R. 2012 Item Unit Description Unit Qty. Item No. Rate Amount No (Rupees (Rupees) (1) (2) (3) (4)(5) (6) 40C NSR Student's Dental Nos. 113 Workstation, Contractor shall be responsible for design, supply of material or equipments & all types of pumps, Testing & commissioning of the following services but not limited with including electrical, vacume, drain, water, gas, air supply and obtain approval from the Client's relevant Engineer including shiffting of Student's Dental Units from existing location to 1st to 3rd Floor complete in all respects as shown on drawings and or as directed by the Engineer. NSR 41C Providing, fabricating and fixing 2" x2" x 6mm thick upto 5'-0" high Mild steel (MS) Guard rail for Edges of Ground Floor Columns, complete in all respects as shown on drawings / details and/or as directed by the Architect / Engineer.(sample approved by the Architect/Engineer). (a) Guard Rail Rft. 240 42C NSR. Providing and applying 1/2" thick Wash Sft 24,800 Terrazzo consisting of 1:1-1/2 white cement: Dana (chips) graded (approved colour/shade), U aluminium grove 1"x 1/2" (V) and 1/2" x1/2" (H) with sealer (Fospak) over 3/4" thick (1:4) rough cement sand plaster complete in all respects as shown on drawings / details and/or as directed by the Architect / Engineer.(sample approved by Architect/Engineer). 43C NSR Providing making and fixing Kitchen cabinets comprising 3/4" thick polished granite, 1/16" drip, 3/16" wideX1/16" deep groove, under counter cabinet shutter 3/4" thick light stained beech veneered MDF on 2 Nos. proprietary concealed hinges, brushed stainless steel long handle, 6" high ceramic tiles skirting, cocrete base, 4" highX1" thick polished black galaxy granite back splash, 3/4" MDF impregnated white board on both side and rool lipping to all expoxed edges and 3/4" thick moisture resistant MDF

Rft.

Rft.

Total Amount of Civil Works Schedule & Non-Schedule Items carried over to Summary Rs.

390

360

8,782,102.61

Amount of Non - Schedule Items Civil Works Rs. Amount of Schedule Items Civil Works Rs.

% Premium on Civil Works Schedule Items Rs.

Amount of Non - Schedule Items Civil Works Rs.

impregnated white board base unit etc. complete in all respects as shown on drawings and or as directed by the Engineer.

Add / Deduct

a) Floor Mounted

b) Wall Mounted



LIST OF APPROVED MANUFACTURERS/BRANDS OF MATERIALS/EQUIPMENT

These lists of recommended manufactures/suppliers of different materials/equipment with brand names have been provided in order to establish a standard level of performance. The Contractor is bound provide and fix the materials/equipment of superior quality approved by the Engineer only from the list.

Sr. No.	Materials	Manufactures
1.	Crushed Stone Aggregate	Source as approved by the Engineer
2.	Reinforcement Steel	(i) AFCO, (ii) Mughal, (iii) Amrelli, (iv) Fazal, (v) Razzaq, (vi) Nawab, (vii) Pak Steel, (viii) PECO, (ix) Nazir, (x) Punjab, (xi) Ittehad, (xii) Agha Steel, (xiii) Al Farooq Steel Industries. (The Contractor must provide a certification from the concerned Steel Mill that the Steel reinforcement has been manufactured from Pakistan Steel Mill billet, and should conform to the specification and to the satisfactory of the Engineer/PM.)
3.	Block/Bricks, Sand, Crushed Stone Aggregate	Source as approved by the Engineer
4.	Cement	(i) Dewan, (ii) Falcon, (iii) Javedan, (iv) Lucky, (v) D.G.
5.	Bathroom Tiles	Ceramix (Thailand, Malaysia, UAE)
6.	Porcelain Tiles	(i) Cretesol Malaysia, (ii) MML Malaysia (iii) KALE Turkey
7.	Thermal Insulation	(i) Expanded Polystyrene, (ii) Ployurethane Sapry, (iii) Glass Wool, Foam, (iv) Gypsum Styopax.
8.	Paints & Varnish	(i) ICI, (ii) Berger, (iii) Nippon, (iv) Kansai, (v) Brighto
9.	Hardware Stays, Hinges, Handles & Door Locks	(i) FGV (Italy), (ii) DORMA, (iii) Newise (iv) Bonco
10.	Lamination Boards / Veneer Boards	(i) Formite, (ii) Al-Noor
11.	Formica	(i) Formite (Tuff), (ii) Al-Noor
12.	Glass, Tinted glass / Double Glasses Tempered / Reflected / Wired Glass / Mirror Glass, Glass for doors & Windows	(i) Gunj Glass, (ii) Ghani Glass, (iii) Guardian (iv) St-Gobain
13.	Gypsum Board False Ceiling(2' x 2') including Suspension System	(i) Boral, (ii) DFB (iii) Knauff (iv) Elephant
14.	Wooden Door	As per Specification
17.	Termite Proofing For Soil For Wood	(i) Biflex, (ii) Merage (iii) Bio Wood, (iv) Power Max, (v) Solignum (vi) Biflies
18.	Construction Chemicals	(i) SIKA, (ii) BSF (iii) Mapei
19.	Aluminium for doors, windows and façade products	(i) ALCOP, (ii) Prime, (iii) Pakistan Cables



JINNAH SINDH MEDICAL UNIVERSITY KARACHI DENTAL OPD ANNEXE BUILDING

PLUMBING WORKS

ITEM	DESCRIPTION	UNIT	QTY.	UNIT RATE	TOTAL AMOUNT
NO.				(Rs)	(Rs)
	P. PIPING/PLUMBING WORKS				
	WATER SUPPLY Ref: Spec. No.5100 & 5180				
P-1	PPR cold and hot water pipes (PN 20) conforming to DIN 8077 & DIN 8078 & fittings (PN20) conforming to DIN 16962 of following inner diameters.(For un exposed piping)				
	a) Dia. ½" Inner Dia.	Rft.	10		
8	b) Dia. 3/4" Inner Dia.	Rft.	465		
	c) Dia.1" Inner Dia.	Rft.	120		
	d) Dia. 1¼" Inner Dia.	Rft.	200		
	e) Dia. 1½" Inner Dia.	Rft.	80		
	f) Dia. 2" Inner Dia.	Rft.	10		
	g) Dia. 2½" Inner Dia.	Rft.	30		
	h) Dia. 3" Inner Dia.	Rft.	10		
P-2	Bronze gate valves of the following diameters:				
	a) Dia. 3/4"	Nos.	2		
	b) Dia. 1"	Nos.	1		
	c) Dia. 11/4""	Nos.	13		
	d) Dia. 1½"	Nos.	4		
	e) Dia. 2"	Nos.	1		

Jinnah Sindh Medical University Karachi Dental OPD Annexe Building

Po

ITEM			OTV	UNIT	TOTAL
NO.	DESCRIPTION	UNIT	QTY.	RATE (Rs)	AMOUNT (Rs)
	f) Dia. 2½"	Nos.	7		
	h) Dia. 3"	Nos.	1		
P-3	C.P. brass bib tap with muslim shower of following diameter with mixer:	Nos.	30		
P-4	C.P. hose bib of the following diameter:as specified.				
	a) Dia. 3/4"	Nos.	1	¥F	
P-5	Electric water heater including gate valves and all other accessories of the following capacity				
	a) 05 US Gallons	Nos	1		
	b) 08 US Gallons	Nos	1		
	c) 12 US Gallons	Nos	4		
	d) 15 US Gallons	Nos	6		
P-6	Electric water cooler of the following capacity as specified.				
	a) 33 US Gallons/Hr	No	6		
	PLUMBING FIXTURES Ref: Spec. No. 5100 & 5180				
P-7	European water closet (coupled) including all other accessaries as specified.	Nos.	12		
P-8	Asian water closet with ceramic water cistern, including all other accessories as specified.	Nos.	18		
P-9	Counter type wash basin with all other accessories as specified.	Nos.	50		
P-10	Pedistal type wash basin with all other accessories as specified.	Nos.	2	*	
	* .				

ITEM NO.	DESCRIPTION	UNIT	QTY.	UNIT RATE (Rs)	TOTAL AMOUNT (Rs)
P-11	Imported glass mirror of Belgium origin as specified.	Sft	170		
P-12	Stainless steel.towel rail as specified.	Nos.	12		
P-13	C.P toilet paper holder as specified.	Nos.	12		
P-14	Stainless steel Soap tray.	Nos.	12		
P-15	Stainless steel kitchen sink with double bowl and single drain board with all accessories as specified.	Nos.	1		
P-16	Stainless steel kitchen sink with single bowl and single drain board with all accessories as specified.	Nos.	5		
	SANITARY DRAINAGE Ref: Spec. No. 5100 & 5180				
P-17	uPVC soil, waste and vent pipes conforming to ASTM D-1785 of Schedule 40 & fittings D-2465 of Schedule 40 including fittings compatible with pipe of following diameter:		8		
	a) Dia. 1½"	Rft.	300		
	b) Dia. 2"	Rft.	80		
1	c) Dia. 3"	Rft.	500		
	d) Dia. 4"	Rft.	250		
P-18	Cast iron pipe and fittings conforming to BS- 416 of following diameters (above ground).				
	a) Dia. 3"	Rft.	480		
	b) Dia. 4"	Rft.	215		
P-19	Floor drains with stainless steel gratings and UPVC P-trap of the following diameter as specified				
	b) Dia. 3" ndh Medical University Karachi PD Annexe Building P-3	Nos.	38		

ITEM NO.	DESCRIPTION	UNIT	QTY.	UNIT RATE	TOTAL AMOUNT
NO.	1		-	(Rs)	(Rs)
P-20	Floor trap with stainless steel gratings and UPVC P-trap of the following diameter as specified				
	a) Dia. 3"	Nos.	18		
P-21	Floor cleanout with brass cover of the following diameter as specified				
	a) Dia. 3"	Nos.	3	18	
	b) Dia. 4"	Nos.	3		
P-22	Cleaning Plug of the following diameter as specified.				
- 1	a) Dia. 3"	Nos.	20		
	b) Dia. 4"	Nos.	12		
P-23	C.I vent cowel for soil/waste pipe of the following diameter as specified				
	a) Dia. 3"	Nos.	4	6	
	b) Dia. 4"	Nos.	2		
	RAIN WATER PIPING: Ref. Spec. No. 5100 & 5180				
P-24	uPVC soil, waste and vent pipes conforming to ASTM D-1785 of Schedule 40 & fittings D-2465 of Schedule 40 including jointing with solvent cement confirming to ASTM D-2564 compatible with pipe of following diameter:				
240	a) Dia. 4"	Rft.	10		
P-25	Cast iron pipe and fittings conforming to BS- 416 of following diameters (above ground).				
	a) Dia. 4"	Rft.	210		

Jinnah Sindh Medical University Karachi Dental OPD Annexe Building

4

ITEM NO.	DESCRIPTION	UNIT	QTY.	UNIT RATE	TOTAL AMOUNT
110.				(Rs)	(Rs)
P-26	Cast iron roof drains dome type of the following diameter as specified and as shown in the drawing.				
3	a) Dia. 4"	Nos.	2		
P-27	Cast iron roof drains side inlet type of the following diameter as specified and as shown in the drawing.		169		
	a) Dia. 4"	Nos.	1		
P-28	Cast iron rain water shoe of the following diameter as specified and as shown in the drawing.				
	a) Dia. 4"	Nos	2		
70	FIRE FIGHTING Ref. Spec. No. 5150, 5214 & 5180				
P-29	Fire Hose Cabinet including all accessories including hose of 65mm dia as shown on drawings and as specified.	Nos	7		
P-30	Seamless black steel pipe conforming to ASTM A-53 and fittings confirming to ASTM A234 of following diameters including all accessaries.		83		
	a) Dia. 2½"	Rft	170		
	b) Dia. 3"	Rft	35	19	
	c) Dia. 4"	Rft	35		
	d) Dia. 6"	Rft	35		
	e) Dia. 6" (Burried Pipe)	Rft	20		
P-31	Portable fire extinguisher of following types :				
	a) Dry chemical powder 6 Kg.	Nos.	14		

ITEM NO.	DESCRIPTION	UNIT	QTY.	UNIT RATE (Rs)	TOTAL AMOUNT (Rs)
	b) Carbon di oxide 5 Kg.	Nos.	14		
	c) Foam 9 Litres	Nos.	7		
120	ROOF TANK & PIPING: Ref. Spec. No. 5217, 5100, 5180 & 5233				
P-32	Water Level Indicator as specified.	Nos	1	22	
P-33	Cast iron cover with frame of following size (Light Duty).				
	a) 24"X 24"	Nos	2		
P-34	Galavanised M.S ladder rungs for overhead tank as specified.	Nos	10		
P-35	G.I U-turn vent pipe of following diameter				
	a) Dia. 3"	Nos.	2		
P-36	GI overflow and drain pipe for OHWT of following diameter as specified.				
	a) Dia. 2"	Rft	5		
P-37	GI Pipes and fittings (Medium Duty) of following daimeter as specified (all exposed piping).				
	a) Dia. 3/4"	Rft	15		
	b) Dia. 1"	Rft	105		
	c) Dia. 1¼"	Rft	155		
	d) Dia. 1½"	Rft	150		
	e) Dia. 2"	Rft	15		
Ì	f) Dia. 2½"	Rft	250		
	g) Día. 3"	Rft	15		
nnah Si	ndh Medical University Karachi		B		

Jinnah Sindh Medical University Karach Dental OPD Annexe Building

P-6

ITEM		Т	1	UNIT	TOTAL
NO.	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
	LINDED COOLIND TANK & DUMB DOOM		1	(Rs)	(Rs)
P-38	UNDER GROUND TANK & PUMP ROOM Ref: Spec. No. 5214, 5220, 5233 & 5240 Horizontal centrifugal potable water pump and motor of the following capacity and head including all other accessories as shown on drawings gate valves, check valves, pressure switches, level switches, pressure guages,				
	concrete pad etc. as specified.				
	Q = 50 US GPM, Head= 170 ft				
	Duty Pump	No	1		
	Standby Pump	No	1		
P-39	Water Level Indicator as specified.	Nos	1		
P-40	Cast iron cover with frame of following size (Medium Duty).				
	a) 24"X 24"	Nos	1		
P-41	Galavanised M.S ladder rungs for overhead tank as specified.	Nos	6		
P-42	G.I U-turn vent pipe of following diameter				
	a) Dia. 3"	Nos.	2		
	EXTERNAL SEWERAGE SYSTEM				
1	uPVC PIPE AND FITTING (SEWERAGE). Ref. Spec. No. 5218 & 5180	ž		8	
P-43	uPVC drainage pipe & fittings conforming to BS 3505 & BS 4346 of Class 'B' as specified (below ground).				
	a) Dia. 6"	Rft	150		
Б	b) Dia. 8"	Rft	10		
P-44	uPVC Grease trap of required size as shown on the drawing and as specified.	No.	1		
140					

ITEM NO.	DESCRIPTION	UNIT	QTY.	UNIT RATE (Rs)	TOTAL AMOUNT (Rs)
	EARTHWORKS		1	(113)	(KS)
	Ref. Spec.No. 1100				
P-45	Excavation of trenches in all kinds of sub-surface material including disposal of surplus/ rejected excavated material to designated places:	Cft	2850	6	
	Unit Rate in words				1221
P-46	Fill & backfill with selected material btained from required excavation.	Cft	1920		***
	Unit Rate in words				
P-47	Fine Sand Bedding material obtained from outside source	Cft	600		
1	Unit Rate in words				
*	MANHOLES Ref. Spec. No. 5225 & 5233				
	Manholes of following sizes comprising earthworks, plain cement concrete, reinforced cement concrete, steel reinforced cement, ladder rungs and C.I. (Medium Duty) cover with frame, etc. complete in all respect as shown on drawing.				
	a) 3'-0" x 3'-0"	Nos.	8		
	Chamber with Gully trap of following size as shown on the drawing.				
73#	a) 1'-6" x 1'-6"	Nos.	7		
1	EXTERNAL WATER SUPPLY SYSTEM uPVC PRESSURE PIPE AND FITTING (WATER S Ref. Spec. No. 5217 & 5180	SUPPLY	<u>0.</u>	×	
=	uPVC pressure pipe & fittings of following diameter conforming to BS 3505 & BS 4346 of Class 'D' as specified (below ground).	Ĵ			
0	a) Dia. 2½"	Rft	50		
nnah Sir	a) Dia. 3" odh Medical University Karachi PD Annexe Building P-8	Rft	10	8	

ITEM NO.	DESCRIPTION	UNIT	QTY.	UNIT RATE	TOTAL AMOUNT
	EARTHWORKS			(Rs)	(Rs)
ì	Ref. Spec.No. 1100				
P-51	Excavation of trenches in all kinds of sub-surface material including disposal of surplus/ rejected excavated material to designated places:				×
		Cft	610		
P-52	Fill & backfill with selected material obtained from required excavation.	Cft	425		
P-53	Fine Sand Bedding material obtained from outside source	Cft	180		
P-54	Pressue reducing valve arrangement in chamber of following diameter as specified.				
56	a) Dia. 21/2"	Nos	1		
	GATE VALVE IN CHAMBER Ref: Spec. No. 5225				
P-55	Gate valve in chamber of following diameter as shown on the drawind and as specified.				
	a) Dia. 2½"	Nos	1		
P-56	Siamese connection as shown on the darwing and as specified.	Nos	1		

TOTAL COST OF (PLUMBING AND FIREFIGHTING WORKS)

CARRIED OVER TO SUMMARY OF BID PRICE:



LIST OF APPROVED MANUFACTURERS/BRANDS OF MATERIALS/EQUIPMENT

This list of recommended manufactures/suppliers of different materials/equipment with brand names have been provided in order to establish a standard level of performance. The Contractor is bound to provide and fix the materials/equipment of superior quality approved by the Engineer only from the list.

Sr. No.	Materials	Manufactures			
1.	GI Pipe	IIL, Jamal			
2.	Valves all types	Kitz, Econosto			
3.	Stainless Steel Sink	Atlas, Super Asia, Master			
4.	CI Pipe, Fittings & manhole covers	Alpine (Supper)			
5.	uPVC Pipe (Non Pressure Pipe)	Dadex, AGM, Vesbo			
6.	ASTM A-53, API 5L Pipe (Seamless Pipes for Fire Fighting)	Huffaz, approved equivalent.			
7.	Fire Hose Cabinets	Haseen Habib, Fire Chief			
8.	Portable fire extinguishers	NAFFCO, SRI			
9.	Concrete Pipe & Fittings	Pakistan Pipe, Sindh pipe			
10.	Sanitary Fixtures	Porta, American Standard			
11.	Flush Tank	As approved by the Engineer			
12.	Sanitary Fittings (Local)	As approved by the Engineer			
13.	Pumps	KSB, Grundfos			
14.	Geysers	Singer, Nasgas			
15.	PPR Pipe	Palling, Hepworth			
16.	Water cooler	Mecco, Sunny			
17.	Pipe insulation	Iqbal Sons, Afico			
18.	Electric water heater	Atlas, Nasgas			
19.	Fiber Glass	Popular			



JINNAH SINDH MEDICAL UNIVERSITY DENTAL OPD ANNEXE BUILDING, KARACHI

(ELECTRICAL WORKS)

Item	D: MAIN BUILDING	Lieit	Ouest. I		F QUANTITIES
No.	Description	Unit	Quantity	Unit Rate (Rs.)	Amount (Rs.)
	E. ELECTRICAL WORKS Ref Spec Sec: 8001, 8020	•			and the same of th
	Supply, installation, testing and commissioning of the following items of work (unless specifically stated otherwise) including all material, labour, tool, plant, accessories, related civil works etc required for proper completion of each item as per specifications (Section-8001 "General Specifications for Electrical Works" shall be applicable to all BOQ items). The contractor is bound to submit all relevent data, information, literature, drawings, submittals etc. as per specifications & recommended manufacturers list to (Specs Section-8020) The engineer for necessary approvals. Note: in case of any discrepancy found between BoQ, Specifications and drawings, then BoQ/Specifications will govern.				
	LT Switchboard Ref Spec Sec: 8132, 8212, 8240				
1-1E	Following 14 SWG MS sheet, floor mounted LT switch boards (as per single line diagram shown on drawings) including electrical & mechanical components, electrolytic tinned copper busbars, control wiring, related civil works and all accessories, complete in all respect.				
	a) MPB, (floor mounted)	Job.	1		
	b) EMPB, (floor mounted)	Job.	1		
	LT Distribution Boards Ref Spec Sec: 8133, 8212, 8240				
1-2E	Following 16 SWG MS sheet, recessed / surface mounted on wall or floor LT Distribution Boards (as per single line diagram shown on drawings) including electrical & mechanical components, electrolytic tinned copper busbars, control wiring, related civil works and all accessories, complete in all respect.				
	a) EDB-GF (recessed)	Job.	1		

	DE 0: MAIN BUILDING		BILL OF QUANTITIES					
Item No.	Description	Unit	Quantity	Unit Rate (Rs.)	Amount (Rs.)			
Automorphism (b) DB-1F (recessed)	Job.	1	(1.0.)	(1,0,1)			
	c) EDB-1F (recessed)	Job.	1					
	d) UDB-1F (recessed)	Job.	1					
	e) DB-2F (recessed)	Job.	1					
	f) EDB-2F (recessed)	Job.	1					
	g) UDB-2F (recessed)	Job.	1					
	h) DB-3F (recessed)	Job.	1					
	i) EDB-3F (recessed)	Job.	1					
	j) UDB-3F (recessed)	Job.	1					
	k) DB-4F (recessed)	Job.	1					
	I) EDB-4F (recessed)	Job.	1					
	m) UDB-4F (recessed)	Job.	1					
	n) DB-5F (recessed)	Job.	1					
	o) EDB-5F(recessed)	Job.	1					
	p) UDB-5F (recessed)	Job.	1					
	q) DB-6F (recessed)	Job.	1					
	r) EDB-6F (recessed)	Job.	1					
	s) UDB-6F (recessed)	Job.	1					
*	t) EDB-ROOF (recessed)	Job.	1					
	u) BBLC (typical 10 nos. (recessed / semi-recessed)	Job.	6					



Light Fixtures

BILL OF QUANTITIES

Item No.	Description	Unit	Quantity	Unit Rate (Rs.)	Amount (Rs.)
	Ref. Specs Sec. 8150, 8212, 8240		L		(10.7
1-3E	Following light fixtures as per lighting fixture schedule (as shown on drawing) installed on surface or wall or floor or false ceiling or columns or masts complete with all accessories such as lamps, lamp holders, ballasts, starters, ignitors, capacitors, LED drivers as applicable, etc. including all relevant installation material as required and approved by the Engineer. (Note: The contractor shall be reponsible for compatibility of recessed mounted light fixtures with gypsum / aluminium / dampa etc., false ceiling types in coordination with architectural design.)				
	d) Type - D1 Surface mounted LED downlight 8" or less dia (equivalent to 2x18 watt PL-C lamp light fixture), fixed output LED driver, IP20	no.	70		
	e) Type - D2 Recessed type LED downlight 6" or less dia (equivalent to 2x18 watt PL-C lamp light fixture), suitable for gypsum board or aluminium panel/dampa false ceiling, fixed output LED driver, IP20	no.	173		
	f) Type - D3 Recessed mounted LED downlight 6" or less dia (equivalent to 1x18 watt PL-C lamp light fixture), fixed output LED driver, IP20 or better.	no.	46		
	k) Type - F1 Surface type LED batten light fixture (600mm) (equivalent 1x14 watt T5 lamp light fixture), fixed output LED driver IP20	no.	32		* *
	l) Type - F2 Recessed LED light fixture (600mm by 600mm) (equivalent to 2X28 watt T5 lamp, P6 reflector light fixture) suitable for gypsum board or aluminium panel/dampa false ceiling, IP20	no.	177		
	l) Type - F3 Surface mounted LED light fixture (300mm by 1200mm) (equivalent to 2X28 watt T5 lamp, P6 reflector light fixture), IP20	no.	177		
	m) Type - F3	no.	20		

BILL OF QUANTITIES

(Rs.)

Amount

(Rs.)

CODE 0: MAIN BUILDING Unit Quantity Unit Rate Description No. Surface type LED batten light fixture (1200mm) (equivalent 2x28 watt T5 lamp light fixture), fixed output LED driver, IP20, Philips type BN108C-PSU or equivalent n) Type - F4 219 no. Suspended type LED light fixture (with hot dip galvanized 1/2" rod & related fitting) (equivalent to 2x28watt T5 lamp with p6 reflector light fixture), IP20, Philips type or equivalent o) Type - G1 69 no. Recessed/surface mounted/suspended bulk head. non maintained type emergency light fixture, with ni-cd battery backup unit for 3 hours backup, IP65, make of reputed manufacturer p) Type - G2 no. 6 Recessed/surface mounted/suspended bulk head, maintained type emergency light fixture, with ni-cd battery backup unit for 3 hours backup, IP65, or make of reputed manufacturer r) Type - EX 20 no. Surface mounted/suspended bulk head, non maintained type exit light fixture, with ni-cd battery backup unit for 3 hours backup, IP65, make of reputed manufacturer LT Cables Ref. Specs Sec. 8212, 8240 1-4E Following sizes, 600/1000 V, Single core or multi core, copper conductor, PVC insulated, armoured / unarmoured, PVC Sheathed cable pulled in already installed surface mounted conduits or conceaLED conduits or cable tray or concrete ducts or underground in already excavated trenches or in already laid PVC pipes including tags, ties, lugs, termination kits, colour sleeves, cable glands, bushes etc., all related accessories, complete in all respect. a) 4 core, 300 mm², Cu/PVC/PVC Rft. 1,000



c) 4 core, 95 mm2, Cu/PVC/PVC

d) 4 core, 70 mm2, Cu/PVC/PVC

f) 4 core, 35mm², Cu/PVC/PVC

g) 4 core, 25 mm², Cu/PVC/PVC

Rft.

Rft.

Rft.

Rft.

630

630

630

630

BILL OF QUANTITIES

	U: MAIN BUILDING			BILL	OF QUANTITIES
Item No.	Description	Unit	Quantity	Unit Rate (Rs.)	Amount (Rs.)
M eans de la cons		-		(113.)	(13.)
	i) 4 core, 16 mm², Cu/PVC/PVC	Rft.	92		
	I) 4 core, 10 mm ² , Cu/PVC/PVC	Rft.	1,000		P
	I) 1 core, 10 mm ² , Cu/PVC/PVC	Rft.	15,500		
	Wiring Refer Spec Sec: 8212, 8220, 8230, 8240, 8290				
1-5E	Wiring of light circuits from distribution board (DB) to point/switch including wiring between switches on the same circuit with 3 no. (1 x 2.5 mm² as phase, neutral & CPC) single core Copper conductor PVC cable complete with appropriate size concealed (minimum 1" dia) / surface mounted PVC conduit and all accessories etc. complete in all respects.	E:	323		
1-6E	Wiring from light/exhaust fan point to switch with 3 no. (1 x 1.5 mm² as phase, neutral & CPC) single core copper conductor PVC cable complete with appropriate size concealed (minimum 1" dia) / surface mounted PVC conduit, ceiling rose, 10A light control gang switch, sheet steel back box, 3 core flexible cable and all accessories etc. complete in all respects.		556		
1-7E	Same as above item 01-15E but wiring from point to point.	no.	556		
1-8E	Wiring from fan point to switch with 3 no. (1 x 1.5 mm² as phase, neutral & CPC) single core copper conductor PVC cable complete with appropriate size concealed (minimum 1" dia) / surface mounted PVC conduit, ceiling rose, 10 A light control gang switch with 250 VA dimmer, sheet steel back box, 3 core flexible cable and all accessories etc. complete in all respects. Wiring of 250V socket outlets with following size single core, copper conductor PVC cables complete with appropriate size concealed (minimum 1" dia)/surface mounted PVC conduit and all accessories, etc. complete in all respects.		108		
	a) From Distribution Board (DB) to outlet with 3 no. $(1 \times 4.0 \text{ mm}^2 \text{ as as phase, neutral \& CPC})$	no.	380		
	b) From outlet to outlet with (1 x $2.5~\text{mm}^2$ as phase, neutral & CPC)	no.	830		

J

BILL OF QUANTITIES

Item No.	Description	Unit	Quantity	Unit Rate	Amount
NO.				(Rs.)	(Rs.)
	c) From outlet to outlet loop with (1 x 2.5 mm² as phase, neutral & CPC)	no.	300		
1-10E	Wiring from distribution board to load break switch / circuit breaker box / socket outlet with 3 no. (1 x 6				
	mm² as phase, neutral & CPC) single core copper conductor PVC cable, complete with appropriate size concealed (minimum 1" dia) / surface mounted PVC conduit and all accessories, etc. complete in all respects.				
	complete in air respects.	no.	76		
1-11E	Wiring from distribution board to load break switch with 5 no. (1 x 10.0 mm ² as 3-phase, neutral & CPC) single core copper conductor PVC cable,complete with appropriate size concealed (minimum 1" dia) / surface mounted PVC conduit and all accessories, etc. complete in all respects.	7.			
	and an accessories, etc. complete in an respects.	no.	55		
	Wiring Accessories Ref. Specs Sec. 8220				
1-12E	Following types of socket outlets including all accessories, complete in all respect.				
	a) 13 A, 250 V, 3 pin universal type, switch socket outlet with sheet steel back box.	no.	973		
	b) 16 A, 250 V, 2 pin + earth, schuko socket outlet with sheet steel back box.	no.	402		
	c) 13 A, 250 V, single phase spur outlet with sheet steel back box.	no.	112		
	d) 13 A, 250 V, single phase spur outlet with sheet steel back box. (ceiling mounted)	no.	8		
	e) 13 A, 250 V, single phase spur outlet with sheet steel back box. (IP65) f) 15 A, 250 V, 3 pin, switch socket with sheet steel	no.	15		
	back box	no.	11		
	g) 20A, 250 V, DP switch with neon lamp + earth with sheet steel back box	no.	65		
	h) 45A, 250 V, DP switch with neon lamp + earth with sheet steel back box	no.	55		

Conduits & Pipes Ref. Specs Sec. 8230



BILL OF QUANTITIES

Amount

(Rs.)

Unit Rate

(Rs.)

CODE 0: MAIN BUILDING Unit Quantity Description No. 1-13E Following sizes of uPVC conduit with laying excavation, backfilling, compaction, sand bedding with compaction, all accessories. complete in all respect of following sizes a) 6" dia Rft. 100 b) 6" dia long radius bend (properly manufactured) no. 5 c) 2" dia Rft. 100 d) 2" dia long radius bend (properly manufactured) 5 1-14E Following sizes of PVC conduit / pipes installed on surface / concealed in wall, slab & floor including pull wire and all accessories as required etc., complete in all respects. a) 2" dia Rft. 1.000 b) 1-1/2" dia Rft. 1,000 c) 1-1/4" dia Rft. 1,000 1-15E RCC Man Hole of size 600 mm (L) x 600 mm (W) x 1200 mm (varies as per site condition) (D) with medium duty C.I cover of size 24" dia, including G.I cable support channels, excavation, backfilling, compaction, lean concrete (Class-E), water proofing, steel shuttering, water stopper, reinforcement, concrete (Class-B) etc., all accessories, complete in all respect. (The contractor shall prepare shop drawings including structural drawings for approval) Job. 5 1-16E RCC Man Hole of size 1500 mm (L) x 1500 mm (W) x 2100 mm (varies as per site condition) (D) with medium duty C.I cover of size 24" dia, including G.I cable support channels, excavation, backfilling, compaction, lean concrete (Class-E), water proofing, steel shuttering, water stopper, reinforcement, concrete (Class-B) etc., accessories, complete in all respect. (The contractor shall prepare shop drawings including

> Earthing Ref. Spec

Ref. Specs Sec. 8212, 8240

structural drawings for approval)



5

Job.

BILL OF QUANTITIES

Item No.	Description	Unit	Quantity	Unit Rate (Rs.)	Amount (Rs.)
1-17E	600 mm (L) x 600 mm (H) x 3 mm (T) tin plated copper Plate type earth electrode including earthing lead, R.C.C. inspection chamber with medium duty C.I cover, excavation, backfilling, and all accessories, etc., as shown on the drawings, complete in all respects.	no.	15		
1-18E	20 mm dia, 3 meter long copper cladded steel Rod type earth electrode including 2x70 mm² PVC cable as earthing lead, clamp with nuts and bolts, R.C.C. inspection chamber with medium duty C.I cover, excavation, backfilling, and all accessories, etc., as shown on the drawings, complete in all respects.	no.	10		,
1-19E	Following sizes of single core PVC insulated copper conductor cable as earth continuity conductor (ECC) installed on surface or on already installed pipes / conduits / trenchs / cable tray etc., including tags, ties, lugs, termination kits, colour sleeves, cable glands, bushes etc., all related accessories, complete in all respect.				*
	a) 70 mm ²	Rft.	630		
	b) 50 mm ²	Rft.	630		
	c) 35 mm ²	Rft.	630		
	d) 25 mm ²	Rft.	630		
	e) 16 mm ²	Rft.	630		
	f) 10 mm ²	Rft.	630		
1-20E	300 mm (L) x 50 mm (H) x 6 mm (T) tinned copper earth connecting point, including all accessories, complete in all respect.	no.	15		
	Miscellaneous Items Ref. Specs Sec. 8290				
1-21E	Following rating SP&N/TP&N load break switches AC-3 duty in IP65 enclosure of the following rating:				
	a) 20 Amp, SP&N (Wall / Pedestal mounted)		5		
	b) 32 Amp, SP&N (Wall / Pedestal mounted)		5		
	c) 32 Amp, TP&N (Wall / Pedestal mounted)		120		

2

BILL OF QUANTITIES

Amount (Rs.)

Item No.	Description	Unit	Quantity	Unit Rate (Rs.)	
1-22E	Under floor outlet box with provision for 4 no. socket outlet as set of 2 No. 16 A Schuko + 13 A Flat Pin socket outlet on normal & UPS power supply & 2 No. one port CAT-6 STP Giga speed RJ-45 socket outlet including all accessories, complete in all respect.		242		
1-23E	Following (2mm) thick G.I sheet or zinc oxide coated perforated cable tray with 1.5mm thick soild cover including proper manufactured flexible expansion coupler, elbows, risers, tees, crosses, internal & external bends and fittings, galvanized support structure, all accessories, compelete in all respects. (Note: Welded connection is not allowed and prohibited)				
	a) 900 mm x 100 mm	Rm.	25		
	b) 600 mm x 100 mm	Rm.	32		
	c) 450 mm x 100 mm	Rm.	142		
	d) 300 mm x 100 mm	Rm.	170		
	e) 150 mm x 75 mm	Rm.	50		
1-24E	Following sizes ceiling fan with blades, canopy, 3"x4"x5" size (14 SWG) thick recessed type fan clamp box with down rod 1/2" dia heavy gauge Gl pipe maintaining the fan distance from finished floor level at nine (9) feet, fan mounting insulator and split pin and all accessories, complete in all respect.	×			
	a) 56" Sweep	no.	74		
	b) 48" Sweep	no.	74		
1-25E	14" sweep plastic body Louvre wall bracket fan complete with blades, regulator & moveing grill with motor, instalLED on wall or column including all accessories, complete in all respect.	no.	132		
1-26E	Following sizes of exhuast fan with blades, motor etc. fixed in wall hole, heavy guage metallic shutter suitable for exhuast fan fitted on the wall hole, making hole in the wall for and fixing of holefast, duly plastered and making good the damaged area as required / specified including all accessories, complete in all respect.				
	a) 24" Dia	no.	8		

CODE 0: MAIN BUILDING **BILL OF QUANTITIES** Unit Rate Item Unit Quantity Amount Description No. (Rs.) (Rs.) b) 12" Dia no. 8 1-27E UPS (30 min backup), single phase IN/single phase OUT), automatic & manual bypass operation capability, including IN/OUT connections or any suitable arrangement, appropriate size floor mounting racks for UPS and battery bank all accessories, complete in all respect. a) 3 kVA Job b) 5 kVA Job 1

Total Cost



JINNAH SINDH MEDICAL UNIVERSITY DENTAL OPD ANNEXE BUILDING, KARACHI

(COMMUNICATION WORKS)

Item	Description	Unit	Quantity	Rate	Amount
No.	Description	Offic	Quantity	(Rs.)	(Rs.)
	T. TELECOMMUNICATION WORKS				
	Ref Spec Sec: 8001, 8020	9			
	Supply, installation, testing and commissioning of the following items of work (unless specifically stated otherwise) including all material, labour, tool, plant, accessories, related civil works etc required for proper completion of each item as per specifications (Section-8001 "General Specifications for Electrical Works" shall be applicable to all BOQ items). The contractor is bound to submit all relevent data, information, literature, drawings, submittals etc. as per specifications & recommended manufacturers list to (Specs Section-8020) The engineer for necessary approvals. Note: in case of any discrepancy found between BoQ, Specifications and drawings, then BoQ/Specifications will govern.				
1-1T	STRUCTURED CABLING NETWORK Ref.Spec.Sec.8001,8212,8230,8240,8290,8312 CAT-5e UTP RJ45 outlet including sheet steel	no.	88		
	back box and face plate including all mounting accessories.				
1-2T	CAT-5e UTP RJ45 outlet including face plate without sheet steel back box including all mounting accessories.	no.	337		,
1-3T	CAT-6 UTP RJ45 outlet including sheet steel back box and face plate including all mounting accessories.	no.	68		
1-4T	CAT-6 UTP RJ45 outlet including face plate without sheet steel back box including all mounting accessories.	no.	337		
1-5T	Following sizes of rack mounted 110 base unit with connecting blocks including all components & accessories, complete in all respect.	1			
	a) 10 pair	no.	1		
	b) 20 pair	no.	2		

BILL OF QUANTITIES

CODE	0: MAIN BUILDING	1		BILL C	F QUANTITIES
Item No.	Description	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
	c) 30 pair	no.	2	1	
	d) 40 pair	no.	2		
	e) 60 pair	no.	6		
	f) 100 pair	no.	3	4	
1-6T	24 port Cat-6A UTP Giga Speed modular loaded (RJ45) jack patch panels compatible with 19" rack installed in floor/wall mounted cabinet including built-in rear cable management with all mounting accessories.	no.	14	March of March 1999	
1-7T	19" Rack mounted Front Cable Management with all installation accessories.	no.	14		
1-8T	Wiring from RJ45 outlet point to relevant Building / floor distributor with CAT-5e UTP cable already laid concealed conduit / already installed cable tray or cable trunking including all accessories complete in all respect.	no.	425		¥
1-9T	Wiring from RJ45 outlet point to relevant Building / floor distributor with CAT-6 UTP cable already laid concealed conduit / already installed cable tray or cable trunking including all accessories complete in all respect.	no.	405		
1-10T	Following type CAT-6A, UTP Giga Speed patch cord with RJ45 connector at both ends.				
	a) 1 metre (3 ft.) long	no.	405	1	
	c) 3 metre (10 ft.) long	no.	405		
1-11T	25 pair CAT5e cable in already installed PVC conduit / cable trunking/ cable tray, including connectors etc., all components & accessories, complete in all respect.	Rm.	500		
1-12T	300 pair main distribution frame including 110 base units & connecting block, including all components & accessories, complete in all respect.	no.	1		
1-13T	18U (600mm (width) x 800mm (height)) rack with plexiglass door including Hoops, side management, cable trays, fan tray, slide shelf and required number of power sockets including all				
	mounting accessories.	no.	10	1	
				1,61	



BILL OF QUANTITIES

ODE 0	: MAIN BUILDING			BILL C	OF QUANTITIES
Item No.	Description	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
1-14T	Expandable PABX system with 8 CO lines, 32 extensions and one no. PRI line interface, complete with power supply, battery backup etc. including all components & accessories complete in all respect.	Job.	1		-9-
1-15T	Desktop analogue phone including all components and accessories as specified.	no.	11	,	
1-16T	Following Layer-2 distribution switch, suitable to be installed in 19" rack, including all components and accessories complete in all respect.			1	
	a) 24 port	no.	2	1	
1-17T	Latest Generation Industrial Workstation comprising 21" LED Screen, CPU with license operating system, Keyboard, Mouse with all essential interconnecting cables as required for system operation.	no.	1	000000 000 000 000 000 000 000 000 000	
	INTELLIGENT ADDRESSABLE FIRE ALARM SYST Ref.Spec.Sec.8001,8212,8230,8240,8290,8331	TEM			
1-18T	Intelligent Addressable Optical Smoke & Heat Multisensor with base, built-in isolator module including all installation accessories.	no.	152		
1-19T	Addressable Manual Call Station with all installation and mounting accessories, complete in all respect.	no.	14	*	
1-20T	Loop powered Addressable Directional Sounder including all installation accessories.	no.	14	9	
1-21T	Following type modules with all installation accessories.			1	
	a) Control / Relay Module with installation box enclosure	no.	3		
	b) Monitor Module with installation box	no.	1		
1-22T	Wiring of Fire Alarm Points with 2 core 1.5 mm2 LSZH, CWZ cable complying BS5839 and EN50200 laid in already installed conduit or tray or trunking etc., including all accessories, complete in all respect	Points	184		



CODE 0: MAIN BUILDING **BILL OF QUANTITIES** Item Rate Amount Description Unit Quantity No. (Rs.) (Rs.) 1-23T Two loops Fire Alarm Control Panel (FACP) with capacity to connect 04 Repeater Panels / Annunciator / Mimic panels, Network card for connecting to other FACP, Ethernet port for interfacing of Fire Alarm System with Public Address and Access Control System in accordance with NFPA 72 and NFPA 101 and Integrated Building Management System on BACnet Protocol including power supply, maintainance free batteries, battery charger, and all accessories required for integration, complete in all respect. Job. 1-24T Interfacing of Fire Alarm System with CCTV, Public Address, Access Control and Integrated Building Management System. Job. CCTV SYSTEM Ref.Spec.Sec.8001,8212,8230,8240,8290,8335 1-25T Following type 1/3" CCD Colour PoE 1.3 megapixel Camera with varifocal lens, power supply including mounting and installation accessories. a) Internal IP Fixed Box Camera (wall mounted / suspended) no. 15 b) External IP Fixed Box Camera with IP65 enclosure (wall/pole mounted), washer, wiper, heater, sunshield, including all mounting and installation accessories, including all components & accessories, complete in all respect. no. 2 1-26T Sheet steel outlet back box with plastic cover plate for Cameras provision to be installed in future including all components & accessories, complete in all respect. no. 1-27T Wiring from CCTV camera to relevant Building / floor distributor with CAT-6 UTP cable already laid concealed conduit / already installed cable tray or cable trunking including all accessories complete



66

1

no.

no.

in all respect.

1-28T Wiring from CCTV camera to relevant Building / floor distributor with CAT-6 UTP cable already laid concealed conduit / already installed cable tray or cable trunking including all accessories complete

in all respect. (for cameras in future)

CODE 0: MAIN BUILDING

BILL OF QUANTITIES

CODE	: MAIN BUILDING			BILL	OF QUANTITIES
Item No.	Description	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
1-29T	24 port Cat-6 UTP Giga Speed modular loaded (RJ45) jack patch panels compatible with 19" rack installed in floor/wall mounted cabinet including built-in rear cable management with all mounting accessories.	no.	7		
1-30T	19" Rack mounted Front Cable Management with all installation accessories.	no.	7	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1-31T	Following type loaded port fiber optic patch panel with pigtails including all installation accessories.				
	a) 24-port	no.	2		
	a) 12-port	no.	6	3	
1-32T	6 core 50um / 125um Multimode (OM3) fiber optic cable in already installed PVC conduit / cable trunking/ cable tray, including connectors, adaptors etc., all components & accessories, complete in all respect.	Rm.	500		
1-33T	42 Inch LED Display with all essential and interconnecting cable as required, including all components & accessories, complete in all respect.	no.	3		
1-34T	21 Inch LED Display with all essential and interconnecting cable as required, including all components & accessories, complete in all respect.	no.	2		
1-35T	Interface for spot monitoring multistream video decoder, including all components & accessories, complete in all respect.	Job	1		*
1-36T	Network Keyboard Controller shall support Multiple connectivity options (RS232/422/485 and TCP/IP), PoE with all essential interconnecting cables as required, including all components & accessories, complete in all respect.			To the second se	
1-37T	Network Video Recording Cluster Storage System with Raid 6 shall support 30 days (one month recording at real time for 61 number of cameras with connecting ports (RJ-45) for integration with Integrated BMS, including all components & accessories, complete in all respect.	no.	. 1		
		Job.	1	i i	
				18	

No

CODE 0: MAIN BUILDING

BILL OF QUANTITIES

	. MAIN BUILDING	+	T		F QUANTITIES
Item No.	Description	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
1-38T	Central Management Master Server Including Latest Operating Windows Server, Latest SQL Server, Camera Management Application Software, License covering 61 video channels and 4 user clients system shall be integrated with Safety and Security Systems, including all components & accessories, complete in all				
	respect.	Job.	1		
1-39T	Latest Generation Industrial Workstation comprising 19" LCD Screen, CPU with license operating system, Keyboard, Mouse with all essential interconnecting cables as required for system operation, including all components & accessories, complete in all respect.	no.	1	and the second s	
1-40T	Operator Console for housing LED displays, Master Server, NVR's, PTZ controller with all mounting supports, including all components & accessories, complete in all respect.	Job.	1		
1-41T	Interfacing of CCTV system with Fire Alarm, Public Address, Access Control and Integrated Building Management System.	Job.	1		
	<u>CATV SYSTEM</u> Ref.Spec.Sec.8001,8212,8230,8240,8290,8371			1	
	Co-axial TV outlet, including back box, all accessories, complete in all respect.	no.	25	1	
	Wiring from TV outlet to relevent building / floor TV box with RG-6 solid copper conductor, copper braid coaxial cable in already installed concealed conduit / trunking/tray, including all accessories, complete in all respect.	no.	25		
1-44T	RG-11 solid copper conductor, copper braid coaxial cable in already installed concealed conduit / trunking/tray, including all accessories, complete in all respect.	Rm	500		
1-45T	Following type Tap-off with mounting accessories:				
	a) '8-way	no.	3		
	a) '4-way	no.	4	1	
	TV splitter including all accessories, complete in all respect of following type;				
	a) '6-way	no.	8		

No

CODE 0: MAIN BUILDING

BILL OF QUANTITIES

CODE	J. WAIN BUILDING			BILL O	F QUANTITIES
Item No.	Description	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
1-47T	Appropriate size cabinet (recessed / surface mounted as per site condition) for housing amplifier, splitters and tap-off etc., including all components & accessories, complete in all respect. ACCESS CONTROL SYSTEM Ref.Spec.Sec.8001,8212,8230,8240,8290,8373	no.	2		
1-48T	Magnetic door release with installation & mounting accessories, including all components & accessories, complete in all respect.	no.	3		
1-49T	Magnetic door lock with installation & mounting accessories, including all components & accessories, complete in all respect.	no.	3		
1-50T	Multi-function smart reader i.e. (Proximity, Bar Code, Touch Memory, RF and Biometric) including all components & accessories, complete in all respect.	no.	3		
1-51T	Exit push button with back box with installation & mounting accessories, including all components & accessories, complete in all respect.	no.	3		
1-52T	Controller board with enclosure, reader interface for one door power supply with installation & mounting accessories, including all components & accessories, complete in all respect.	no.	3		
1-53T	Wiring from door controller, reader and exit button to relevant Building / Floor distributor with CAT-6A, UTP cable in already installed concealed PVC conduit.	no.	3		
1-54T	Contact less smart card including all components & accessories, complete in all respect.	no.	10		
1-55T	Interfacing of Access Control System with CCTV, Fire Alarm, Public Address and Integrated Building Management System, including Access Control System software to be installed in CCTV server.				
		Job.	1		
				-	

Total Cost



SECTION 8020

LIST OF RECOMMENDED MANUFACTURERS AND BRANDS OF MATERIALS/EQUIPMENT

This list of recommended manufacturers or brands of different materials or equipments is provided in order to establish a standard level of performance. The contractor is bound to provide and fix the materials or equipments of superior quality approved by the Engineer only from the list unless otherwise specified in relevant equipment specification clauses, drawings and BoQ. However, the material provided from the List of Recommended Manufacturers and Brands or mentioned in other relevant equipment specification clauses or drawings or BoQ shall meet all the requirements of the relevant specification(s) comes under specification section 8001 of the tender documents. The contractor shall procure from recommended manufacturers or brands mentioned this Section 8020 here under or in relevant equipment specifications or drawings or BoQ of different material or equipments, from their authorized dealers or agents. The contractor shall provide the letter of authorization from the principal, for dealer's letter of dealership from the authorized dealer(s) and delivery challan(s) for ensuring the quality of purchased equipment. The nomenclature to mentioned manufacturers or brands name hereunder is as, manufacturer or brand name or both is mentioned first and then afterwards in bracket country of origin of manufacturer is mentioned.

SR. NO.	MATERIALS	MANUFACTURER/BRANDS OF MATERIALS/EQUIPMENT
	CABLES & ACCESSORIES	
1.	LV Wiring Cables (300 / 500 Volts)	Pakistan Cables, Pioneer Cables, Fast Cables, Allied Cables, AGE,
2.	LV Power Cables (600 / 1000 Volts)	Pakistan Cables, Pioneer Cables, Fast Cables, Allied Cables, AGE,
3.	High Voltage Cables(15 kV)	Pakistan Cables, Pioneer Cables, AGE
4.	MV Termination/Straight Jointing kit (Hot/Cold Termination)	Raychem (Germany), 3M (USA), Elastimold (Egypt), DSG-CANUSA (GmbH)
5.	CAT Cables	3M, Indus Cables, Draka Cables, Clipsal, Norden Communication, Pony, Leviton
6.	Fire Resistant Cables	Prismian, Cavicel, Context Plus, Indus Cables,
7.	Glands, Lugs, Ferrules, Connectors	Cembre (Italy), Hellermanntyton (UK)
8.	Cable Tagging/Labelling System	Cembre (Italy), Hellermanntyton (UK)
	PVC AND STEEL CONDUIT	
9.	PVC Conduit & Accessories/ Halogen free PVC conduit for special applications	Beta, Popular, Tesco, Galco, Jeddah Polymer, Dadex, Decoduct, Euro Gulf, Pak Arab, Civic, Adamjee (Durabuilt)
10.	Steel Conduit & Accessories	Hilal Industries, IIL, Jamal, Poineer, Dietzel-Univo (Austria)



	ELECTRICAL COMPONENTS				
11.	LV Circuit Breakers (MCB, MCCB, ELCB, ACB)	Merlin Gerin (MG) (France), Siemens (Germany), ABB (France), Terasaki (Japan), LS (Korea), Legrand (France), Silk Engineering			
12.	LV Magnetic Contactor, Starters & Thermal Overload Relay	ABB (France), Siemens (Germany), Schneider Electric, National/Panasonic (Japan), LS (Korea), Legrand (France), Silk Engineering			
13.	Power Capacitor	National / Panasonic (Japan), Ducati (Italy), Entes (Turkey), Nokian (Finland), Janitza (Germany), Schneider Electric			
14.	LV Capacitor	Amber Capacitor (Pakistan), Entes (Turkey), Nokian (Finland), INCR (Italy), Schneider Electric, Gruppo Energia (Italy)			
15.	PF Controller	Nokian (Finland), ABB (Finland), Siemens (Germany), Schneider Electric, Entes (Turkey), Ducati (Italy)			
16.	Series Reactor	National / Panasonic (Japan), Nokian (Finland), Schneider Electric			
17.	Timer	National / Panasonic (Japan), Entes (Turkey), ABE (Germany), GE (EU)			
18.	Push buttons and indication lights	Maruyasu (Japan), GE (EU), Schneider Electric			
19.	Current Transformer/Voltage Transformer	Circutor (Italy), Revalco (Italy), Entes (Turkey), Complee			
20.	Measuring Instrument	Revalco (Italy), Circutor (Italy), Entes (Turkey), Lumel (Poland), Complee			
21.	Programmable Logic Controllers	Siemens, ABB, LG, Schneider Electric			
22.	VSS/ASS	Breter (Italy), Kraus & Naimer (NZ), MERZ (Germany), Schneider Electric			
23.	HRC Fuses	Siba (Germany), ETI, KP			
	TRANSFORMER				
24.	Pad Mounted Transformers (11/0.415 kV)	Siemens, Climax, PEL, Transfopower			
	ELECTRIC PANELS				
25.	LV Panel	Hussian & Co, Baber Brothers, Schneider, Siemens, JEI Switchgear, Libra, Bilal S/G Engg., HRA Switchgear, Premier Engineering, Karimi Electromech Systems			
26.	11 kV Panels	Siemens, Schneider (formerly Areva), PEL			
27.	Busbar Trunking System	Schneider, Siemens, EAE (Turkey), Gersan (Turkey), Legrand (France)			

	LIGHTING FIXTURE & COMPONENTS	
28.	Surface/recessed office luminaries (3 years warranty minimum)	Philips, Britlite Engineering, Pierlite, Unilux, Sunlight, Future Technologies
29.	Battens	Philips, Britlite Engineering, Pierlite, Unilux, Sunlight, Future Technologies
30.	Downlights	Philips, Thorn, Britlite Engineering, Pierlite, Unilux, Sunlight, Future Technologies
31.	Exit Emergency Light Fixture	Philips, Lverlux, Menvier, Pierlite (Australia), Unilux, Sunlight, Osaka, Future Technologies, Electroline
32.	Lamps	Source as approved by the "Engineer"
33.	Control gear	Source as approved by the "Engineer"
34.	Connectors/holders	Source as approved by the "Engineer"
	SWITCHES & SOCKETS	
35.	Switches	MK, Clipsal, ABB (Germany), Legrand (France), Hager (France), Orange
36.	Sockets	MK, Clipsal, ABB (Germany), Legrand (France), Hager (France), Orange
37.	Dimmer / Fan Speed Controller	MK Clipsal, ABB (Germany), Legrand (France), Hager (France), Orange
38.	Connection Unit	MK, Clipsal, ABB (Germany)
39.	Voice/TV/Data Outlets	MK, Clipsal, ABB (Germany), Legrand (France), Hager (France)
40.	Back Boxes	MK, Dietzel-Univolt (Austria), Clipsal (Australia), Hussain & Co.
41.	High Current Switches	MK, Clipsal, ABB (Germany), Legrand (France), Hager (France)
	DIESEL GENERATOR SET	
42.	Couplers	Siemens, Caterpillar, SDMO, FG -Wilson, Doosan, Mitsubishi, VPL, Cummins (The brand should consists of components as mentioned in list of approved manufacturers)
43.	Engine	Cummins, John Deere, Perkins, MTU, Mitsubishi, Doosan
44.	Alternator	Stamford, Caterpillar, Mitsubishi, Leroy Somer
45.	Generator Module	Datakom (Turkey), Deepsea Electronics (UK)

46.	ATS/AMF, Generator Panels	Refer to heading Electrical Panels in the List of Approved Manufacturer's.
	ELECTRONICS/COMPUTER EQUIPMENT	
47.	UPS	APC (USA), MG (France), ELIT (Italy), ABB (Switzerland), Alberex, GTEC(Italy)
48.	Fire Alarm System	Simplex (USA), Gent-Honeywell (USA/UK/EU), Edwards (USA), GST (UK), Cooper Menvier (UK), Notifier, Inim Electronics Italy, C-Tec U. K.
49.	Public Address System	TOA (Japan), Bosch (EU), Optimus (Spain), Honeywell
50.	Burglar Alarm System	DSC (Canada), Texicom (UK), Bosch (Germany
51.	CCTV System	Pelco (USA), Bosch (EU), Sony (Japan), Optimus (Spain), Hyundai (Korea), Watchnet (Canada)
52.	CATV	WISI (Germany), Scientific Atlanta (USA), Pony, Leviton (USA)
53.	Lightning Protection & Earthing System	Aplicaciones Tecnologicas (Spain), Furse (UK), Duval – Messien (France), Thermo Weld (USA)
54.	PABX	LG-Ericsson, Panasonic
55.	Access Control System	Cavdax Gallaghev (Newzealand)
	COMPUTER NETWORK SYSTEM/COMPONENTS	
56.	Structured Cabling	3M (USA), Panduit (USA), Clipsil-Schneider (France), Leviton (USA)
57.	Ethernet Switches	CISCO (USA)
58.	Cable Trunking & Accessories	Dietzel-Univolt (Austria), MITA-Schneider (France), Davis (Malaysia), NAXSO (Italy), Karimi Electromech Systems, EAE (Turkey)
	MISC MATERIALS	
59.	Bricks, Sand, Crushed Stone Aggregate, Cement	Source as approved by the "Engineer"
60.	Steel Reinforcement	AFCa, Mughal, Amrelli, Fazal, Razzaq, Prime, Metropolitan, Nawab, Pak Steel, PECA, Nazir, Punjab, Hyderi, Ittehad, RK Steel, Ashraf Industries (The Contractor must provide a certification from the concerned Steel Mill that the steel reinforcement has been manufactured from Pakistan Steel Mill billet, and should conform to the specification and to the satisfaction of the Engineer).
61.	Anti-Termite	Termidor, Biflex, Dursban
62.	Construction Chemicals	Vandex, FEB, SIKA, Fosroc
63.	Cable Tray with accessories	Ashraf Industries, Ezzi Engineering, Electroline
64.	Tubular Poles	Jamal Pipes, PECO, Excel Engineering, Lion Industries, Farhan Mechanical Works



JINNAH SINDH MEDICAL UNIVERSITY KARACHI MECHANICAL WORKS

BILL OF QUANTITIES

Item No.	Description	Unit	Quantity	Unit Rate (Rs.)	Total Amount (Rs.)
	NATURAL GAS PIPING REF. SPEC. NOS. 8460				
M01	Supply, Installation, testing and Commissioning of following Galvanized Steel Pipes, Medium grade conforming to BS 1387 with all fittings sockets, bends, tees, elbows, where required fixed to walls, ceilings and floors etc. including caps and plugs as per specifications and drawings.				
1	i) 1-1/2 inch dia.	Rft	85		
	ii) 1 inch. dia.	Rft	135		
	iii) 1/2 inch. dia.	Rft	175		
M02	Providing and fixing Ball Valves in piping as per specifications and drawings of following diameters:			4 II	
	i) 1-1/2 inch. dia.	Each	1		
	ii) 1 inch. dia.	Each	1		
	iii) 1/2 inch. dia.	Each	8		
			Y		
				TOTAL AMOUNT	
	20				
	(In words Pakistani Rupees)

1

PROPOSED CONSTRUCTION SCHEDULE

Pursuant to Sub-Clause 8.2 of the General Conditions of Contract, the Works shall be completed on or before the date stated in Appendix-A to Bid. The Bidder shall provide as Appendix-E to Bid, the Construction Schedule in the bar chart (CPM, PERT or any other to be specified herein) at least in form of latest MS Project or approved, showing the sequence of work items and the period of time during which he proposes to complete each work item in such a manner that his proposed programme for completion of the whole of the Works and parts of the completion targets in days noted below and counted from the date of receipt of Engineer's Notice to Commence. The bidders shall propose completion time for major milestones of the project to ensure effective monitoring:

The contractor shall submit work plan for each building and a comprehensive plan for complete Package containing all Buildings.

Description

Time for Completion

a) Whole Works

Twelve (12) calendar months



METHOD OF PERFORMING THE WORK

The Bidder is required to submit a narrative outlining the method of performing the Work. The narrative should indicate in detail and include but not be limited to:

- Organization Chart indicating head office and field office personnel involved in management and supervision, engineering, equipment maintenance and purchasing.
- Mobilization, the type of facilities including accommodation, provision for maintenance and for other services to be used.
 mobilization, the type of facilities including accommodation, provision for maintenance and for storage, communications, security and
- The method of executing the Works, the procedures for installation of equipment and machinery and transportation of equipment and materials to the site of each Building and complete project containing all Buildings.



LIST OF MAJOR EQUIPMENT - RELATED ITEMS

The Bidder will provide on Sheet 2 of this Appendix a list of all major equipment and related items, under separate heading for items owned, to be purchased or to be arranged on lease by him to carry out the Works. The information shall include make, type, capacity, and anticipated period of utilization for all equipment which shall be in sufficient detail to demonstrate fully that the equipment will meet all requirements of the Specifications.



LIST OF MAJOR EQUIPMENT

Owned Purchased or Leased	Description of Unit (Make, Model, Year)	Capacity HP Rating	Condition	Present Location or Source	Date of Delivery at Site	Period of Work on Project
(1)	(2)	(3)	(4)	(5)	(6)	(7)
a. Owned			5			
b. To be Purchased						_
c. To be arranged on Lease		S*J				
	Î,					



CONSTRUCTION CAMP AND HOUSING FACILITIES

The Contractor in accordance with the Conditions of Contract shall provide description of his construction camp's facilities and staff housing requirements for each building site and for complete project containing all building units.

The Contractor shall be responsible for pumps, electrical power, water and electrical distribution systems, and sewerage system including all fittings, pipes and other items necessary for servicing the Contractor's construction camp.

The Bidder shall list or explain his plans for providing these facilities for the service of the Contract as follows:

- Site Preparation (clearing, land preparation, etc.).
- 2. Provision of Services.
 - a) Power (expected power load, etc.).
 - b) Water (required amount and system proposed).
 - c) Sanitation (sewage disposal system, etc.).
- 3. Construction of Facilities
 - Contractor's Office. Workshop and Work Areas (areas required and proposed layout, type of construction of buildings, etc.).
 - b) Warehouses and Storage Areas (area required, type of construction and layout).
 - Housing and Staff Facilities (Plans for housing for proposed staff, layout, type of construction, etc.).
- Construction Equipment Assembly and Preparation (detailed plans for carrying out this activity).
- 5. Other Items Proposed (Security services, etc.).



LIST OF SUBCONTRACTORS

I/We intend to subcontract the following parts of the Work to subcontractors. In my/our opinion, the subcontractors named hereunder are reliable and competent to perform that part of the work for which each is listed.

Enclosed are documentation outlining experience of subcontractors, the curriculum vitae and experience of their key personnel who will be assigned to the Contract, equipment to be supplied by them, size, location and type of contracts carried out in the past.

Part of Works (Give Details)		Subcontractor (With Complete Addre	ss)
(1)		(2)	
		v	
	-		
	×		



ESTIMATED PROGRESS PAYMENTS

Bidder's estimate of the value of work which would be executed by him during each of the periods stated below, based on his Programme of the Works and the Rates in the Bill of Quantities, expressed in thousands of Pakistani Rupees:

Months	Max. upto %age	Amounts (1,000 Rs.)
1 st Month	8.33%	
2 nd Month	8.33%	
3 rd Month	8.33%	
4 th Month	8.33%	
5 th Month	8.33%	
6 th Month	8.33%	
7 th Month	8.33%	
8 th Month	8.33%	9
9 th Month	8.33%	
10 th Month	8.33%	
11 th Month	8.33%	
12 th Month	8.33%	
Bid Price		

The Contractor shall submit, to 'Project Manager / The Engineer, a Cash Flow in 'S-Curve' and update regularly according to the progress payments.



Appendix-K to Bid

ORGANIZATION CHART FOR THE SUPERVISORY STAFF AND LABOUR

(To be filled in by the bidder)

The Contractor should have team of reasonably skilled persons in the field of building construction led by a Project Manager (B.E Civil) registered in PEC as Professional Engineer, having at least 10 years experience in the relevant field. The Project Manager should be authorized to take instruction from the Engineer and direct contractor's crew to complete the works in accordance with the specifications.

The Contractor shall depute B.E civil site engineers in appropriate number as per law and at least one experienced supervisor (DAE) at each building site to be directly responsible for the execution of works at site. The contractor must employee experienced lab technician in his laboratory to conduct required QA/QC testing at site / lab and to keep record of all tests.

The Contractor shall propose staff for building site and for complete project containing all building units.



(INTEGRITY PACT)

DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC.

o ozna do r r . c .	Dated
Contract Value:	_ Dated
Contract Title:	
or induced the procurement or benefit from Government	[name of Contractor] hereby declares that it has not obtained of any contract, right, interest, privilege or other obligation of Sindh (GoS) or any administrative subdivision or agency and or controlled by it (GoS) through any corrupt business
warrants that it has fully de to anyone and not given or within or outside Pakistan e person, including its affiliate shareholder, sponsor or subs kickback, whether described obtaining or inducing the pr	ty of the foregoing, [name of Contractor] represents and clared the brokerage, commission, fees etc. paid or payable agreed to give and shall not give or agree to give to anyone ther directly or indirectly through any natural or juridical, agent, associate, broker, consultant, director, promoter, diary, any commission, gratification, bribe, finder s fee or as consultation fee or otherwise, with the object of occurement of a contract, right, interest, privilege or other soever form from, from Procuring Agency (PA) except that lared pursuant hereto.
will make full disclosure of of or related to the transaction	s full responsibility and strict liability that it has made and all agreements and arrangements with all persons in respect with PA and has not taken any action or will not take any declaration, representation or warranty.
false declaration, not making likely to defeat the purpose of contract, right, interest, privil- aforesaid shall, without prejud	ots full responsibility and strict liability for making any full disclosure, misrepresenting facts or taking any action this declaration, representation and warranty. It agrees that any age or other obligation or benefit obtained or procured as ace to any other rights and remedies available to PA under any at, be voidable at the option of PA.
Supplier/Contractor/Consultan on account of its corrupt busin equivalent to ten time the s kickback given by [name of C	and remedies exercised by PA in this regard, [name of agrees to indemnify PA for any loss or damage incurred by it ess practices and further pay compensation to PA in an amount am of any commission, gratification, bribe, finder s fee or ontractor] as aforesaid for the purpose of obtaining or inducing ract, right, interest, privilege or other obligation or benefit
	Name of Seller/Supplier:

FORMS

PERFORMANCE SECURITY
CONTRACT AGREEMENT
MOBILIZATION ADVANCE GUARANTEE/BOND
INDENTURE BOND FOR SECURED ADVANCE



BID SECURITY (Bank Guarantee)

Secu	rity Executed on	
Nam	e of Surety (Bank) with Address: (Date)	
		duled Bank in Pakistan)
	1 Sum of Security Rupees(Reference No.	
MEN	N BY THESE PRESENTS, that in pursuance of the terms	KNOW ALI
	cipal (Bidder)we, the Surety above named, are held and f	
111110	orpai (Bidder)we, the Streety above harned, are held and I	inny bound unto
and t	einafter called the 'Procuring Agency') in the sum stated a ruly to be made, we bind ourselves, our heirs, executors, severally, firmly by these presents.	
accor	CONDITION OF THIS OBLIGATION IS SUCH, that mpanying bid dated for Bid No for for aring Agency; and	
bidd Paki	EREAS, the Procuring Agency has required as a condition for furnishes a bid security in the above said substant or from a foreign bank duly counter-guaratistan, to the procuring agency, conditioned as united.	m from a Scheduled Bank in nteed by a Scheduled Bank in
(1)	that the bid security shall remain in force up after the deadline for validity of bids as state as it may be extended by the procuring age to the Surety is hereby waived;	ed in the Instructions to bidders or
(2)	that the bid security of unsuccessful bidders agency after expiry of its validity or upon signal	이 그를 살아보고 있어요. 아이는 아이는 아이는 아이를 하게 되었다면 살아보고 있다면 그렇게 하는데 하나 아이는데, 그를 살아보고 있다면 하는데 하는데 하는데 하다.
(3)	that in the event of failure of the successful Contract Agreement for such work and ful Security, the entire said sum be paid imagency pursuant to Clause 15.6 of the Instrubidder's failure to perform.	urnish the required Performance mediately to the said procuring
NOV	VITHEDEEODE if the successful hidder shall y	within the period specified

NOW THEREFORE, if the successful bidder shall, within the period specified therefore, on the prescribed form presented to him for signature enter into a formal Contract with the said procuring agency in accordance with his bid as accepted and furnish within twenty eight (28) days of his being requested to do so, a Performance Security with good and sufficient surety, as may be required, upon the form prescribed by the said procuring agency for the faithful performance and proper fulfilment of the said Contract or in the event of non-withdrawal of the said bid within the time specified for its validity then this obligation shall be void and of no effect, but otherwise to remain in full force and effect.

PROVIDED THAT the Surety shall forthwith pay the procuring agency, thesaid sum upon first written demand of the procuring agency (without cavil or argument) and without requiring the procuring agency to prove or to show grounds or reasons for such demand, notice of which shall be sent by the procuring agency by registered post duly addressed to the Surety at its address given above.

PROVIDED ALSO THAT the procuring agency shall be thesole and finaljudge for deciding whether the Principal (Bidder) has duly performed his obligations to sign the Contract Agreement and to furnish the requisite Performance Security within the time stated above, or has defaulted in fulfilling said requirements and the Surety shall pay without objection the said sum upon demand from the procuring agency forthwith and without any reference to the Principal (Bidder) or any other person.

IN WITNESS WHEREOF, the above bounden Surety has executed the instrument under its seal on the date indicated above, the name and seal of the Surety being hereto affixed and these presents duly signed by its undersigned representative pursuant to authority of its governing body.

		SURETY (Bank)
WITNESS:	Signature	
1.	Name	
α μ	Title	
Corporate Secretary (Seal)	 Corporate	Guarantor (Seal)
2.		*
-		. 1
Name, Title & Address		V\ 5
F		

FORM OF PERFORMANCE SECURITY (Bank Guarantee)

* = 5	Guarantee No.
	Executed on
	Expiry date
[Letter by the Guarantor to the Employer]	
Name of Guarantor (Bank) with address:	eduled Bank in Pakistan)
Name of Principal (Contractor) with address:	
Penal Sum of Security (express in words and figures)	
Letter of Acceptance No.	Dated
KNOW ALL MEN BY THESE PRESENTS, that in pu Documents and above said Letter of Acceptance (hereinafter of the said Principal we, the Guarantor above named,	called the Documents) and at the request are held and firmly bound unto the (hereinafter called the Employer) in
the penal sum of the amount stated above for the payment of the said Employer, we bind ourselves, our heirs, executors, a severally, firmly by these presents.	dministrators and successors, jointly and
THE CONDITION OF THIS OBLIGATION IS SUCH, that Employer's above said Letter of Acceptance for (Name of Contract) for the	t whereas the Principal has accepted the
(Name of Contract) for the	(Name of Project).
NOW THEREFORE, if the Principal (Contractor) shall we undertakings, covenants, terms and conditions of the said Do said Documents and any extensions thereof that may be granotice to the Guarantor, which notice is, hereby, waived an fulfill all the undertakings, covenants terms and condition modifications of said Documents that may hereafter be mad Guarantor being hereby waived, then, this obligation to be vovirtue till all requirements of Clause 11, Defects Liability, of Guarantor being hereby waived.	cuments during the original terms of the anted by the Employer, with or without d shall also well and truly perform and as of the Contract and of any and all le, notice of which modifications to the oid; otherwise to remain in full force and Conditions of Contract are fulfilled.
Our total liability under this Guarantee is limited to the sum liability attaching to us under this Guarantee that the claim by us within the validity period of this Guarantee, failing liability, if any, under this Guarantee.	for payment in writing shall be received
	Ω_{\bullet}
8	<i>ν</i> γ
	11.75

Employer wi without requi sums up to th	ler the Contract, do here thout delay upon the Emp ring the Employer to prove amount stated above, ag	by irrevocably and in bloyer's first written de e or to show grounds of ainst the Employer's w	antor), waiving all objections dependently guarantee to pay to mand without cavil or arguments or reasons for such demand any sun ritten declaration that the Principal which payment will be effected by	and n or has
Guarantor to	Employer's designated Bar	nk & Account Number.		
Principal (Co fulfilling said amount stat	entractor) has duly perfor l obligations and the Guar	med his obligations un antor shall pay without ten demand from the	d final judge for deciding whether ader the Contract or has defaulted t objection any sum or sums up to Employer forthwith and without	i in
IN WITNESS	S WHEREOF, the above-b	ounden Guarantor has	executed this Instrument under its	seal
			he Guarantor being hereto affixed	
these presents body.	s duly signed by its under	rsigned representative,	pursuant to authority of its govern	iing
oouj.				
Witne	acc.	di	Guarantor (Bank)	
	035.		Signature	
Co	orporate Secretary (Seal)		Name	
	reperate secretary (sear)		Title	
2				
2				
_			-	
Na	ame, Title & Address	2	Corporate Guarantor (Seal)	
			\mathcal{L}	
			1	
			.0	

FORM OF CONTRACT AGREEMENT

THIS	CONTRACT	AGREEMENT day		called the(month)	"Agreement")	made on the between (hereafter
		r") of the one part				(hereafter
called	the "Contractor	r") of the other part	t.,			
WHEI	REAS the Emp	loyer is desirous tl	nat certain Wo	orks, viz	sh	ould be executed
by the	Contractor and	l has accepted a Bi	d by the Cont			
Works	and the remed	ying of any defects	therein.			
NOW	this Agreement	t witnesseth as follo	ows:			
1.		ment words and e em in the Condition				are respectively
	assigned to th	em m die Condido	iis of Contract	neremarter re	Herred to.	
2.	The following	g documents after	incorporating	addenda, if a	ny, except those	parts relating to
	Instructions t	o Bidders shall be	deemed to fe	orm and be r	ead and construc	ed as part of this
	Agreement, v	iz:				
	() TI					
		Contract Agreeme	10.000			
		Letter of Acceptar completed Form of				
	3 *	cial Stipulations (A		Pid):		
		Particular Condition				
		General Condition		art II,		
	7	priced Bill of Qua		dix-D to Bid)	•	
		completed Append			P	
		Drawings;		, -, ,,		
	2.7	Specifications.				
	(k)	•		(any other)		
3.	mentioned, th	on of the payments the Contractor hereb medy defects there	y covenants v	vith the Empl	oyer to execute	and complete the
4.	completion of sum as may	r hereby covenants f the Works as per become payable u ribed by the Contra	provisions of nder the prov	the Contract	, the Contract Pr	ice or such other
						Ω

Signature of the C	ontactor		5	Signature of Emp	oloyer	
(Seal)			Ō	(Seal)		
Signed, Sealed and	l Delivered in t	he presence of:				
Witness:			,	Witness:		
(Name, Title and A	Address)		(Name, Title and	Address)	
						N/
9						
			.8			
	,					

MOBILIZATION ADVANCE GUARANTEE (Bank Guarantee)

Guarantee No		Date		
WHEREAS	(hereinafter	called the 'Emplo	yer') has entered i	nto a Contract for
with		articulars of Contra ed the "Contractor")		
an amount of Rupe	ne Employer has agree ees tractor as per provision	(Rs	Contractor, at the (
	the Employer has as			
(hereinafter called t	eduled Bank in Pakist the "Guarantor") at g to make the above	the request of the	Contractor and i	n consideration of
the purpose of above	E, the Guarantor hereb e mentioned Contract hich the advance payn eding the aforementio	and if he fails and onent is made, the G	commits default in t	fulfilment of any of
of the Contractor, sha payment shall be ma	any default, of which all be given by the Em ade by the Guarantor ractor and without any	of all sums then	entor, and on such fi	rst written demand,
This Guarantee shall Interim Payme	remain in force until ent Certificates	of the whichever is e	Contractor	payments from the or until
The Guarantor's liab	(Date) oility under this Guar		any case exceed t	he sum of Rupees
aforesaid date or earl Interim Payment Cer	I remain valid up to ier if the advance mad tificates of the Contra Il be deemed to be ext	e to the Contractor actor provided that	is fully adjusted aga the Guarantor agree	inst payments from s that the aforesaid
		z T		
1				

GUARANTOR

		1. 2. 3.	Signature Name Title	_
	NESS			
1.	Corporate Secretary (Seal)			
2.	(Name Title & Address)		Corporate Guarantor(Seal)	

Ŋ,

INDENTURE FOR SECURED ADVANCES.

(For use in cases in which is contract is for finished work and the contractor has entered into an agreement for the execution of a certain specified quantity of work in a given time). This INDENTURE made the
WHEREAS by an agreement, dated (hereinaf ter called the said agreement, the contractor has agreed to perform the under-mentioned works (hereinafter referred to as the said work):- (Here enter (the description of the works). 1
AND WHEREAS the contractor has applied to the
WHEREAS the Government has agreed to advance to the Contractor the sum of Rupees, (Rs
NOW THIS INDENTURE WTTNESSETH that in pursuance of the said agreement and in consideration of the sum of Rupees



- (2) That the materials detailed in the said Running Account Bill (B) which havebeen offered to and accepted by (he Government as security for the saidamount are absolutely by the Contractors own property free from encumbrances of any kind and the Contractor will not make any application for or receive a further advance on the security of materials which are not absolutely his own property and free from encumbrances of any kind and the contractor hereby agrees, at all times, to indemnify and save harmless the Government against all claims whatsoever to any materials in respect of which an advance has been made to him as aforesaid.
- (3) That the said materials detailed in the said Running Account Bill (B) and all other materials on the security of which any further advance or advances may hereafter be made as aforesaid (hereinafter called the said materials) shall be used by the Contractor solely in the execution of the said works in accordance with the directions of the Divisional Officer (hereinafter called the Divisional Officer) and in the terms of the said agreement.
- (4) That the Contractor shall make at his own cost all necessary and adequate arrangement for the proper watch, safe custody and protection against all risks of the said material and that until used in construction as aforesaid the of the said works in the Contractor's custody and at his own risk and on his own responsibility and shall at all times be open to inspection by (he Divisional Officer or any officer authorized by him. In the event of the said materials of any part (hereof being stolen, destroyed or damaged or becoming deter iorated in a greater degree than is due to reasonable use and wear ther eof Contractor will forthwith r eplace the same with other materials of like qualify or repair and make good the same as required by the Divisional Officer and the materials so brought to replace the said materials so considered as security for the said amount.
- (5) 'Hurt the said materials shall not on any account be removed from the site of the said works except with the written permission of the Divisional Officer or an officer authorized by him in that behalf
- (6) That the said amount shall be payable in full when or before the Contractor receives payment, fr om the Government of the price payable to him for the said works under the terms and provisions of the said agreement PROVIDED THAT if any intermediate payments are made to the contractor on account of work done then on the occasion of each such payment the Government will be at liberty to make a recovery from the Contractors Bill for such payment by deducting there from in the value of the said materials (hen actually used in the construction and in respect of which recovery has not been made previously the value for this purpose being determined in r espect of each description of material at (he rates at which the amount of the advances made under these presents were calculated.



- (7) at if the Contractor shall at any time make any default in the performance or observation in any respect of any of the terms and provisions of the said agreement or of these presents the total amount of the advance or advances that may still be owing to the Government shall immediately on the happening of such default be repayable by the Contractor to the Government together with interest thereon at twelve percent per annum from the date or respective dates of such advance or advances to the date or repayment and with all costs, charges, damages and expenses incurred by the Government in or for the recover y thereof or the enforcement of this security or otherwise by reason of (he default of the Contractor and any moneys so becoming due and payable shall constitute a debt due from the Contractor to the Government and the Contractor hereby covenants and agrees with the Government to repay and the same respectively to it accordingly.
- - (a) Seize and utilize the said materials or any part thereof in the completion of the said works on behalf of the Contractor in accordance with the provisions in that behalf contained in the said agreement debiting the Contractor with the actual cost of effecting such completion the amount due in respect of advances under these presents and crediting the Contractor with the value of work done as he had carried it out in accordance with the said agreement and at the rates thereby provided. If the balance is against the Contractor he is to pay the same to the Government on demand.
 - (b) Remove and sell by public auction the seized materials or any part thereof and out of the moneys arising from the sale retain all the sums afor esaid r epayable to the Government under these pr esents and pay over the surplus (if any) to the Contractor.
 - (c) Deduct all or any part of the moneys owing out of the security deposit or any sum due to the Contractor under the said agreement.
- (9) That except as is expressly provided by the presents interest on the said advance shall not be payable.
- (10) That in the event of any conflict between the provisions of these presents and the said agreement the provisions of these presents shall prevail and in the event of any dispute or difference arising over the construction or effect of these presents the settlement of which has not been hereinbefore expressly provided for the same shall be referred to the Superintending Engineer/Executive District Officer/Officer one grade higher to officer signed the agreement Circle whose decision shall be final and the provisions of the Arbitration Act 1940 for the time being in force so far as they are applicable shall apply to any such reference.



		1. 2. 3.	Signature Name Title	
WIT	NESS			
1.	(Name Title & Address)		Corporate Secretary (Seal)	
2.	(Name Title & Address)		Corporate Guarantor(Seal)	



(GENERAL CONDITIONS OF CONTRACT PART-I)

Conditions of Contract CONSTRUCTION for

FOR BUILDING AND ENGINEERING WORKS DESIGNED BY THE EMPLOYER

Multilateral Development Bank Harmonised Edition March 2006 General Conditions

This publication is exclusive for use as provided under a Licence Agreement between a Participating Bank and FIDIC, and, consequently, no part of this publication may be reproduced, translated, adapted, stored in a retrieval system or communicated, in any form or by any means, whether mechanical, electronic, magnetic, photocopying, recording or otherwise, without prior permission in writing from FIDIC. To request such permission, please contact: FIDIC, Case Postale 311, CH-1215 Geneva 15, Switzerland; Tel. +41 22 799 49 00; Fax +41 22 799 49 01; E-mail: fidic@fidic.org. FIDIC is not responsible for the accuracy or completeness of translations of this publication unless such translation explicitly indicates otherwise.

FEDERATION INTERNATIONALE DES INGENIEURS-CONSEILS INTERNATIONAL FEDERATION OF CONSULTING ENGINEERS INTERNATIONALE VEREINIGUNG BERATENDER INGENIEURE FEDERACION INTERNACIONAL DE INGENIEROS CONSULTORES

(It is presumed that all the bidders possess original copy of FIDIC for their reference while preparation of Bid)



TABLE OF CONTENTS

General Conditions

CONTENTS

Definitions listed alphabetically

GENERAL PROVISIONS

- 1.1 Definitions
- 1.2 Interpretation
- 1.3 Communications
- 1.4 Law and Language
- 1.5 Priority of Documents
- 1.6 Contract Agreement
- 1.7 Assignment
- 1.8 Care and Supply of Documents
- 1.9 Delayed Drawings or Instructions
- 1.10 Employer's Use of Contractor's Documents
- 1.11 Contractor's Use of Employer's Documents
- 1.12 Confidential Details
- 1.13 Compliance with Laws
- 1.14 Joint and Several Liability
- 1.15 Inspections and Audit by the Bank

2 THE EMPLOYER

- 2.1 Right of Access to the Site
- 2.2 Permits, Licences or Approvals
- 2.3 Employer's Personnel
- 2.4 Employer's Financial Arrangements
- 2.5 Employer's Claims

3 THE ENGINEER

- 3.1 Engineer's Duties and Authority
- 3.2 Delegation by the Engineer
- 3.3 Instructions of the Engineer
- 3.4 Replacement of the Engineer
- 3.5 Determinations

4 THE CONTRACTOR

- 4.1 Contractor's General Obligations
- 4.2 Performance Security
- 4.3 Contractor's Representative
- 4.4 Subcontractors
- 4.5 Assignment of Benefit of Subcontract
- 4.6 Co-operation
- 4.7 Setting Out
- 4.8 Safety Procedures

P

- 4.9 Quality Assurance
- 4.10 Site Data
- 4.11 Sufficiency of the Accepted Contract Amount
- 4.12 Unforeseeable Physical Conditions
- 4.13 Rights of Way and Facilities
- 4.14 Avoidance of Interference
- 4.15 Access Route
- 4.16 Transport of Goods
- 4.17 Contractor's Equipment
- 4.18 Protection of the Environment
- 4.19 Electricity, Water and Gas
- 4.20 Employer's Equipment and Free -Issue Materials
- 4.21 Progress Reports
- 4.22 Security of the Site
- 4.23 Contractor's O perations on Site
- 4.24 Fossils

5 NOMINATED SUBCONTRACTORS

- 5.1 Definition of "nominated Subcontractor"
- 5.2 Objection to Nomination
- 5.3 Payments to nominated Subcontractors
- 5.4 Evidence of Payments

6 STAFF AND LABOUR

- 6.1 Engagement of Staff and Labour
- 6.2 Rates of Wages and Conditions of Labour
- 6.3 Persons in the Service of Employer
- 6.4 Labour Laws
- 6.5 Working Hours
- 6.6 Facilities for Staff and Labour
- 6.7 Health and Safety
- 6.8 Contractor's Superintendence
- 6.9 Contractor's Personnel
- 6.10 Records of Contr actor's Personnel and Equipment
- 6.11 Disorderly Conduct
- 6.12 Foreign Personnel
- 6.13 Supply of Foodstuffs
- 6.14 Supply of Water
- 6.15 Measures against Insect and Pest Nuisance
- 6.16 Alcoholic Liquor or Drugs
- 6.17 Arms and Ammunition
- 6.18 Festival and Religious Customs
- 6.19 Funeral Arrangements
- 6.20 Prohibition of Forced or Compulsory Labour
- 6.21 Prohibition of Harmful Child Labour
- 6.22 Employment Records of Workers

7 PLANT, MATERIALS AND WORKMANSHIP

- 7.1 Manner of Execution
- 7.2 Samples

- 7.3 Inspection
- 7.4 Testing
- 7.5 Rejection
- 7.6 Remedial Work
- 7.7 Ownership of Plant and Materials
- 7.8 Royalties

8 COMMENCEMENT, DELAYS AND SUSPENSION

- 8.1 Commencement of Works
- 8.2 Time for Completion
- 8.3 Programme
- 8.4 Extension of Time for Completion
- 8.5 Delays Caused by Authorities
- 8.6 Rate of Progress
- 8.7 Delay Damages
- 8.8 Suspension of Work
- 8.9 Consequences of Suspension
- 8.10 Payment for Plant and Materials in Event of Suspension
- 8.11 Prolonged Suspension
- 8.12 Resumption of Work

9 TESTS ON COMPLETION

- 9.1 Obligations Contractor's
- 9.2 Delayed Tests
- 9.3 Retesting
- 9.4 Failure to Pass Tests on Completion

10 EMPLOYER'S TAKING OVER

- 10.1 Taking Over of the Works and Sections
- 10.2 Taking Over of Parts of the Works
- 10.3 Interference with Tests on Completion
- 10.4 Surfaces Requiring Reinstatement

11 DEFECTS LIABILITY

- 11.1 Completion of Outstanding Work and Remedying Defects
- 11.2 Cost of Remedying Defects
- 11.3 Extension of Defects Notification Period
- 11.4 Failure to Remedy Defects
- 11.5 Removal of Defective Work
- 11.6 Further Tests
- 11.7 Right of Access
- 11.8 Contractor to Search
- 11.9 Performance Certificate
- 11.10 Unfulfilled Obligations
- 11.11 Clearance of Site

12 MEASUREMENT AND EVALUATION

- 12.1 Works to be Measured
- 12.2 Method of Measurement
- 12.3 Evaluation



12.4 Omissions

13 VARIATIONS AND ADJUSTMENTS

- 13.1 Right to Vary
- 13.2 Value Engineering
- 13.3 Variation Procedure
- 13.4 Payment in Applicable Currencies
- 13.5 Provisional Sums
- 13.6 Daywork
- 13.7 Adjustments for Changes in Legislation
- 13.8 Adjustments for Changes in Cost

14 CONTRACT PRICE AND PAYMENT

- 14.1 The Contract Price
- 14.2 Advance Payment
- 14.3 Application for Interim Payment Certificates
- 14.4 Schedule of Payments
- 14.5 Plant and Materials intended for the Works
- 14.6 Issue of Interim Payment Certificates
- 14.7 Payment
- 14.8 Delayed Payment
- 14.9 Payment of Retention Money
- 14.10 Statement at Completion
- 14.11 Application for Final Payment Certificate
- 14.12 Discharge
- 14.13 Issue of Final Payment Certificate
- 14.14 Cessation of Employer's Liability
- 14.15 Currencies of Payment

15 TERMINATION BY EMPLOYER

- 15.1 Notice to Correct
- 15.2 Termination by Employer
- 15.3 Valuation at Date of Termination
- 15.4 Payment after Termination
- 15.5 Employer's Entitlement to Termination for Convenience
- 15.6 Corrupt or Fraudulent Practices

16 SUSPENSION AND TERMINATION BY CONTRACTOR

- 16.1 Contractor's Entitlement to Suspend Work
- 16.2 Termination by Contractor
- 16.3 Cessation of Work and Removal of Contractor's Equipment
- 16.4 Payment on Termination

17 RISK AND RESPONSIBILITY

- 17.1 Indemnities
- 17.2 Contractor's Care of the Works
- 17.3 Employer's Risks
- 17.4 Consequences of Employer's Risks
- 17.5 Intellectual and Industrial Property Rights



17.6 Limitation of Liability

17.7 Use of Employer's Accommodation/Facilities

18 INSURANCE

- 18.1 General Requirements for Insurances
- 18.2 Insurance for Works and Contractor's Equipment
- 18.3 Insurance against Injury to Persons and Damage to Property
- 18.4 Insurance for Contractor's Personnel

19 FORCE MAJEURE

- 19.1 Definition of Force Majeure
- 19.2 Notice of Force Majeure
- 19.3 Duty to Minimise Delay
- 19.4 Consequences of Force Majeure
- 19.5 Force Majeure Affecting Subcontractor
- 19.6 Optional Termination, Payment and Release
- 19.7 Release from Performance

20 CLAIMS, DISPUTES AND ARBITRATION

- 20.1 Contractor's Claims
- 20.2 Appointment of the Dispute Board
- 20.3 Failure to Agree on the Composition of the Dispute Board
- 20.4 Obtaining Dispute Board's Decision
- 20.5 Amicable Settlement
- 20.6 Arbitration
- 20.7 Failure to Comply with Dispute Board's Decision
- 20.8 Expiry of Dispute Board's Appointment

APPENDIX: DISPUTE BOARD

General Conditions of Dispute Board Agreement

Annex: Procedural Rules

INDEX OF SUB-CLAUSES 77

Definitions listed alphabetically

- 1.1.4.1 Accepted Contract Amount
- 1.1.4.7 Interim Payment Certificate
- 1.1.2.11 Bank
- 1.1.6.5 Laws
- 1.1.3.1 Base Date
- 1.1.1.3 Letter of Acceptance
- 1.1.1.9 Bill of Quantities
- 1.1.1.4 Letter of Tender
- 1.1.2.12 Borrower
- 1.1.4.8 Local Currency
- 1.1.3.2 Commencement Date
- 1.1.5.3 Materials
- 1.1.1.1 Contract
- 1.1.2.1 Party



1.1.1.2 Contract Agreement

1.1.4.9 Payment Certificate

1.1.1.10 Contract Data

1.1.3.8 Performance Certificate

1.1.4.2 Contract Price

1.1.6.6 Performance Security

1.1.2.3 Contractor

1.1.5.4 Permanent Works

1.1.5.5 Plant

1.1.6.1 Contractor's Documents

1.1.4.10 Provisional Sum

1.1.5.1Contractor's Equipment

1.1.2.7 Contractor's Personnel

1.1.4.11 Retention Money

1.1.2.5 Contractor's Representative

1.1.1.7 Schedules

1.1.4.3 Cost

1.1.1.9 Schedule, Payment Currencies

1.1.6.2 Country

1.1.5.6 Section

1.1.2.9 DB

1.1.6.7 Site

1.1.3.9 day

1.1.1.5 Specification

1.1.1.9 Daywork Schedule

1.1.4.12 Statement

1.1.3.7 Defects Notification Period

1.1.2.8 Subcontractor

1.1.1.6 Drawings

1.1.3.5 Taking-Over Certificate

1.1.2.2 Employer

1.1.5.7 Temporary Works

1.1.6.3 Emplo yer's Equipment

1.1.1.8 Tender

1.1.2.6 Employer's Personnel

1.1.3.6 Tests after Completion

1.1.2.4 Engineer

1.1.3.4 Tests on Completion

1.1.2.10 FIDIC

1.1.3.3 Time for Completion

1.1.4.4 Final Payment Certificate

1.1.6.8 Unforeseeable

1.1.4.5 Final Statement

1.1.6.9 Variation

1.1.6.4 Force Majeure

1.1.5.8 Works

1.1.4.6 Foreign Currency

1.1.3.9 year

1.1.5.2 Goods



PART II - SPECIAL /PARTICULAR CONDITIONS OF CONTRACT

TABLE OF CONTENTS

Clause	<u>Title</u>	Page No.
1.1	Definitions	64
1.4	Law and Language(s)	
1.5	Priority of ContractDocuments.	
1.15	Inspections and Audit by the Procuring Agency	
3.1	Engineer's Duties & Authorities	65
3.6	Engineer Not Liable.	
4.2	Performance Security.	
4.3	Contractor's Representative	
4.25	Vesting of Contractor's Plant, Equipment, Temporary Works	
	Materials	66
6.9	Engineer at Liberty to Object	69
6.10	Records of Contractor's Personnel and Equipment	
6.23	Compliance by Subcontractors	
7.9	Use of Pakistani Materials and Services.	69
8.1	Commencement of Works	69
8.3	Programme	70
8.11	Prolonged Suspension.	
13.1	Right to vary	70
13.3	Variation procedure	70
13.8	Adjustment for changes in cost	71
14.1	The Contract Price	
14.2	Advance Payment	72
14.3	Application for Interim Payment Certificate	72
14.5	Plants and Materials intended for Works	72
14.8	Delayed Payment	73
15.2	Termination by Employer	74
15.6	Corrupt and fraudulent Practices	74
16.4	Payment on Termination	74
17.3	Employer's/ Procuring Agency's Risks	
18.1	General Requirements for Insurance	74
19.6	Optional Termination, Payment and release by the Employer.	76
20.6	Arbitration	76
21.1	Customs Clearance	76
22.1	Notice to Contractor	76
22.2	Notice to Employer and The Engineer	77
23.1	Payment of Income Tax	77



PART II - SPECIAL /PARTICULAR CONDITIONS OF CONTRACT

1.1 Definitions

- 1.1.1.4 "Form of Bid" is synonymous with "Letter of Tender".
- 1.1.1.8 "Bid" is synonymous with "Tender".
- 1.1.1.10 "Bidding" is synonymous with "contract".

The following paragraph is added:

- 1.1.1.11 "Programme" means the programme to be submitted by the contractor in accordance with Sub-Clause 8.3 and any approved revisions thereto.
- 1.1.2.4 The Engineer is National Engineering Services Pakistan, Architecture & Planning Division Karachi, 4th floor, NIC Building, Abbasi Shaheed Road off. Shahrah-e-Faisal, Karachi 75500, or any other competent person appointed by the Employer, and notified to the Contractor, to act in replacement of the Engineer. Provided always that except in cases of professional misconduct, the outgoing Engineers is to formulate his certifications/recommendations in relation to all outstanding matters, disputes and claims relating to the execution of the Works during his tenure. "Project Manager" shall be considered as synanemous to "The Engineer" or vice versa where used in the Bidding Documents.
- 1.12.2 "Employer" is synonymous with "Procuring Agency"
- 1.1.2.9 "DAB" is synonymous with "Committee".
- 1.1.3.7 "Defects notification Period" is synonymous with "Defects liability Period".

1.4 Law and Language(s)

- (a) The Contract Documents, shall be drawn up in the English language.
- (b) The Contract shall be subject to the Laws of Islamic Republic of Pakistan.

1.5 Priority of Contract Documents

Add following paragraph at the end of Sub-clause:

In case of discrepancies between drawings, those of larger scale shall govern unless they are superseded by a drawing of later date regardless of scale. All Drawings and Specifications shall be interpreted in conformity with the Contract and these Conditions. Addendum, if any, shall be deemed to have been incorporated at the appropriate places in the documents forming the Contract.

1.15 Inspections and Audit by the Procuring Agency

The Contractor shall give access to Procuring Agency or its representative to its record and audit to verify the funds of the project has been used for the purposes intended in the Tender documents.



3.1 Engineer's Duties and Authority.

The following paragraph is added after duties:

Procuring agency shall ensure that the Engineer's Representative/Staff is a professional Engineer as defined in the Pakistan Engineering Council Act 1975 (V of 1976)

The Engineer shall obtain the specific approval of the Employer before carrying out his duties in accordance with the following Clauses:

- (i) Consenting to the sub-letting of any part of the Works under Sub-Clause 4.4 "Subcontracting".
- (ii) Certifying additional cost determined under Sub-Clause 4.12 "Not Foreseeable Physical Obstructions or Conditions".
- (iii) Any action under Sub-Clause 4.2 "Performance Security" and Clause 18 "Insurance" of sorts.
- (iv) Any action under Clause 16 "Suspension".
- (v) Any action under Clause 8.4 "Extension of Time for Completion".
- (vi) Any action under Clause 8.7 "Delay Damages" or Payment of Bonus for Early Completion of Works.
- (vii) Issuance of "Taking Over Certificate" under Clause 10.
- (viii) Issuing a Variation Order under Clause 13, except:
- a) in an emergency* situation, as stated herebelow, and
- b) if such variation would increase the Contract Price by less than the amount stated in the Appendix-A to Bid.
- (ix) Fixing rates or prices under Clause 13.3.
- (x) Extra payment as a result of Contractor's claims under Clause 20.
- (xi) Release of Retention Money to the Contractor under Sub-Clause 14.9 "Payment of Retention Money".
- (xii) Issuance of "Final Payment Certificate" under Sub-Clause 14.11 & 14.13.
- (xiii) Issuance of "Defect Liability Certificate" under Sub-Clause 11.
 - * (The Contractor shall notify the Engineer at the earliest opportunity of specific likely future events or circumstances that may adversely affect the work, and if in the opinion of the Engineer an emergency occurs (whether notified by the Contractor or not) affecting the safety of life or of the Works or of adjoining property, the Engineer may, without relieving the Contractor of any of his duties and responsibilities under the Contract, instruct the Contractor to execute all such work or to do all such things as may, in the opinion of the Engineer, be necessary to abate or reduce the risk. The Contractor shall forthwith comply with any such instruction of the Engineer. The Engineer shall determine an addition to the Contract Price, in respect of such

instruction, in accordance with Clause 13 and shall notify the Contractor accordingly, with a copy to the Employer.)

The following sub-clause 3.6 is added in (GCC):

3.6 Engineer Not Liable

Approval, reviews and inspection by the Engineer of any part of the Works does not relieve the Contractor from his sole responsibility and liability for the supply of materials, plant and equipment for construction of the Works and their parts in accordance with the Contract and neither the Engineer's authority to act nor any decision made by him in good faith as provided for under the Contract whether to exercise or not to exercise such authority shall give rise to any duty or responsibility of the Engineer to the Contractor, any Subcontractor, any of their representatives or employees or any other person performing any portion of the Works.

4.2 Performance Security

Delete and replace '28' days with '14' days wherever found in the sub-clause.

Add the following text at the end;

The Performance Security shall be binding irrespective of changes in the quantities or variations in the Works or extensions in Time for Completion of the Works which are granted or agreed upon under the provisions of the Contract.

4.3 Contractor's Representative

The following text is to be added after last line:

The contractor's authorized representative and his other professional engineers working at site shall be registered with the Pakistan Engineering Council.

In case the Contractor fails to appoint his representative / PM and other staff, minimum stated in Appendix-K to bid, the Engineer may order to stop complete or appropriate portion of work at site until Contractor fulfills the requirement of staff employment.

Following are added after sub clause 4.24;

4.25 Vesting of Contractor's Plant, Equipment Temporary Works and Materials:

(a) Definitions

For the purpose of Sub-Clause 4.17.

- The expression "Construction Plant" shall be deemed to exclude vehicles engaged in transporting any labour equipment or materials to or from the site.
- The expression "Essential Hired Plant" shall mean all Constructional Plant, Equipment Temporary Works and materials of Temporary Work the withdrawal of which in the event of termination under Sub-Clause 15.2 hereof might (having regard to the methods of construction employed prior to the termination) endanger the safety or stability of or result in serious disturbance to the execution of any part of the Works and which are held by the Contractor under any agreement for hire thereof.

- iii) The expression "Hired Plant" shall mean any Constructional Plant, Equipment, Temporary Works (other than essential hired plant) held by the Contractor under any agreement for hire thereof.
- iv) The expression "Agreement for Hire" shall be deemed not to include an agreement for hire purchase with an option to purchase or for conditional sale either of which is herein referred to as an "agreement for the purchase".
- v) The expression "Hire Purchase Plant" shall mean any Constructional Plant, Equipment, Temporary Works held by the Contractor under an agreement for hire purchase thereof.
- vi) The expression "owner" means the owner of the plant and equipment of any Hire Purchase Plant.

(b) Vesting of Certain Plant

All Constructional Plant, Equipment, Temporary Works and material owned by the Contractor or by any company in which the Contractor has a controlling interest shall when brought on to the site (or in the case of hire purchase plant upon becoming the property of the Contractor) and shall be deemed to become the property of the Employer.

(c) Conditions of Hire of Certain Plant

With a view to securing in the event of termination Sub-Clause 15.2 hereof the continued availability for the purpose of executing the Works of any essential hired plant and equipment the Contractor shall not bring on to the Site any essential hired plant unless the agreement for hire thereof contains a provision that the owner will on request in writing made by the Employer within 7 days after the date on which any such termination has become effective and on the Employer undertaking to pay all hire charges in respect thereof on the same terms in all respects as the same was hired to the contractor save that the Employer shall be entitled to permit the use thereof by any other contractor employed by it for the purposes of completing the works under the terms of Sub-Clause 15.2 hereof.

(d) Costs for purpose of Approval of Materials not implied

In the event of the Employer entering into any agreement for hire of essential hired plant pursuant to the contract provisions, all sums properly paid by the Employer under the provisions of any such agreement and all expenses incurred by it (including stamp duties) in entering into such agreement shall be deemed for the purpose of Sub-Clause 15.2 hereof to be part of the cost of completing the Works.

(e) Contractor's Certificate as to Hiring Provisions

The Contractor shall upon request made by the Engineer at any time in relation to any item of essential hired plant forthwith notify to the Engineer in writing the name and address of the owner and shall certify that the agreement for the hire thereof contains a provision in accordance with the requirements of Approval of Materials not Implied. The Contractor shall also upon request as aforesaid give a like notification (but without certificate) in regard to any hire purchase plant.



(f) Hire Purchase Payment by the Employer

The Employer shall in order to avoid seizure by the owner of any hire purchase plant be entitled to pay to such owner the amount of any overdue installment or other sum payable optionally or otherwise under any Agreement of hire purchase and in the event of his doing so any amount so paid by him shall be debt due from the Contractor to the Employer and may be deducted by the Employer from any moneys due or that may become due to the Contractor under the Contract or may be recovered by the Employer from the Contractor at law.

(g) Irrevocability of Certain Plant etc.

No Constructional Plant, Equipment Temporary Works or materials or any part thereof shall be removed from the site without the written consent of the Engineer which consent shall not be unreasonably withheld where the same is no longer immediately required for the purposes of completion of the Works but the Employer will permit the Contractor the exclusive use of all such Constructional Plant, Equipment, Temporary Works and materials in and for the completion of the Works until the occurrence of any event which gives the Employer the right to expel the Contractor from the site and proceed with the completion of the Works.

(h) Re-vesting and Removal of Plant

Upon the removal with the consent of the Engineer of any such Constructional Plant Equipment, Temporary Works or materials as have been deemed to have become the property of the Employer, the property therein shall be deemed to re-vest in the Contractor and, upon completion of the Works the property in the remainder of such Constructional Plant, Equipment, Temporary Works and materials as aforesaid shall subject to the provisions of Sub-Clause 15.2 be deemed to re-vest in the Contractor who shall remove the same together with any essential hired plant or hire purchase plant. If the Contractor shall fail to remove any Constructional Plant, Equipment, Temporary Works or materials as aforesaid or any essential hire plant or hire purchase plant within such reasonable time after completion of the Works as may be allowed by the Engineer then the Employer may:

- i) sell any such Constructional Plant, Equipment, Temporary Works and materials as aforesaid, and
- ii) return at the Contractor's expenses to the person firm or company from whom any Essential Hired Plant or any Hire Purchase Plant was held by the Contractor such essential hired plant or hire purchase plant, and after deducting from any proceeds of sale, the costs, charges and expenses of and in connection with such sale and return as aforesaid shall pay the balance (if any) to the Contractor but to the extent that the proceeds of any sale are insufficient to meet all such cost, charges and expenses the excess shall be a debt due from the Contractor to the Employer and shall be deductible or recoverable by the Employer accordingly as aforesaid.

(j) Liability for loss or injury to plant

The Employer shall not at any time be liable for the loss of or injury to any of the Constructional plant, Temporary Works or materials which have been deemed to become the property of the Employer, hereof save as mentioned in Sub-Clause 20 hereof.

(k) Incorporation of Sub-Clause in Sub-Contracts

The Contractor shall when entering into any sub-contract for the execution of any part of the Works incorporate in such sub-contract (by reference or otherwise) the provisions of this Sub-Clause in relation to Constructional Plant, Temporary Works and materials. Essential Hired Plant and Hire Purchase Plant to be brought on the Site by the sub-contractor.

(l) Approval of Materials etc., not implied

The contractor's operation shall not be deemed to imply any approval by the Engineer of the materials or other matters referred to therein nor shall it prevent the rejection of any materials at any time by the Engineer.

6.9 Engineer at Liberty to Object

The following is added at the end of sub clause in General Conditions of Contract:

If the Employer asks the Engineer to direct Contractor to remove a person who is a member of his staff or workforce stating the reasons the Contractor shall ensure that the person leaves the site immediately and has no further connection with the work in the Contract.

6.10 Records of Contractor's Personnel and Equipment

The following paragraph is added:

The Contractor shall, upon request by the Engineer at any time in relation to any item of hired Contractor's Equipment, forthwith notify the Engineer in writing the name and address of the Owner of the equipment and shall certify that the agreement for the hire thereof contains a provision in accordance with the requirements set forth above.

Add the following sub-clause at the end of 6.22 in (GCC)

6.23 Compliance by Subcontractors

The Contractor shall be responsible for compliance by his Subcontractors of the provisions of this Clause.

The following sub-clause 7.9 is added in (GCC)

7.9 Use of Pakistani Materials and Services

The Contractor shall, so far as may be consistent with the contract, make the maximum use of materials, supplies, plant and equipment indigenous to or produced or fabricated in Pakistan and services, available in Pakistan provided such and services shall be of required standard.

8.1 Commencement of Works

The last para is deleted and substituted with the following:

The Contractor shall commence the works on site within the period named in Appendix-A to Bid from the date of receipt by him from the Engineer of a written Notice to Commence. Thereafter, the contractor shall proceed with the works with due expedition and without delay.

8.3 Programme

The programme/schedule shall be submitted in the form of Critical Path Method (CPM) identifying the critical path/activities, in hard form as well as in soft form in latest version of MS Project or as agreed with the Engineer.

- a) The Contractor shall submit to the Engineer detailed programme for the following:
 - (1) Execution of Works;
 - (2) Key Deliverables and submittals
 - (3) Labour Resources;
 - (4) Local Material Procurement;
 - (5) Material Imports, if any; and
 - (6) Other details as required by the Engineer.
- b) If Contractor fails to submit updated work schedule within the time instructed by the Engineer/Project Manager, the Engineer/Project Manager may withhold an amount at his discretion from next due amount and continue to withhold this amount until the next payment after the date on which the overdue program has been submitted.
- (c) During the period of the Contract, the Contractor shall submit to the Engineer no later than the 8th day of the following month, 04 copies each of Monthly Progress Reports covering:
 - Progress update of the project program/schedule indicating the monthly progress in percentages with actual start and finish dates;
 - Description of all work carried out since the last report;
 - (3) Description of the work planned for the next 56 days sufficiently detailed to enable the Engineer to determine his programme of inspection and testing;
 - (4) Monthly summary of daily job record; and
 - (5) Information about problems and difficulties encountered, if any, and proposals to overcome the same.
- (d) During the period of the Contract, the Contractor shall keep a daily record of the work progress, which shall be made available to the Engineer as and when requested. The daily record shall include particulars of weather conditions, number of men working, deliveries of materials, quantity, location and assignment of Contractor's equipment.
- (e) The detailed Cash Flow Estimate shall be submitted within 21 days from the date of receipt of Letter of Acceptance

8.11 Prolonged Suspension

Replace 84 days by 120 days.

13.1 Right to vary

In the last line of last Para, after the word "Variation", the word "in writing" is added.

13.3 Variation procedure

In the 2ndline, after the words "as soon as practicable" following is added: "and within a period not exceeding one-eighth of the completion time"

13.8 Adjustment for changes in cost

Not Applicable

14.1 The Contract Price

Sub-para (d) is deleted.

14.2 Advance Payment

The Text is deleted and replaced with following:

Advance Payment/Mobilization Advance shall be made available to the Contractor by the procuring agency on following conditions:

Mobilization Advance/Advance Payment

- (i) Mobilization advance up to 10 % of the Contract Price may be paid by the procuring agency to the Contractor on the works following conditions:
- a. on submission by the Contractor of a mobilization advance guarantee for the full amount
 of the advance in the form of Bank Guarantee, from a Scheduled Bank in Pakistan,
 acceptable to the procuring agency;
- The contractor shall pay interest on the mobilization advance at the rate of 10% per annum on the advance;
- (ii) This Advance including the interest shall be recovered in 5 equal installments from the 5 R.A bills and in case the number of bills is less than 5 then 1/5 of the advance inclusive of the interest thereon shall be recovered from each bill and the balance together with interest be recovered from the final bill. It may be insured that there is sufficient amount in the final bill to enable recovery of the Mobilization Advance.

14.3 Application for Interim Payment Certificate

The Text is added at the end of sub clause 14.3 as follows:

The Contractor shall submit a certificate signed and stamped by the contractor, certifying that the Contractor has paid all dues of the materials, suppliers, workmen and subcontractors for the works whose payment is claimed in this Application of Interim Payment.

14.5 Plants and Materials intended for Works

Add the following paragraph as sub-clause 14.5 (d) for Secured Advance on non – perishable materials and sub-clauses (a), (b) and (c) will be applicable for plants and materials:

- (I) The Contractor shall be entitled to receive from the procuring agency Secured Advance against an INDENTURE BOND in Public Works Account Form No.31 (Fin. R. Form No. 2) acceptable to the procuring agency of such sum as the Engineer may consider proper in respect of non-perishable materials brought at the site but not yet incorporated in the Permanent Works Provided that:
 - (i) The materials are in accordance with the specifications for the permanent works;



- (ii) Such materials have been delivered to the site and are properly stored and protected against loss or damage or deterioration to the satisfaction and verification of the Engineer/ Engineer's Representative but at the risk and cost of the Contractor;
- (iii) The Contractor's records of the requirements, orders, receipts and use of materials are kept in a form approved by the Engineer, and such records shall be available for inspection by the Engineer;
- (iv) The Contractor shall submit with his monthly statement the estimated value of the materials on site together with such documents as may be required by the Engineer for the purpose of valuation of materials and providing evidence of ownership and payment therefore;
- (v) Ownership of such materials shall be deemed to vest in the procuring agency and these materials shall not be removed from the site or otherwise disposed of without written permission of the procuring agency;
- (vi) The sum payable for such materials on site shall not exceed 75 % of the (i) landed cost of imported materials, or (ii) ex-factory / ex-warehouse price of locally manufactured or produced materials, or (iii) market price of stands other materials;
- (vii) Secured Advance shall not be allowed unless and until the previous advance, if any, is substantially recovered;
- (viii) Detailed account of advances must be kept in part II of running account bill or a separate statement; and
- (ix) Secured Advance may be permitted only against materials/quantities anticipated to be consumed / utilized on the work within a period of 3 months from the date of issue of secured advance and in no case for full quantities of materials for the entire work/contract.

(II) Recovery of Secured Advance:

Secured Advance paid on non-perishable materials to the Contractor under the above provisions shall be recovered from the monthly payments on actual consumption basis, but not later than period specified in the rules not more than three months (even if unutilized).

14.8 Delayed Payment

Second Para is replaced with following text:

In the event of the failure of the Procuring Agency to make the payment within the time stated, the procuring agency shall pay to the Contractor, the compensation at rate of KIBOR+2% per annum in local currency and Libour+1% for foreign currency, upon all sums to be paid from the date of which the same would have been paid.

15.2 Termination by Employer

The following Para is added at the end of the sub-clause:

Provided further, that in addition to the action taken by the procuring agency against the Contractor under this Clause, the procuring agency may also refer the case of default of the



Contractor to Pakistan Engineering Council for punitive action under the Construction and Operation of Engineering Works Bye-Laws 1987, as amended from time to time.

15.6 Corrupt and fraudulent Practices.

The following text is to be added as 3rd paragraph:

Successful Contractor has to provide Integrity Pact (for contracts worth Rs.10.0 million and above).

If the Contractor or any of his Subcontractors, agents or servants is found to have violated or involved in violation of the Integrity Pact signed by the Contractor as Appendix-L to his Bid, then the procuring agency shall be entitled to:

- recover from the Contractor an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by the Contractor or any of his Subcontractors, agents or servants;
- (b) terminate the Contract; and
- (c) recover from the Contractor any loss or damage to the procuring agency as a result of such termination or of any other corrupt business practices of the Contractor or any of his Subcontractors, agents or servants.

The termination under sub-para (b) of this Sub-Clause shall proceed in the manner prescribed under sub-clauses 15.2 & 15.5 and the payment under Sub-Clause 15.4 shall be made after having deducted the amounts due to the procuring agency under Sub-Para (a) and (c) of this Sub-Clause.

16.4 Payment on Termination

Sub-paragraph (c) is deleted.

17.3 Employer's/ Procuring Agency's Risks

Sub-Clause 17.3 (h) is deleted.

The following text is added in Clause 18.1 (GCC):

18.1 General Requirements for Insurance

The contractor shall be obliged to place all insurances relating to the contract (including, but not limited to, the insurances referred to in Clauses 18.1,18.2,18.3,18.4) with Insurance Company having at least AA rating from PACRA/JCR in favour of the Employer//Procuring Agency valid for a period 28 days after beyond the Bid Validity date.

Costs of such insurances shall be borne by the contractor.

19.6 Optional Termination, Payment and release by the Employer

Sub-clauses (c), (d) and (e) ar e deleted.

20.6 Arbitration

Text will be replaced as under;

Any dispute in respect of which:

15/1 (

Annex PROCEDURAL RULES

Procuring Agency retainsSPPRA rules without changes, in case of contracts underProject, Bank and donor's programme.

- (a) the decision, of the Dispute Board has not become final and binding pursuant to subclause 20.2, and
- (b) amicable settlement has not been reached within the period stated in sub-clause 20.5, shall be finally settled, under the provisions of the Arbitration Act, 1940 as amended or any statutory modification/Rules of Conciliation And Arbitration PEC Islamabad or re-enactment thereof for the time being in force.

The place of arbitration shall be Karachi, in Sindh Province.

Following is added;

21.1 Customs Clearance

Customs clearance shall be Contractor's responsibility.

22.1 Notice to Contractor

The following paragraph is added:

For the purposes of this Sub-Clause, the Contractor shall, immediately after receipt of Letter of Acceptance, intimate in writing to the Employer and the Engineer by registered post, the address of his principal place of business or any change in such address during the period of the Contract.

22.2 Notice to Employer and Engineer

For the purposes of this Sub-Clause, the respective address are:

a) The Employer:

Consultant
P&D / Procurement Department,
Jinnah Sindh Medical University,
Rafiqui H.J. Shaheed Road,
Karachi.
Postal Code# 75510

Tel: 35223811-15 Ext. 350, Fax # 99201372

www.jsmu.edu.pk

b) The Engineer:

National Engineering Services Pakistan (Pvt.) Limited (NESPAK) Architecture & Planning Division Karachi 4th Floor, NIC Building, Abbasi Shaheed Road off. Shahrah-e-Faisal, Karachi-75500 Ph 021-99225430-34, Fax 021-99225424

The following Sub-Clause23.1are added:

23.1 Payment of Income Tax

The Contractor, Subcontractors and their employees shall be responsible for payment of all their income tax, super tax and other taxes on income arising out of the Contract and the rates and prices stated in the Contract shall be deemed to cover all such taxes. As per Government of Pakistan (GoP) regulations, the income tax of the contractor will be deducted at source that is Procuring Agency.



PART II -SPECIAL/PARTICULAR CONDITIONS OF CONTRACT

INDEX

CLAUSE		
Adjustment for changes in cost		
Advance Payment		
Amicable Settlement.	20.5	
Appointment of the Dispute Board / Notification of the Committee		
Arbitration	20.6	
Commencement of Works	8.1	
Contractor s Representative	4.3	
Contractor s Claims	20.1	
Contract Price	14.1	
Corrupt and fraudulent Practices (Integrity Pact).	15.6	
Definitions	1.1	
Delayed Payments	14.8	
Employer s/Procuring Agency s Risks	17.3	
Engineer's Duties and Authority	3.1	
Expiry of Dispute Board s Appointment	20.8	
Failure to agree on the composition of the Dispute Board.		
Failure to comply with Dispute Board s Decision		
General Conditions of Dispute Board AgreementAppendix		
General Requirements for Insurance	18.1	
Optional Termination, Payment and release by the Employer	19.6	
Obtaining Dispute Board s Decision	20.4	
Payment on Termination	15.6	
Plants and Materials intended for Works	14.5	
PROCEDURAL RULES	Annex	
Prolonged Suspension	8.11	
Programme	8.3	
Records of Contractor's Personnel and equipment	6.10	
Right to vary	13.1	
Termination by Employer/Procuring Agency	15.2	
Use of Pakistani Materials and Services		
Variation procedure	13.3	



SPECIFICATIONS-SPECIAL PROVISIONS (Separate Volume)

SPECIFICATIONS-TECHNICAL PROVISIONS (Separate Volume)

DRAWINGS (Separate Volume)