

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia Culverts / Cross at various places in ward NO: 1 in Municipal Committee Tando Jam (Sr No. 1)

Issued to:- _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	360.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	19,602/-
2.	1728.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	5,488/-
3.	576.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	54,238/-
4.	1872.00	Errection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	58,545/-
5.	936.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	1,17,889/-
	544.00	(1:2:4)	14429/25	P% Cft	78,495/-
6.	864.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to 1/2" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	2,91,168/-

7.	34.71	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	1,73,609/-
8.	1620.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	5,832/-
9.	60.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (PHSI NO: 1 (b) P17) (12" dia)	494/40	P.Rft	29,664/-
	48.00	(15" dia)	618/-	P.Rft	29,664/-
10.	1620.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (PHSI NO:24 P-77)	2760/-	P%0 Cft	4,471/-
11.	19.53	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	43,181/-

Total Amount

Rs. 9,11,846/-

I, M/s _____ do
hereby quotes the rates _____% above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia Culverts / Cross at Talpur Goth various places in Municipal Committee Tando Jam (Sr No. 2)

Issued to:- _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	360.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	19,602/-
2.	1728.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	5,488/-
3.	576.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	54,238/-
4.	1872.00	Errection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	58,545/-
5.	936.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	1,17,889/-
	544.00	(1:2:4)	14429/25	P% Cft	78,495/-
6.	864.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to ½" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	2,91,168/-

7.	34.71	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	1,73,609/-
8.	1620.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	5,832/-
9.	60.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (PHSI NO: 1 (b) P17) (12" dia)	494/40	P.Rft	29,664/-
	48.00	(15" dia)	618/-	P.Rft	29,664/-
10.	1620.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (PHSI NO:24 P-77)	2760/-	P%0 Cft	4,471/-
11.	19.53	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	43,181/-

Total Amount

Rs. 9,11,846/-

I, M/s _____ do
hereby quotes the rates _____% above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia Culverts / Cross at various places ward No; 2 places in Municipal Committee Tando Jam (Sr No. 3)

Issued to:- _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	360.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	19,602/-
2.	1728.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	5,488/-
3.	576.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	54,238/-
4.	1872.00	Errection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	58,545/-
5.	936.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	1,17,889/-
	544.00	(1:2:4)	14429/25	P% Cft	78,495/-
6.	864.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to 1/2" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	2,91,168/-

7.	34.71	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	1,73,609/-
8.	1620.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	5,832/-
9.	60.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (PHSI NO: 1 (b) P17) (12" dia)	494/40	P.Rft	29,664/-
	48.00	(15" dia)	618/-	P.Rft	29,664/-
10.	1620.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (PHSI NO:24 P-77)	2760/-	P%0 Cft	4,471/-
11.	19.53	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	43,181/-

Total Amount

Rs. 9,11,846/-

I, M/s _____ do
hereby quotes the rates _____ % above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia Culverts / Cross Latif Town, Muzafarabad Colony, Kareemabad colony at various places in Municipal Committee Tando Jam (Sr No. 4)

Issued to:- _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	360.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	19,602/-
2.	1728.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	5,488/-
3.	576.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	54,238/-
4.	1872.00	Errection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	58,545/-
5.	936.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	1,17,889/-
	544.00	(1:2:4)	14429/25	P% Cft	78,495/-
6.	864.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to 1/2" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	2,91,168/-

7.	34.71	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	1,73,609/-
8.	1620.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	5,832/-
9.	60.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (PHSI NO: 1 (b) P17) (12" dia)	494/40	P.Rft	29,664/-
	48.00	(15" dia)	618/-	P.Rft	29,664/-
10.	1620.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (PHSI NO:24 P-77)	2760/-	P%0 Cft	4,471/-
11.	19.53	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	43,181/-

Total Amount

Rs. 9,11,846/-

I, M/s _____ do
hereby quotes the rates _____ % above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia Culverts / Cross at various places ward No 3 in Municipal Committee Tando Jam (Sr No. 5)

Issued to:- _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	360.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	19,602/-
2.	1728.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	5,488/-
3.	576.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	54,238/-
4.	1872.00	Errection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	58,545/-
5.	936.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	1,17,889/-
	544.00	(1:2:4)	14429/25	P% Cft	78,495/-
6.	864.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to 1/2" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	2,91,168/-

7.	34.71	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	1,73,609/-
8.	1620.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	5,832/-
9.	60.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (PHSI NO: 1 (b) P17) (12" dia)	494/40	P.Rft	29,664/-
	48.00	(15" dia)	618/-	P.Rft	29,664/-
10.	1620.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (PHSI NO:24 P-77)	2760/-	P%0 Cft	4,471/-
11.	19.53	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	43,181/-

Total Amount

Rs. 9,11,846/-

I, M/s _____ do
hereby quotes the rates _____ % above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia Culverts / Cross Jhaniya para, shahi bazar Pakistan chowk, thalomal building, malakand chowk various places in Municipal Committee Tando Jam (Sr No. 6)

Issued to:- _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	360.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	19,602/-
2.	1728.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	5,488/-
3.	576.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	54,238/-
4.	1872.00	Errection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	58,545/-
5.	936.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	1,17,889/-
	544.00	(1:2:4)	14429/25	P% Cft	78,495/-
6.	864.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to 1/2" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	2,91,168/-

7.	34.71	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	1,73,609/-
8.	1620.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	5,832/-
9.	60.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (PHSI NO: 1 (b) P17) (12" dia)	494/40	P.Rft	29,664/-
	48.00	(15" dia)	618/-	P.Rft	29,664/-
10.	1620.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (PHSI NO:24 P-77)	2760/-	P%0 Cft	4,471/-
11.	19.53	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	43,181/-

Total Amount

Rs. 9,11,846/-

I, M/s _____ do
hereby quotes the rates _____ % above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia Culverts / Cross at various places ward No 4 various places in Municipal Committee Tando Jam (Sr No. 7)

Issued to:- _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	360.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	19,602/-
2.	1728.00	Excavation in foundation of building bridges and other structure i/c dag bellling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	5,488/-
3.	576.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	54,238/-
4.	1872.00	Errection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	58,545/-
5.	936.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	1,17,889/-
	544.00	(1:2:4)	14429/25	P% Cft	78,495/-
6.	864.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to 1/2" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	2,91,168/-

7.	34.71	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	1,73,609/-
8.	1620.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	5,832/-
9.	60.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (PHSI NO: 1 (b) P17) (12" dia)	494/40	P.Rft	29,664/-
	48.00	(15" dia)	618/-	P.Rft	29,664/-
10.	1620.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (PHSI NO:24 P-77)	2760/-	P%0 Cft	4,471/-
11.	19.53	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	43,181/-

Total Amount

Rs. 9,11,846/-

I, M/s _____ do
hereby quotes the rates _____ % above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia Culverts / Cross Shakhi wahab colony, Makrani para various places in Municipal Committee Tando Jam (Sr No. 8)

Issued to:- _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	360.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	19,602/-
2.	1728.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	5,488/-
3.	576.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	54,238/-
4.	1872.00	Errection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	58,545/-
5.	936.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	1,17,889/-
	544.00	(1:2:4)	14429/25	P% Cft	78,495/-
6.	864.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to 1/2" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	2,91,168/-

7.	34.71	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	1,73,609/-
8.	1620.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	5,832/-
9.	60.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (PHSI NO: 1 (b) P17) (12" dia)	494/40	P.Rft	29,664/-
	48.00	(15" dia)	618/-	P.Rft	29,664/-
10.	1620.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (PHSI NO:24 P-77)	2760/-	P%0 Cft	4,471/-
11.	19.53	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	43,181/-

Total Amount

Rs. 9,11,846/-

I, M/s _____ do
hereby quotes the rates _____ % above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia culverts / Cross at various places in ward No 5 Municipal Committee Tando Jam. (Sr No. 9)

Issued to _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	270.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	14,701/-
2.	10996.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	34,926/-
3.	6830.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	6,43,132/-
4.	2030.00	Erection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	63,486/-
5.	713.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	89,802/-
	3200.60	(1:2:4)	14429/25	P% Cft	4,61,823/-
6.	270.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to ½" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	90,990/-

7.	10.84	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	54,218/-
8.	5400.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	19,440/-
9.	104.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (P.H.S.I NO: 1 (b) P-17) (12" dia)	494/40	P.Rft	51,418/-
	104.00	(15" dia)	618/-	P.Rft	64,272/-
10.	5400.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (P.H.S.I NO:24 P-77)	2760/-	P%0 Cft	14,904/-
11.	40.50	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	89,545/-

Total Amount

Rs. 16,92,657/-

I, M/s _____ do
hereby quotes the rates _____% above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia Culverts / Cross at various places ward No; 6 various places in Municipal Committee Tando Jam (Sr No. 10)

Issued to:- _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	360.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	19,602/-
2.	1728.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	5,488/-
3.	576.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	54,238/-
4.	1872.00	Errection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	58,545/-
5.	936.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	1,17,889/-
	544.00	(1:2:4)	14429/25	P% Cft	78,495/-
6.	864.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to 1/2" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	2,91,168/-

7.	34.71	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	1,73,609/-
8.	1620.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	5,832/-
9.	60.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (PHSI NO: 1 (b) P17) (12" dia)	494/40	P.Rft	29,664/-
	48.00	(15" dia)	618/-	P.Rft	29,664/-
10.	1620.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (PHSI NO:24 P-77)	2760/-	P%0 Cft	4,471/-
11.	19.53	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	43,181/-

Total Amount

Rs. 9,11,846/-

I, M/s _____ do
hereby quotes the rates _____ % above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia Culverts / Cross Sain Peer shah, Imam Bargha, partial colony various places in Municipal Committee Tando Jam (Sr No. 11)

Issued to:- _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	360.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	19,602/-
2.	1728.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	5,488/-
3.	576.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	54,238/-
4.	1872.00	Errection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	58,545/-
5.	936.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	1,17,889/-
	544.00	(1:2:4)	14429/25	P% Cft	78,495/-
6.	864.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to 1/2" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	2,91,168/-

7.	34.71	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	1,73,609/-
8.	1620.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	5,832/-
9.	60.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (PHSI NO: 1 (b) P17) (12" dia)	494/40	P.Rft	29,664/-
	48.00	(15" dia)	618/-	P.Rft	29,664/-
10.	1620.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (PHSI NO:24 P-77)	2760/-	P%0 Cft	4,471/-
11.	19.53	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	43,181/-

Total Amount

Rs. 9,11,846/-

I, M/s _____ do
hereby quotes the rates _____ % above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia culverts / Cross at various places in ward No 7 Municipal Committee Tando Jam. (Sr No. 12)

Issued to _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	270.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	14,701/-
2.	10996.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	34,926/-
3.	6830.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	6,43,132/-
4.	2030.00	Erection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	63,486/-
5.	713.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	89,802/-
	3200.60	(1:2:4)	14429/25	P% Cft	4,61,823/-
6.	270.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to 1/2" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	90,990/-

7.	10.84	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	54,218/-
8.	5400.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	19,440/-
9.	104.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (P.H.S.I NO: 1 (b) P-17) (12" dia)	494/40	P.Rft	51,418/-
	104.00	(15" dia)	618/-	P.Rft	64,272/-
10.	5400.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (P.H.S.I NO:24 P-77)	2760/-	P%0 Cft	14,904/-
11.	40.50	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	89,545/-

Total Amount

Rs. 16,92,657/-

I, M/s _____ do
hereby quotes the rates _____% above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia culverts / Cross at various places in ward No 8 Municipal Committee Tando Jam. (Sr No. 13)

Issued to _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	270.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	14,701/-
2.	10996.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	34,926/-
3.	6830.00	Cement concrete brick or stone ballast 1 1/2" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	6,43,132/-
4.	2030.00	Erection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	63,486/-
5.	713.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	89,802/-
	3200.60	(1:2:4)	14429/25	P% Cft	4,61,823/-
6.	270.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to 1/2" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	90,990/-

7.	10.84	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	54,218/-
8.	5400.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	19,440/-
9.	104.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (P.H.S.I NO: 1 (b) P-17) (12" dia)	494/40	P.Rft	51,418/-
	104.00	(15" dia)	618/-	P.Rft	64,272/-
10.	5400.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (P.H.S.I NO:24 P-77)	2760/-	P%0 Cft	14,904/-
11.	40.50	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	89,545/-

Total Amount

Rs. 16,92,657/-

I, M/s _____ do
hereby quotes the rates _____% above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia culverts / Cross at various places in ward No 9 Municipal Committee Tando Jam. (Sr No. 14)

Issued to _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	270.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	14,701/-
2.	10996.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	34,926/-
3.	6830.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	6,43,132/-
4.	2030.00	Erection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	63,486/-
5.	713.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	89,802/-
	3200.60	(1:2:4)	14429/25	P% Cft	4,61,823/-
6.	270.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to ½" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	90,990/-

7.	10.84	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	54,218/-
8.	5400.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	19,440/-
9.	104.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (P.H.S.I NO: 1 (b) P-17) (12" dia)	494/40	P.Rft	51,418/-
	104.00	(15" dia)	618/-	P.Rft	64,272/-
10.	5400.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (P.H.S.I NO:24 P-77)	2760/-	P%0 Cft	14,904/-
11.	40.50	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	89,545/-

Total Amount

Rs. 16,92,657/-

I, M/s _____ do
hereby quotes the rates _____% above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia culverts / Cross at various places in ward No 10 Municipal Committee Tando Jam. (Sr No. 15)

Issued to _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	270.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	14,701/-
2.	10996.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	34,926/-
3.	6830.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	6,43,132/-
4.	2030.00	Erection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	63,486/-
5.	713.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	89,802/-
	3200.60	(1:2:4)	14429/25	P% Cft	4,61,823/-
6.	270.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to ½" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	90,990/-

7.	10.84	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	54,218/-
8.	5400.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	19,440/-
9.	104.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (P.H.S.I NO: 1 (b) P-17) (12" dia)	494/40	P.Rft	51,418/-
	104.00	(15" dia)	618/-	P.Rft	64,272/-
10.	5400.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (P.H.S.I NO:24 P-77)	2760/-	P%0 Cft	14,904/-
11.	40.50	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	89,545/-

Total Amount

Rs. 16,92,657/-

I, M/s _____ do
hereby quotes the rates _____% above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia Culverts / Cross at PTCL Office various places in Municipal Committee Tando Jam (Sr No. 16)

Issued to:- _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	360.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	19,602/-
2.	1728.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	5,488/-
3.	576.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	54,238/-
4.	1872.00	Errection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	58,545/-
5.	936.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	1,17,889/-
	544.00	(1:2:4)	14429/25	P% Cft	78,495/-
6.	864.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to ½" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	2,91,168/-

7.	34.71	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	1,73,609/-
8.	1620.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	5,832/-
9.	60.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (PHSI NO: 1 (b) P17) (12" dia)	494/40	P.Rft	29,664/-
	48.00	(15" dia)	618/-	P.Rft	29,664/-
10.	1620.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (PHSI NO:24 P-77)	2760/-	P%0 Cft	4,471/-
11.	19.53	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	43,181/-

Total Amount

Rs. 9,11,846/-

I, M/s _____ do
hereby quotes the rates _____% above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia Culverts / Cross Al-Aziz High school & Bagri Para various places in Municipal Committee Tando Jam (Sr No. 17)

Issued to:- _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	360.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	19,602/-
2.	1728.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	5,488/-
3.	576.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	54,238/-
4.	1872.00	Errection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	58,545/-
5.	936.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	1,17,889/-
	544.00	(1:2:4)	14429/25	P% Cft	78,495/-
6.	864.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to 1/2" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	2,91,168/-

7.	34.71	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	1,73,609/-
8.	1620.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	5,832/-
9.	60.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (PHSI NO: 1 (b) P17) (12" dia)	494/40	P.Rft	29,664/-
	48.00	(15" dia)	618/-	P.Rft	29,664/-
10.	1620.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (PHSI NO:24 P-77)	2760/-	P%0 Cft	4,471/-
11.	19.53	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	43,181/-

Total Amount

Rs. 9,11,846/-

I, M/s _____ do
hereby quotes the rates _____% above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia Culverts / Cross wagan / veesar para and Link streets various places in Municipal Committee Tando Jam (Sr No. 18)

Issued to:- _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	360.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	19,602/-
2.	1728.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	5,488/-
3.	576.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	54,238/-
4.	1872.00	Errection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	58,545/-
5.	936.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	1,17,889/-
	544.00	(1:2:4)	14429/25	P% Cft	78,495/-
6.	864.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to 1/2" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	2,91,168/-

7.	34.71	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	1,73,609/-
8.	1620.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	5,832/-
9.	60.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (PHSI NO: 1 (b) P17) (12" dia)	494/40	P.Rft	29,664/-
	48.00	(15" dia)	618/-	P.Rft	29,664/-
10.	1620.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (PHSI NO:24 P-77)	2760/-	P%0 Cft	4,471/-
11.	19.53	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	43,181/-

Total Amount

Rs. 9,11,846/-

I, M/s _____ do
hereby quotes the rates _____ % above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia Culverts / Cross Bilal Masjid, link streets various places in Municipal Committee Tando Jam (Sr No. 19)

Issued to:- _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	360.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	19,602/-
2.	1728.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	5,488/-
3.	576.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	54,238/-
4.	1872.00	Errection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	58,545/-
5.	936.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	1,17,889/-
	544.00	(1:2:4)	14429/25	P% Cft	78,495/-
6.	864.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to 1/2" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	2,91,168/-

7.	34.71	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	1,73,609/-
8.	1620.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	5,832/-
9.	60.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (PHSI NO: 1 (b) P17) (12" dia)	494/40	P.Rft	29,664/-
	48.00	(15" dia)	618/-	P.Rft	29,664/-
10.	1620.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (PHSI NO:24 P-77)	2760/-	P%0 Cft	4,471/-
11.	19.53	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	43,181/-

Total Amount

Rs. 9,11,846/-

I, M/s _____ do
hereby quotes the rates _____ % above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia Culverts / Cross Near Attar streets & link streets various places in Municipal Committee Tando Jam (Sr No. 20)

Issued to:- _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	360.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	19,602/-
2.	1728.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	5,488/-
3.	576.00	Cement concrete brick or stone ballast 1 ½" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	54,238/-
4.	1872.00	Errection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	58,545/-
5.	936.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	1,17,889/-
	544.00	(1:2:4)	14429/25	P% Cft	78,495/-
6.	864.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to 1/2" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	2,91,168/-

7.	34.71	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	1,73,609/-
8.	1620.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	5,832/-
9.	60.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (PHSI NO: 1 (b) P17) (12" dia)	494/40	P.Rft	29,664/-
	48.00	(15" dia)	618/-	P.Rft	29,664/-
10.	1620.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (PHSI NO:24 P-77)	2760/-	P%0 Cft	4,471/-
11.	19.53	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	43,181/-

Total Amount

Rs. 9,11,846/-

I, M/s _____ do
hereby quotes the rates _____% above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Construction / Reconstruction of C.C Block, Surface drains, ASTM Pipe 12" dia Culverts / Cross Aurangzaib streets & link streets various places in Municipal Committee Tando Jam (Sr No.21)

Issued to:- _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.	360.00	Dismantling cement concrete reinforced separating rein for cement from concrete cleaning and straightening the same (G.S.I NO: 20 P-10)	5445/-	P% Cft	19,602/-
2.	1728.00	Excavation in foundation of building bridges and other structure i/c dag belling dressing refilling around structure with excavated earth watering and ramming lead upto 5 ft in ordinary soil (G.S.I NO: 18 (b) P-4)	3176/25	P%0 Cft	5,488/-
3.	576.00	Cement concrete brick or stone ballast 1 1/2" to 2" gauge (1:4:8) (G.S.I NO: 4 (b) P/16)	9416/28	P% Cft	54,238/-
4.	1872.00	Errection and Removal from centering for R.C.C or plain Cement concrete work of deodar wood (2 nd class) (II) vertical (G.S.I NO: 19 (b) P/18)	3127/41	P% Sft	58,545/-
5.	936.00	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (1:3:6) (G.S.I NO: 5 (h) P/15)	12595/-	P% Cft	1,17,889/-
	544.00	(1:2:4)	14429/25	P% Cft	78,495/-
6.	864.00	R.C.C Work i/c all labour & Material except the cost of steel reinforcement & its labour of binding bending which will be paid separately. This rate also i/c all kind of forms mould lifting shuttering curing rendering and washing of shingle (a) R.C work in roof slab beam columns rafts lintel and other structure members laid in situ or precast laid in position complete in all respect (1:2:4) 90 lbs cement 2 Cft sand 4 Cft shingle 1/8" to 1/2" gauge (G.S.I NO: 6 P/17)	337/-	P. Cft	2,91,168/-

7.	34.71	Fabrication of mild steel reinforcement for CC i/c cutting bending laying position making & jointing i/c cost of bending laying in position making fastening i/c cost of binding wire also i/c removal of rust from bars (G.S.I NO: 7 (ii) P/19)	5001/70	P. Cwt	1,73,609/-
8.	1620.00	Excavation for pipe line in trenches and pit in soft soil i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal if surplus earth within a one chain as directed by Engineer in charge providing fence guards, lights flags and temporary crossing for non vehicular traffic where ever required lift upto 5 ft: (1.52 m) and lead upto one chain (30.5 m) (P.H.S.I NO; 1 P-60)	3600/-	P%0 Cft	5,832/-
9.	60.00	Providing laying RCC pipe of ASTM C-76-62 T/C 76-7- of class II wall "B" and fixing in trench i/c cutting fitting jointing with rubber ring i/c testing with water to specified pressure 300 (PHSI NO: 1 (b) P17) (12" dia)	494/40	P.Rft	29,664/-
	48.00	(15" dia)	618/-	P.Rft	29,664/-
10.	1620.00	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc, complete (PHSI NO:24 P-77)	2760/-	P%0 Cft	4,471/-
11.	19.53	Providing and fixing Main hole cover of Size 2x2" with 2x2x1/2" size iron frame & 3/8" M.s Sheet with angle Iron 1 1/2" x 1 1/2" x 3/8" thick unit the shutter i/c jointing & Fixing in position etc, complete.	2211/-	P.Sft	43,181/-

Total Amount

Rs. 9,11,846/-

I, M/s _____ do
hereby quotes the rates _____ % above / below the rates
of CSR in Words: (_____)
to be added/deducted on the basis of Premium quoted

Rs. _____

Total

Rs. _____

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Supplying and fixing L.T Pool LED street light / fox light at Ward No; 5 in Municipal Committee Tando Jam (Sr No. 22)

Issued to _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.		Supplying and fixing LED fox light i/c L.T Pool and wiring etc, complete.		Each	

Total Amount **Rs.** _____

I, M/s _____ do hereby quotes the rates _____% above / below the rates of CSR **in Words:** (_____) to be added/deducted on the basis of Premium quoted Rs. _____

Total Rs. _____

CONTRACTOR

ENGINEER/PROCURING AGENCY

Scheduled to Bid

OFFICE OF THE MUNICIPAL COMMITTEE TANDO JAM DISTRICT HYDERABAD

Name of Work: Supplying and fixing L.T Pool LED street light / fox light at various wards in Municipal Committee Tando Jam (Sr No. 23)

Issued to _____

Tender fees Received vide No _____ dated _____

CD No _____ dated _____ Amount _____

BILL OF QUANTITIES

(A) Description and rates of Items based on Composite Schedule of Rates.

Item No.	Quantity	Description of Items to be executed at Site	Rate	Unit	Amount in Rupees
1.		Supplying and fixing LED fox light i/c L.T Pool and wiring etc, complete.		Each	

Total Amount Rs. _____

I, M/s _____ do hereby quotes the rates _____% above / below the rates of CSR in Words: (_____) to be added/deducted on the basis of Premium quoted

Rs. _____

Total Rs. _____

CONTRACTOR

ENGINEER/PROCURING AGENCY

