

Schedule B / Bill of Quantities

CONSTRUCTION OF SLAUGHTER HOUSE NEAR PONDS @ TANDO GHULAM ALI CITY WARD NO.07

S.No	Description	Qty	Unit	Rate	Amount
1	Excavation in foundation of building bridges and other structures i/c bailing, dressing, filling around the structure with excavated earth, watering, ramming Lead up to one chain & lift up to 5.0' (GSI. NO:18(b)/P-4)	3209	P%0Cft	3,176.25	10,193.00
2	Cement Concrete brick or stone Ballast 1 1/2" to 2" guage ratio 1:4:8 (GSI No.4(b) P-15)	1268	P%Cft	9,416.28	119,398.00
3	R.C.C work l/c all labour & material except the of steel reinforcement & its labour of bending wich will be paid separately. This rate also l/c all kind of forms mould lifting shuttering curing rendering and washing of shinmgle (a) R.C work in roof slab beams columnsrafts lintel & otherstructure members laid in situ or precast laid in position complete in all respects. Ratio 1:2:4 90 Lbs cement 2 Cft sand 4Cft shingle 1/8" to 1/4" gauge.(G.S.I.No:6 P/16)	2212	P/Cft	337.00	745,444.00
4	Fabrication of mild steel reinforcement for cement concrete i/c cutting bending laying in position making joints and fastening i/c cost of binding wire (also includes removeal of rust from bars (GSI NO.8(b) P-17)	89.00	P / Cwt	5,001.70	445,151.00
5	Pucca Brick work in foundation and plinth in cement sand mortar 1:6 (GSI No:4-1(e) P-21)	1278	P%Cft	11,948.36	152,700.00
6	Filling watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet.(GSI NO:22/P-4)	4416	P%0Cft	3,630.00	16,030.00
7	Pucca Brick work in foundation and plinth in cement sand mortar 1:6 (CSI No:5-1(e) P-21)	1779	P%Cft	12,674.36	225,477.00
8	Cement plaster (1:6) upto 12 ft: height 1/2" thick (GSI.NO.13(b)/P-52)	8259.00	P%Sft	2206.6	182,243.00
9	Cement plaster (1:4) upto 12 ft: height 1/2" thick (GSI.NO.11(b)/P-52)	8259	P%Sft	2,283.93	188,630.00
10	Cement Concrete plain including placing compacting, finishing and curing, complete (including screening and washing of stone aggregate with out shuttering (Ratio:1:2:4) GSI.NO:5(f) P-16)	520	P%Cft	14,429.25	75,032.00
11	Providing and Fixing G.I frames/Choukhats of size 7" X 2" or 4 1/2" X3" for windows using 20 gauge G.I sheet including hings and fixing at site with necessary holds fasts, filling with cement sand slurry of ratio 1:6 and repairing the jambs. The cost also including all carriage, tools and plants used in making and fixing.(GSI.NO:28 /P-93)	173	P / Rft	240.50	41,607.00
12	Providing and Fixing iron steel grill using solid square bars of size 1/2" X 1/2" placed at 4" l/c and frame of flat iron patti of 3/4" X 3/4" l/c circle shape at 1-0 apart equivalent fitted withscrew are pins l/c painting 3 coats with 1st coat of red oxide paint etc. (GSI.NO:30 /P-94)	545	P/Sft	194.16	105,817.00

13	Making Fixing steel granted doors complete with Locking arrangements Angle Iron frame 2"x2"x 3/8" and 3/4" Square Bars 4"center to center with .(GSI.NO:23/P-92)	96	P /Sft	594.57	57,079.00
14	White Washing.Two Coats..(GSI.NO:26(b) /P-54)	8259.00	P%Sft	425.84	35,170.00
15	Distempering Three Coats.(GSI NO:24(c)/P-54)	8259.00	P%Sft	1,079.65	89,168.00
16	Providing and Laying 2" Thick Topping Cement Concrete (1:2:4) including Surface finshing and dividing into panels.(GSI NO:16(c)/P-42)	1216.00	P%Sft	3,275.50	39,830.00
17	Wiring for Light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") PVC conduit recessed in the wall or column as required.(ESI.NO:124/P-15)	40	P/Point	1,130.00	45,200.00
18	Providing G.I Pipes special, and clamps etc, including fixing cutting and fitting complete with and including the cost of breaking through walls and roof, making good etc. painting two coats after cleaning the Pipe etc. with white zink paint with pigment to match the colour 5 of the building and testing with water to a pressure head of 200 feet and handling.(S&S.NO:1(iii)/P-12)	62	P/ Rft	128.55	7,970.10
19	Construction manhole or inspection chamber for the required diameter of circular sewer and 3'-6" (1067 mm) depth with walls of B.B in cement sand mortar 1:3 cement plasterd 1:3, 1/2" thick, inside of walls and 1" (25mm) thick over benching and channel including fixinf C.I manhole cover with frame of clear opening 1-1/2" X1-1/2" (457X457mm) of 1.75 cwt.(88.9kg) embaded in plain C.C 1:2:4 and fixing 1" (25mm) di M.S steps 6" (150 mm) wide projecting 4" (102 mm) from the face of wall at 12" (305 mm) C/C duly painted etc. Complete as per standard specification and drawing.(a) 4' to 12" dia 2'X2'X3'-6'. (PHE.NO:1(P)/P-46)	1	Each	14,748.00	14,748.00
20	Laying RCC pipes & Collors of Class 'B' and fixing in trenches including cutting fitting and jointing with maxphalt composition and cement mortar (1:1) including testing with water to a head of 22.5 meter or 75 ft. 12" dia. (PHE.NO:2(e)/P-37)	40	P/Rft	67.44	2,697.60
21	Excavation in foundation of building bridges and other structures i/c bailing, dressing, filling around the structure with excavated earth, watering, ramming Lead up to one chain & lift up to 5.0' (GSI. NO:18(b)/P-4)	413	P%0Cft	3,176.25	1,312.00
22	Cement Concrete plain including placing compacting, finishing and curing, complete (including screening and washing of stone aggregate with out shuttering (Ratio:1:4:8) (GSI.NO:5(i) P-16)	138	P%Cft	11,288.75	15,578.00
23	Pucca Brick work in foundation and plinth in cement sand mortar 1:6 (GSI No:4-1(e) P-21)	248	P%Cft	11,948.36	29,632.00
24	Cement plaster (1:4) upto 12 ft: height 1/2" thick (GSI.NO.11(b)/P-52)	495	P%Sft	2,283.93	11,305.00

25	Cement Concrete plain including placing compacting, finishing and curing, complete (including screening and washing of stone aggregate with out shuttering (Ratio:1:2:4) GSI.NO:5(f) P-16)	28	P%Cft	14,429.25	4,040.00
26	Carriage of 100 Cft 5 Tones of all Materials like Stone Aggrigate, Spawl, Coal, Lime, Surkhi etc.(lead up to 3Three miles).(CSI.NO:1/P-57)	4416	P%Cft	579.41	25,587.00
27	Providing G.I Pipes special, and clamps etc, including fixing cutting and fitting complete with and including the cost of breaking through walls and roof, making good etc. painting two coats after cleaning the Pipe etc. with white zink paint with pigment to match the colour 5 of the building and testing with water to a pressure head of 200 feet and handling.3"dia G.I Pipe(S&S.NO:1(viii)/P-12)	80	P/Rft	360.40	28,832.00
Total					2,715,870.70

Conditions

- 1 The Work Shall have to be executed according to the PWD/PHE Specifications.
- 2 No premium on non schedule Items shall be paid to the contractor.
- 3 Any error & omission and description of Item of work will be governed with relvent Schedule of Rates
- 4 The Contractor shall have to bring the material to be used in the work from the quarries as mentioned in the

Contractor

TOWN ENGINEER
TOWN COMMITTEE
TANDO GHULAM ALI