OFFICE OF THE EXECUTIVE ENGINEER RIGHT BANK TUBE WELL DIVISION RATODERO

Ph #:074-4048917 Fax #: 074-4048241 No. RBTWD/SKP/**3175** of 2010. Ratodero, dated.**29/07/2010**.

NOTICE FOR INVITING QUOTATION.

Sealed quotations are hereby invited from the interested parties, Suppliers & contractors as per PAPRA Rule 2010 for supplying the Electrical, Mechanical items and Job works of Maintenance & Repair of Tubewells, Pumps, Vehicles and Colony. The list of works/items can be seen/had from the office of the undersigned on any working day during working hours on the following terms and conditions.

- 1. The blank quotations can be collected from the office of the undersigned on any working day after publication of N.I.Q in the News Papers up to 18/08/2010 till 01:00 PM, on payment of Rs.500/- (non refundable).
- 2. The rates may be quoted for the works/material as per list available in this office, & should reach in this office on 19/08/2010 till 12.00 noon, accompanying with call deposit in the shape of earnest money of Rs.100000/-, along with application, copy of CNIC & copy of NTN certificate. The quotations will be opened on the same date at 2.00 P.M, in the presence of Contractors/Parties if the undersigned is out of headquarter the same will be opened on the next day.
- 3. The Conditional offers will not be considered and rates received after the above fixed date or incomplete offer will not be accepted.
- 4. Cutting/over writing in the quotation will not be accepted.
- 5. The undersigned and the Competent Authorities reserves the right to reject any or all the quotations as per PAPRA Rule 2010
- 6. The lowest rates quoted by the contractors shall be applicable for financial year 2010-2011 and the intended lowest contractor should be bound to carryout the job work/supply of material during the financial year 2010-11 as and when required after issuing the work order.
- 7. The list of items can be seen on the website of Govt. of Sindh <u>www.sindh.gov.pk</u>

(Muhammad Nawaz Soomro)
Executive Engineer
Right Bank Tubewell Division
Ratodero.

Copy forwarded with compliments to :-

- 1. The Secretary to Government of Sindh I.T Department alongwith soft & hard copy with the request to up hoist the NIQ on Sindh Government Website.
- 2. The Director information (Advertisement) Public Relation Deportment, Government of Sindh Block No.96-97 Sindh Secretariat Karachi for information and inserting in three Newspaper viz: Sindhi, Urdu, English immediately for wide publicity along with seven copies.
- 3. The Director (A&F), SPPRA, Block-8 Sindh Secretariat No.4-A Court Road, Karachi, along with hard & Soft copy of the NIQ with the request to uphoist the NIQ on SPPRA website.
- 4. The Chief Engineer, Irrigation Development in Sindh Hyderabad for information.
- 5. The Project Director, SCARP Irrigation, Sukkur for favour of information.
- 6. Copy Notice Board.

(Muhammad Nawaz Soomro)
Executive Engineer
Right Bank Tubewell Division
Ratodero.

LIST OF ITEMS CALLED IN QUOTATION VIDE NO:RBTWD/SKP/3175 DATED:29/07/2010 IN RIGHT BANK TUBEWELL DIVISION RATODERO

S. No.	DESCRIPTION	T T 24
5. No.	DESCRIPTION Top Shaft 25 mm dia (1125 to 1400 mm long) (Stainless Steel)	Unit
2	Top Shaft 30 mm dia (1300 to 1456 mm long) (Stainless Steel)	Each Each
	Top Shaft 30 mm dia 2058 mm long (Stainless Steel) both end threaded i/c key	+
	Threaded column Shaft 25 mm dia 3050 mm long with protective sleeve (Carbon Steel)	Each Each
	Threaded column Shaft 30 mm dia 3050 mm long with protective sleeve (Carbon Steel)	Each
	Stuffing box housing 25 mm dia complete	
		Each
	Stuffing box housing 30 mm dia complete	Each
	Top Column pipe 6" dia, 350 mm long with one end flanged and other end threaded	Each
	Top Column pipe 7" dia, 350 mm long with one end flanged and other end threaded	Each
	Top Column pipe 8" dia, 350 mm long with one end flanged and other end threaded	Each
	Top Column pipe 10" dia, 350 mm long with one end flanged and other end threaded	Each
	Column Pipe Socket 6" dia	Each
	Column Pipe Socket 7" dia	Each
	Column Pipe Socket 8" dia	Each
	Column Pipe Socket 10" dia	Each
	Column pipe 6" dia, 10-0 long ¼ thick, both end threded	Each
	Column pipe 7" dia, 10-0 long ¼ thick, both end threded	Each
	Column pipe 8" dia, 10-0 long 1/4 thick, both end threded	Each
	Column pipe 10" dia, 10-0 long ¼ thick, both end threded	Each
	Pump Shaft 25/35 mm dia x 733 mm long (S.S)	Each
	Pump Shaft 25/45 mm dia x 855 mm long (S.S)	Each
	Pump Shaft 30/45 mm dia x 780 to 1200mm long (S.S)	Each
	Bronze Impeller with clamping sleeve for 1.5 Cusec discharge	Each
	Bronze Impeller with clamping sleeve for 2.0 Cusec discharge	Each
25	Bronze Impeller with clamping sleeve for 3 to 5 Cusec discharge	Each
26	Sand Guard for pump shaft 35 mm dia (Bronze)	Each
27	Sand Guard for pump shaft 45 mm dia (Bronze)	Each
28	Dischrge piece of Bowl Assembly pump type B10D for 1.5 cusec discharge	Each
29	Intermediate piece of Bowl Assembly pump type B10D for 1.5 cusec discharge	Each
30	Suction piece of Bowl Assembly pump type B10D for 1.5 cusec discharge	Each
31	Dischrge piece of Bowl Assembly B12D for 2.0 cusec discharge	Each
32	Intermediate piece of Bowl Assembly pump type B12D for 2.0 cusec discharge	Each
33	Suction piece of Bowl Assembly pump type B12D for 2.0 cusec discharge	Each
34	Dischrge piece of Bowl Assembly B12B for 3 to 5 cusec discharge	Each
35	Intermediate piece of Bowl Assembly pump type B12B for 3 to 5 cusec discharge	Each
36	Suction piece of Bowl Assembly pump type B12B for 3 to 5 cusec discharge	Each
	M.S delivery pipe 6" dia 1/8" thick 10'.0 long i/c both side flanges with holes and providing	Each
	nipple for piezo meter etc complete	
38	M.S delivery pipe 7" dia 1/8" thick 10'.0 long i/c both side flanges with holes and providing	Each
	nipple for piezo meter etc complete	
39	M.S delivery pipe 8" dia 1/8" thick 10'.0 long i/c both side flanges with holes and providing	Each
	nipple for piezo meter etc complete	
40	M.S delivery pipe 10" dia 1/8" thick10'.0 long i/c both side flanges with holes and providing	Each
	nipple for piezo meter etc complete	
41	Repairing of column pipe of 6" dia, providing pipe piece of 6" both ends i/c cutting, facing and	P/Job
40	threading	D/I 1
42	Repairing of column pipe of 7" dia, providing pipe piece of 6" both ends i/c cutting, facing	P/Job
	and threading	1

43	Repairing of column pipe of 8" dia, providing pipe piece of 6" both ends i/c cutting, facing and threading	P/Job
44	Repairing of column pipe of 10" dia, providing pipe piece of 6" both ends i/c cutting, facing and threading	P/Job
45	Repairing of bowl assembly 1 to 1.5 cusec single stage, providing bearing & inserted sleeve / sand guard / Rubber Bearing Bush	P/Job
46	Repairing of bowl assembly 2 cusec single stage, providing bearing & inserted sleeve / sand guard / Rubber Bearing Bush	P/Job
47	Repairing of bowl assembly 3.0 cusec single stage, providing bearing & inserted sleeve / sand guard / Rubber Bearing Bush	P/Job
48	Repairing of bowl assembly 5.0 cusec providing bearing & inserted sleeve / sand guard / Rubber Bearing Bush	P/Job
49	Repairing of bowl assembly 1 to 1.5 Cusec 2 stage, providing bearing & inserted sleeve / sand guard / Rubber Bearing Bush	P/Job
50	Repairing of bowl assembly 1 to 3 & 5 Cusec, 2 stage, providing bearing & inserted sleeve / sand guard / Rubber Bearing Bush	P/Job
51	Repairing of bowl assembly 3 Cusec, 2 stage, providing bearing & inserted sleeve / sand guard / Rubber Bearing Bush	P/Job
52	Repairing of bowl assembly 1 to 2.0 & 3 to 5 Cusec, 3 stage, providing bearing & inserted sleeve / sand guard / Rubber Bearing Bush	P/Job
53	Repairing of stuffing box i/c replacment of cum seal cage 25mm dia (gunmetal) also providing grease cup arrangment etc complete	P/Job
54	Repairing of stuffing box i/c replacment of cum seal cage 30mm dia (gunmetal) also providing grease cup arrangment etc complete	P/Job
55	Repairing of deteriorated portion of M/S Delivery pipe 6-7" dia etc complete	P/Job
	Repairing of deteriorated portion of M/S Delivery pipe 8" & 10" dia etc complete	P/Job
	Pulling out of complete pump i/c dismantling & Refitting of pump parts & lowering into bore including scraping brushing of pipes & cleaning of bowl assembly parts, etc. complete	P/Job
58	G.I Corrugated sheet size 3.0 x 12' 25 gauge	Each
59	Rewinding of Electric Motor 15 HP with Modern Enameled Copper wire (Burnt / old Copper wire not recoverable)	P/Job
60	Rewinding of Electric Motor 20 HP (old model) with Modern Enameled Copper wire (Burnt / old Copper wire not recoverable)	P/Job
61	Rewinding of Electric Motor 25 HP with Modern Enameled Copper wire (Burnt / old Copper wire not recoverable)	P/Job
62	Rewinding of Electric Motor 30 HP (old model) with Modern Enameled Copper wire (Burnt / old Copper wire not recoverable)	P/Job
63	Repairing of upper housing of Electric motor 30, HP including turning, facing and manufacturing sleeve with fitting.	P/Job
64	Cost Iron Cowl for 15 HP Electric Motor (old model)	Each
65	Cost Iron Cowl for 20 HP Electric Motor (old model)	Each
66	Cost Iron Cowl for 25 HP Electric Motor (old model)	Each
67	Cost Iron Cowl for 30 HP Electric Motor (old model)	Each
68	Cost Iran fan for 15 HP Electric Motor including non-reversible balls.	Each
	Cost Iran fan for 20 & 25 HP Electric motor, including non-reversible balls.	Each
	Cost Iran fan for 30 HP (old model) Electric motor, including non-reversible balls.	Each
	Cost Iran Ratchet Plate for 15, 20 HP (new model) Electric motor	Each
72	Cost Iran Ratchet Plate for 20, 25 HP (old model) & 30 HP (new model) Electric motor	Each
_	Cost Iran Ratchet Plate for 30 HP (old model) Electric motor	Each
	Connection Box with Terminals for 15, 20 HP Electric Motor	Each
, ,		
	Connection Box with Terminals for 25 HP Electric Motor	Each

77	Ball Bearing 6317 (Upper) NTN Japan for 20, 25 HP (old model) & 30 HP (new model) Electric motor	Each
70	Ball Bearing 6310 (Lower) NTN Japan for 20, 25 HP (old model) & 30 HP (new model)	Es als
/8	Electric motor	Each
79	Ball Bearing 6313 (Upper) NTN Japan for 15, 20 HP (new model) Electric motor	Each
80	Ball Bearing 6409 NTN Japan for 3.5 Cusec Pump	Each
	Rewinding & Re-fitting of high tension (HT) Coil of 25 KVA transformer including un-	P/Coil
01	recoverable burt / old wire	7,0011
82	Rewinding & Re-fitting of low tension (LT) Coil of 25 KVA transformer including un-	P/Coil
02	recoverable burt / old wire	7 0011
83	Rewinding & Re-fitting of high tension (HT) Coil of 50 KVA transformer including un-	P/Coil
03	recoverable burt / old wire	1,0011
84	Rewinding & Re-fitting of Low tension (LT) Coil of 50 KVA transformer including un-	P/Coil
0-1	recoverable burt / old wire	170011
85	Suppling & fixing core of 25 KVA transformer	P/Job
	Suppling & fixing core of 50 KVA transformer	P/Job
	11 0 0	
87	Suppling & fixing HT insulator including Rod, Nut Bolts, etc. complete for 25, 50 KVA Transformer	P/Job
88	Welding of Transformer with Plate form including welding of steel strip 2" wide to all four	P/Job
	sides and Nuts of Transformer cover.	
89	PVC Copper wire 7/029 Single Core (Million)	P/Coil
	PVC Copper wire 7/036 Single Core (Million)	P/Coil
	PVC Copper wire 7/044 Single Core (Million)	P/Coil
	PVC Copper wire 7/052 Single Core (Million)	P/Coil
	PVC Copper wire 7/064 Single Core (Million)	P/Coil
	Magnetic contactor DMC-50(440 Volt) for 15 HP Electrict Motor (Dong-A Korea)	
		Each
95	Magnetic contactor DMC-65 (440 Volt) for 20 HP to 25 HP, Electrict Motor (Dong-A	Each
0.6	Korea)	Г 1
	Magnetic contactor DMC-85 (440 Volt) for 30 HP, Electrict Motor (Dong-A Korea)	Each
	Magnetic contactor GMC-50 (440 Volt) for 15 HP, Electrict Motor (L.G Korea)	Each
98	Magnetic contactor GMC-65 (440 Volt) for 20 HP to 25 HP, Electrict Motor (L.G Korea)	Each
99	Magnetic contactor GMC-85 (440 Volt) for 30 HP, Electrict Motor (L.G Korea)	Each
	Magnetic contactor (Siemens Germany) 3RT 1035-1A-0 for 15 HP Electric motor	Each
	Magnetic contactor (Siemens Germany) 3RT 1044-1A-0 for 25 & 30 HP Electric motor	Each
101		
102	Circuit Breaker DB63 SB (50 A) for 15 HP Electrict Motor (Dong-A Korea)	Each
	Circuit Breaker DB63 SB (60 A) for 20 HP to 25 HP Electrict Motor (Dong-A Korea)	Each
103	energy 22 00 02 (00 12) 101 2 0 111 10 2 0 111 210 110 110 110 101 (2 0 11g 11 110 101)	Lucii
104	Circuit Breaker DB103 SB (100 A) for 30 HP Electrict Motor (Dong-A Korea)	Each
	Circuit Breaker adjustable (Siemens Germany) 3RV 1021-4BA10, Range (14-20A)for 15,20 HP (new	Each
100	model)	20011
106	Circuit Breaker adjustable (Siemens Germany) 3RV 1031-4EA10, Range (22-32A)for 20 HP	Each
	Electric motor	
107	Circuit Breaker adjustable (Siemens Germany) 3RV 1031-4FA10, Range (28-40A)for 25 & 30 HP (new model)	Each
108	Circuit Breaker adjustable (Siemens Germany) 3RV 1031-4GA10, Range (36-45A)for 30 HP	Each
100	Electric motor	Lacii
100	Thermal overload relay TK-51NH (16-22 A) for 15 HP (Fuji Japan)	Each
	Thermal overload relay TK-N3H (18-26 A) for 20 HP (Fuji Japan)	Each
	Thermal overload relay TK-N3H (28-40 A) for 30 HP (Fuji Japan)	Each
112	Thermal overload relay GTK-22H (16-22 A) for 15 HP (LG Korea)	Each

113	Thermal overload relay (Siemens Germany) 3RU 1136-4BB0, Range (14-20A) for 15& 20 HP new model	Each
114	Thermal overload relay (Siemens Germany) 3RU 1136-4EB0, Range (22-32A) for 20 HP Electric motor	Each
115	Thermal overload relay (Siemens Germany) 3RU 1136-4FB0, Range (28-40A) for 25 & 30 HP New model Electric motor	Each
116	Thermal overload relay (Siemens Germany) 3RU 1136-4GB0, Range (36-45A) for 30 HP Electric motor	Each
117	Painting of motor, Pump foundation & delivery pipe	P/Job
18	Repair of foot vall 3.5 Cusec pump	P/Job
19	Supplying protective sleeve 45 mm dia for pump station	Each
120	Repairing pump shaft 45 mm dia i/c welding, cutting, finishing and refitting etc. complete	P/Job
	Impeller complete for 45 mm dia pump shaft for pump station	Each
	Spare operating coil for magnetic contactor 3TF 4622	P/Coil
	Spare contact kit set for magnetic contactor 3TF 4422	P/Set
	Repair of rooter of 25 HP Electric motor	P/Job
_	Repair of rooter of 30 HP Electric motor	P/Job
	Supply Metallic Box 18"x24"	Each
	Supply Metallic Box 14"x16"	Each
	Electric over current Relay SS3CT, modle DA-60 (5-60 A) (Donga Korea)	Each
	C.I Top flang for 6" dia column pipe	Each
	C.I Top flang for 7" dia column pipe	Each
	C.I Top flang for 8" dia column pipe	Each
	C.I Top flang for 10" dia column pipe	Each
	Technical Data Board of T/well Size 1 1/2' x 2'.0 i/c endorsement charges.	Each
	Link Rod (Fiber Glass)	Each
	A.V.O meter 600v, 300 A	Each
	Drill machine heavy duty (etc compelet)	Each
	Four Core Copper wire 37/83	P/meter
	Supply Enameled Copper wire (Modern) All Gauges.	P/Kg.
	Threaded coupling 25 mm dia (Carbon Steel)	Each
	Threaded coupling 30 mm dia (Carbon Steel)	Each
	Rubber Bearing bush for column shaft 25/32.2 mm dia	Each
	Top nut 25 to 30 mm dia (M.S) with key	Each
	Gland cover (cast iron) for top shaft 25 to 30 mm dia.	Each
	Gland packing 8 mm dia	P/KG
45	Repairing of lower housing of Electric motor 15, 20, 25 HP including turning, facing and manufacturing sleeve with fitting.	P/Job
46	Transformer oil (World petroleum)	P/Litter
47	Four Core Copper wire 7/044 (Million)	P/Feet
48	Four Core Copper wire 7/052 (Million)	P/Feet
49	Four Core Copper wire 7/064 (Million)	P/Feet
50	On/Off Push Button	Each
51	Grease Multi purpose (Heat proof).	P/Litter
52	Gravel for cambulpur quarry (Attock)	P/Cft
53	Iron Door i/c Grill	P/KG
	Threaded coupling 45 mm dia (Carbon Steel)	Each
	Supplying & fixing shaft protective sleeve for 25 mm dia of column shaft (S.S)	Each
	Supplying & fixing shaft protective sleeve for 30 mm dia of column shaft (S.S)	Each
	Repairing of discharge head all sizes i/c re-threading & providing sleeve etc complete	P/Job

1.50	D	D/T 1
158	Repairing of upper housing of Electric motor 15, 20, 25 HP including turning, facing	P/Job
150	and manufacturing sleeve with fitting.	E - 1
	Cost Iron Inner/Outer Bearing plates for 15, & 20 HP (new model) Electric motor	Each
	Cost Iron Inner/Outer Bearing plates for 20, 25 HP (old model) & 30 HP (new	Each
	moderl) Electric motor	F 1
	Cost Iron Inner/Outer Bearing plates for 30 HP Electric motor	Each
	Electric motor coupling for 15, 20 & 25 HP motor	Each
	Electric motor coupling for 30 HP motor	Each
	Ball Bearing 6309 (Lower) NTN Japan for 15, 20 HP (new model) Electric motor	Each
165	Suppling & fixing LT insulator including Rod, Nut Bolts, etc. complete for 25, 50 KVA Transformer	P/Job
166	Locking arrangment to panel box	P/Job
	Hand gloves (Electric proof)	Pair
	Supplying protective sleeve 25 mm dia for pump station	Each
	Spare operating coil for magnetic contactor 3TF 4422	P/Coil
	Repair of rooter of 15 HP Electric motor	P/Job
	Repair of rooter of 20 HP Electric motor	P/Job
	Supply PVC flexible Pipe 1 ¹ / ₄ "	P/Ft.
	Supply GI flexible Pipe 1 ¹ / ₄ "	P/Ft.
	Supply Varnish Hitachi	P/Kg.
	Supply Cotton tap	Each
	Supply Sleeve 3 mm	Each
	Supply Sleeve 6 mm	Each
	Supply Sleeve 8 mm	Each
	Supply Lathoried Paper	P/Kg.
	Angle iron 2"x2"x½"	P/Ft.
	Nut Bolt (All Size)	P/Kg.
	Rubber Bearing Bush 38.2 mm dia for column shaft 30mm	Each
	Name plate of T/well (Steal) size 3"x6" i/c endorsement charge	Each
	Log Book for T/Well	Each
	i Jeep Material/Job Works.	Euch
	S/F Piston Set (Genuine)	P/Set
	Piston Ring Set	P/Set
	S/F Clutch Plate (Genuine)	Each
	S/F Pressure Plate (Genuine)	Each
	S/F Break leather set (Genuine)	P/Set
	S/F Shock absorber set (Front & Rear) (Genuine)	P/Set
	S/F Battery 12 Volt 9 Plate (Exide)	Each
	S/F Tyre & Tubes 6.00-16.6 Ply (General).	Each
-	S/F Valve Set (Genuine)	P/Set
	Denting of Door (2 Nos.)	P/Job
	Painting of Door (2 Nos.)	P/Job
	Denting & Painting of Mud Guards (2 Nos.).	P/Job
	General Over hulling of Engine complete.	P/Job
	Main Begin set	P/Set
	S/F Water Body complete	Each
	Wiring Complete.	P/Job
	Ring Set	P/Set
	Silensor complete	Each
	Cylinder bore & cranle grinding	P/Job
	S/F Sleeves	Each
20	D/1 DICCTOD	Lacii

21	S/F C.N.G kit with all accessories (Landy Ranzo Italy)	P/Job
22	S/F C.N.G Cylinder (Flex), Capacity 8 Kg.	P/Job
23	General Overhauling Kit.	P/Kit
24	S/F Head Light	Each
25	S/F Indicator (Front & Rear)	Each
26	Radiator Service complete	P/Job
	a Hilux Pickup Material / Job Work	
	S/F Canopy / Half shed	P/Job
2	S/F Safeguard	P/Set
3	S/F Seat Covers	P/Set
4	S/F Air Condition repair	P/Job
Colon	•	
	Repair of water pump including dismantling, washing, greasing and refitting etc complete.	P/Job
	Repair of sludge pump including dismantling, washing, greasing and refitting etc complete.	P/Job
	Rewinding of horizontal shaft (5 HP) Electric Motor with Modern enameled copper wire, incl: dismantling, greasing, (brunt copper wire not returnable)	P/Job
4	Rewinding of horizontal shaft (7 HP) Electric Motor with Modern enameled copper wire, incl: dismantling, greasing, (brunt copper wire not returnable)	P/Job
5	Main Switch 30 Amp. (Local)	Each
6	Wash Basin	Each
7	Flush Tank	Each
8	W-C Medium size	Each
9	Tube Light complete (Philips)	Each
10	Bulb 100 Volts (Philips)	Each
	Bulb 200 Volts (Philips)	Each
12	Bulb 500 Volts (Philips)	Each
13	Repair of Wooden Doors, Including, Painting & Locking arrangements etc complete.	P/Job
14	Repair of Wooden windows Including, Painting and Locking arrangements etc complete.	P/Job
15	Rewinding of Ceiling fan 56" size without returning burnt copper wire.	P/Job
	Supplying G.I Pipe 1/2" dia	P/Rft
	Supplying G.I Pipe 3/4" dia	P/Rft
	Supplying G.I Pipe 1" dia	P/Rft
	Supplying G.I Pipe 1, 1/2" dia	P/Rft
	Supplying G.I Pipe 2" dia	P/Rft
	Distrember color 4.5 kg tin	P/Tin
	Oil paint color 4.5 kg tin	P/Tin
	Brush superior quality 2" to 6" size	Each
	Cement Beg	P/Beg
	Hill Sand	P/Cft
	Crush	P/Cft
	Supplying Bricks	P% Nos.
	Engaging Painter	P/Day
	Lime	40 Kg.
	Rubber Pipe ¾"	P/Ft.
	Supplying & Faxing Glazed Tile	P/Sft.
	Colour Wash Packet	P/Pkt.
	Engaging Labour	P/Day
	Varnish	P/Gallan
	Dust blower superior quality (medium size)	Each
33	Dust blower superior quanty (medium size)	Eacii

36	Tarpin oil	P/Gallan Tin
37	Zenn Cloth Super Quality	P/meter
38	Malaysia cloth super quality	P/meter
39	Stitching charge of pent & shirt of zeen cloth	P/Pair
40	Stitching charges of shalwar and shirt of Malaysia cloth	P/Pair
41	Whistle for Chowkidar	Each
42	Stick for Chowkidar	Each
43	Woolen coat	Each
44	Woolen Socks	P/Pair
45	Supply Rubber Boot	P/Pair

Executive Engineer Right Bank Tubewell Division Ratodero