

**DR. PANJWANI CENTER FOR MOLECULAR MEDICINE & DRUG RESEARCH
INTERNATIONAL CENTER FOR CHEMICAL AND BIOLOGICAL SCIENCES
UNIVERSITY OF KARACHI
KARACHI-75270**

Tender Notice No: PCMD-061011

Sealed tenders are invited from the sales tax and income tax registered suppliers for purchase/import of the scientific equipments for “PSF-RES/S-KU/MED (278)”. The detail and specification of the items can be collected from Purchase Office of the Center, on any working day between 9.00 a.m. to 12.30 p.m., (except Friday), from the date of notification of this advertisement on the websites, on payment of Rs. 300/- (non-refundable), in shape of a pay order (Demand Draft by the out of Karachi suppliers), in favor of the Director, or downloaded from the websites www.iccs.edu www.pprasindh.gov.pk and www.ppra.org.pk The tenders may be submitted with 2% of the bid price as bid security, in shape of a pay order in favor of the Director I.C.C.B.S., latest by 10.30 a.m. on 06-10-2011. The tenders will be opened in Purchase Office of the Center at 11.00 a.m. on the same day in presence of the bidders or their representatives. The Procuring Agency may reject all or any bid subject to relevant provision of SPP rules.

Principle Investigator

**DR. PANJWANI CENTER FOR MOLECULAR MEDICINE &
DRUG RESEARCH**

**INTERNATIONAL CENTER FOR CHEMICAL AND BIOLOGICAL SCIENCES
UNIVERSITY OF KARACHI
KARACHI 75270, Tel: 111-222-292 Ext: 320**

PSF-RES/S-KU/MED(278)

Tender Notice No: PCMD-061011

SUMMARY SHEET

The tender will be liable to be rejected if this form will not accompany the tender bid / quote

SERIAL No.	BID VALUE	FOREIGN CURRENCY	CONVERSION RATE	PRICE IN PKR

TOTAL BID VALUE IN PKR		
Earnest Money @ 2% in PKR		
Payorder / Bank Draft No:		Date:

Signature

Seal:

S.No	Description	Qty
1	<p>MICROPLATE SPECTROFLUOROMETER With Computer & Software <u>Specification</u></p> <p>Assay Type: Fluorescence Format (wavelength, nm:): 6-well plate, 12-well plate, 24-well plate, 48-well plate, 96-well plate, 384-well plate or only 96-well plate Microplate types: 6-, 12-, 24-, 48-, 96-, and 384-well Excitation filter: Up to eight filters in excitation filter wheel, including 544 or 570 nm preferably Emission filter: Up to eight filters in emission filter wheel, including 590 or 610 nm preferably Excitation Wavelength range: 280-850 nm Emission Wavelength range: 320-950 nm Light source: Xenon or quartz-halogen lamp Detector: Photomultiplier Sensitivity: 2-3 fmol fluorescein/well in a 96 well plate Measurement speed: About 18-20 s for 96 well plate Software: Related software with complete computer system Temperature Control (Chamber): Ambient + 4 °C, to 45 °C</p>	01 Set
2	<p>TRANS ILLUMINATOR <u>Specification</u></p> <p>Filters: 312nm or 445nm Viewing surface dimension: 20 x 20cm High performance 6 x 8 watt UV tubes High UV output with UV intensity control and UV safety screen Stainless steel frame</p>	01 No