

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents. The following specific data for the works to be tendered shall complement, amend, or supplement the provisions in the Instructions to Bidders. Wherever there is a conflict, the provisions herein shall prevail over those in the Instructions to Bidders).

Instructions to Bidders

Clause Reference

1.6 Name of Procuring Agency

Executive Engineer Education Works Division N.Feroze

(Insert name of the Procuring Agency)

BRIEF DESCRIPTION OF WORKS: PACKAGE # 06 (02 UNITS) TALUKA MORO
CONSTRUCTION OF ONE CLASS ROOM (i) GPS ABDUL
REHMAN ARAIN (ii) GPS FATEH ALI PANHWAR.

5.1 (a) Procuring Agency's address:

Near Deputy Commissioner House N.Feroze

(Insert address of the Procuring Agency with telex/fax)

(b) Engineer's address:

Near Deputy Commissioner House N.Feroze

Ph: 0242 - 920027

(Insert name and address of the Engineer, if any, with telex/fax.)

10.3 Bid shall be quoted entirely in Pak. Rupees. The payment shall be made in Pak. Rupees.

11.2 The bidder has the financial, technical and constructional capability necessary to perform

the Contract as follows: *(Insert required capabilities and documents)*

i. Financial capacity: *(must have turnover of **Rs. 4.850 Million**);*

ii. Technical capacity :*(mentions the appropriate category of registration with PEC and qualification and experience of the staff);*

iii. Construction Capacity: *(mention the names and number of equipments required for the work).* Sindh Public Procurement Regulatory Authority | www.pprasindh.gov.pk

12.1 (a) A detailed description of the Works, essential technical and performance characteristics.

(b) Complete set of technical information, description data, literature and drawings as required in accordance with Schedule B to Bid, Specific Works Data. This will include but not be limited to a sufficient number of drawings, photographs, catalogues, illustrations and such other information as is necessary to illustrate clearly the significant characteristics such as general construction dimensions and other relevant information about the works to be performed.

13.1 Amount of Bid Security 5%

(Fill in lump sum amount or in % age of bid amount /estimated cost, but not below 1% and not exceeding 5%)

14.1 Period of Bid Validity 90 days

(Fill in "number of days" not exceeding 90)

14.4 Number of Copies of the Bid to be submitted:

One original plus 01 copies.

14.6 (a) Procuring Agency's Address for the Purpose of Bid Submission

Executive Engineer Education Works Division N.Feroze

Near Deputy Commissioner House N.Feroze

(insert postal address or location of bid box for delivery by hand)

15.1 Deadline for Submission of Bids

Time: 2:00 PM on 28-02-2018

16.1 Venue, Time, and Date of Bid Opening

Venue: Executive Engineer Education Works Division Office N.Feroze

Time: 3:00 PM Date: 01-03-2018

16.4 Responsiveness of Bids

(i) Bid is valid till required period, Sindh Public Procurement Regulatory Authority
www.pprasindh.gov.pk.

(ii) Bid prices are firm during currency of contract/Price adjustment;

(iii) Completion period offered is within specified limits,


(iv) Bidder is eligible to Bid and possesses the requisite experience, capability and qualification.

(v) Bid does not deviate from basic technical requirements and

(vi) Bids are generally in order, etc. Procuring agency can adopt either of two options.
(Select either of them).

(a) **Fixed Price contract:** In these contracts no escalation will be provided during currency of the contract and normally period of completion of these works is upto **06 months.**

(b) **Price adjustment contract:** In these contracts escalation will be paid only on those items and in the manner as notified by Finance Department, Government of Sindh, after bid opening during currency of the contract.


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
NAUSHAHRO FEROZE

09. Fabrication of mild steel reinforcement cement for cement concrete i/c cutting bending laying imposition making joints and fastening i/c cost of wire also removal rust from bars (S.I.No: 8 (b) - P/17)

39.732 Cwt Rs 5001/70 P.Cwt Rs. 198720

10. Filling watering and raiming earth in floor with surplus earth excavated from foundation lead upto one chain lift upto 5 feet

1439 Cft Rs: 1512/20 %0 Cft Rs. 2176/-

11. Filling watering and ramming earth under floor with new earth excavation from out side lead upto one chain and lift upto 5ft (S.I.No: 22 (c)- P/4).

1332 Cft Rs: 3630/- %0 Cft Rs. 4835/-

12. Pacca Brick work in ground floor in cement sand mortar ratio 1:6 (S.I.No: 4 (e) - P/21)

1309 Cft Rs: 12674/36 %Cft Rs.165907/-

13. Providing and fixing G.I frame/Chowkats of siz 7"x2" or 4 1/2 x3" for door using 20 guage G.I sheet i/c welded hinges and fixing at site with necessary hold filling cement sand slurry of ration 1.6 and repairing the jambs. The cost also i/c all carriage of tools and plants used in making and fixing (S.I.No: 28 - P/92).

Door Chowkats

53 Rft Rs: 228/90 P. Rft Rs.15312/-

Windows Chowkats

144 Rft Rs: 240/50 P. Rft Rs.34632/-

14. Supplying & fixing in position iron steel grill of 3/4 x1/4" size flat iron of approved design i/c painting three coats etc complete weight not to be less than 3.7 lbs-sq foot of finished grill (S.I.No.26 P/92).

80 Sft Rs: 180/50 %Sft Rs.14440/-

15. Pacca Brick work other than building i/c strucking of joints in cement sand mortar (S.I.No:7 P/22).

1222 Cft Rs: 12346/56 %Cft Rs.158284/-

16. Cement plaster 1:6 upto 20" height 1/2" thick (S.I.No: 13 (b) - P/52)

6683 Sft Rs: 2206/60 %Sft Rs. 147467/-

17. Cement plaster 1:4 upto 20" height 3/8" thick (S.I.No: 11 (a) - P/51)

6683 Sft Rs: 2197/52 P.Sft Rs.146860/-

18. Cement pointing struc joints on walls 1:2 (S.I.No.19 a P/53).
- | | | |
|----------|------------------|-------------|
| 3070 Sft | Rs: 1287/44 %Sft | Rs: 35533/- |
|----------|------------------|-------------|
19. 1st Class Deodar wood wrought joinery in doors and windows etc fixed in position i/c Chowkats holds fasts hinges iron towers bolts paneled glazed fully 1 3/4" thick (Only shutters) (S.I.No: 7 (b) - P/38)
- | | | |
|---------|------------------|--------------|
| 170 Sft | Rs: 902/93 P.Sft | Rs: 153498/- |
|---------|------------------|--------------|
20. Cement concrete plain i-c placing compacting finishing and curing complete i/c screening and washing at stone aggregate without shuttering 1:3:6 (S.I.No: 5 (i) - P/15)
- | | | |
|--------|------------------|-------------|
| 97 Cft | Rs:12595/83 %Cft | Rs: 12217/- |
|--------|------------------|-------------|
21. Providing and laying floor of Verona marbel tyles of size 12" x 12" x 3/4" fine dressed on the surface without winding set in white cement laid over 3/4" thick bed of 1:2 grey cement mortar setting the tiles with grey cement slurry, jointing and washing the tiles with slurry and pigment to match the color of tiles, including, curring, gridding, rubbing and chemicals polishing etc complete i.c cutting tiles to proper profile (RA)
- | | | |
|---------|-----------------|--------------|
| 893 Sft | Rs: 307/- P.Sft | Rs. 274151/- |
|---------|-----------------|--------------|
22. Providing and fixing 3/8" thick marble tiles of approved quality and color and shade size 8" x 4" / 6" x 4" in dado skirting and facing removal / tucking of existing plaster surface etc for new surface (S.I.No.68 P/48).
- | | | |
|--------|------------------|-------------|
| 62 Sft | Rs: 186/04 P.Sft | Rs. 11534/- |
|--------|------------------|-------------|
23. P/L 1" thick topping cement concrete 1:2:4 i/c surface and finishing dividing into panels (S.I.No: 24 - P/42)
- 2" thick
- | | | |
|---------|-------------------|------------|
| 624 Sft | Rs: 3275/50 % Sft | Rs.20435/- |
|---------|-------------------|------------|
24. Two coats of bitumen laid hot using 34 Lbs for % sft. Over roof and blinded with cement sand at one Cft per % Sft (S.I.No: 13 - P/34)
- | | | |
|---------|-------------------|------------|
| 624 Sft | Rs: 1887/40 % Sft | Rs.11777/- |
|---------|-------------------|------------|
25. White washing of three coats .
- | | | |
|---------|-----------------|------------|
| 554 Sft | Rs:829/95 % Sft | Rs. 4598/- |
|---------|-----------------|------------|
26. Making Notice Board made with cement (S.I.No: 1 - P/94)
- | | | |
|--------|----------------|------------|
| 32 Sft | Rs 58/11 P.Sft | Rs. 1860/- |
|--------|----------------|------------|
27. Making & fixing steel grated door with 1/16" thick sheeting i/c angle grame 2" x 2" x 5/8" and 3/4" bars cement concrete with locking arrangement. (S.I.No:24P-92).
- | | | |
|--------|-------------------|------------|
| 72 Sft | Rs: 726/72 p. Sft | Rs 42809/- |
|--------|-------------------|------------|

28. Primary coat of chalk under Distempering (S.I.No.23 P/53).

6050 Sft

Rs:442/75 %Sft

Rs 18365/-

29. Distempering of three coats (S.I.No.24 (c) P/53).

6050 Sft

Rs:1079/65 %Sft

Rs 44784/-

30. Colour washing of three coats (S.I.No. P/53).

2760 Sft

Rs:1303/17 % Sft

Rs 35967/-

31. Extra labour rate for making cement plaster pattas / band around straight or carved openings and around the edges of roof slabs, the width not less than 6" with fine finishing as directed by Engineer Incharge (S.I.No: 35 - P/54)

741 Rft

Rs: 19/36 P.Rft

Rs: 14346/-

Rs. 2215467/-

Amount total (a)
_____ % above / below on
The rates of CSR

Amount to be added / deducted on
the basis premium quoted total (b)

Contractor

Executive Engineer /Procuring Agency

BILL OF QUANTITY

NAME OF WORK: -

CONSTRUCTION OF GPS AT VILLAGE FATEH ALI
PANHWAR TALUKA MORO DISTRICT
NAUSHAHRO FEROZE.

Sr. No.	Item of work	Qty	Rate	Unit	Amount
---------	--------------	-----	------	------	--------

01. Excavation in foundation of building bridges & another structure i.e deg belling dressing refilling around the structure with excavated earth watering & ramming lead up to one chain & lift up to five feat. (S.I.No: 18 b - P/04)

2158 Cft Rs: 3176/25 %0 Cft Rs.6854/-

02. CC brick or stone ballast 1-1" 2" guage ratio 1:6:12 (S.I.No: 4 (d) P/15).

888 Cft Rs: 8122/95 % Cft Rs.72132/-

03. Pacca Brick work in foundation and plinth in cement sand mortar ratio 1:6 (S.I.No: 4 (c)- P/21).

2184Cft Rs: 11948/36- %Cft Rs. 260690/-

03. R.C.C work i/c all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also i/c kinds of forms mould lifting shuttering curing rendering exposed surface (including screening and washing of shingle (a) RCC work in roof,slab,beams columns, rafts lintels and other structure members laid in situ or pre cost laid in position completed in all respects ratio 1:2:4 6 (S.I.No: 6 (i) - P/17)

683 Cft Rs 337/- P.Cft Rs .210625/-

05. Fabrication of mild steel reinforcement cement for cement concrete i/c cutting bending laying imposition making joints and fastening i/c cost of wire also removal rust from bars (S.I.No: 8 (b) - P/17)

30.491 Cwt Rs 5001/70 P.Cwt Rs.152507/-

06. Filling watering and raiming earth in floor with surplus earth excavated from foundation lead upto one chain lift upto 5 feet

1439 Cft Rs: 1512/20 %0 Cft Rs. 2176/-

07. Filling watering and ramming earth under floor with new earth excavation from out side lead upto one chain and lift upto 5ft (S.I.No: 22 (c)- P/4).

1332 Cft Rs: 3630/- %0 Cft Rs. 4835/-

08. Pacca Brick work in ground floor in cement sand mortar ratio 1:6 (S.I.No: 4 (e) - P/21)

1309 Cft

Rs: 12674/36 %Cft

Rs.165907/-

09. Providing and fixing G.I frame/Chowkats of siz 7"x2" or 4 1/2 x3" for door using 20 gauge G.I sheet i/c welded hinges and fixing at site with necessary hold filling cement sand slurry of ration 1.6 and repairing the jambs. The cost also i/c all carriage of tools and plants used in making and fixing (S.I.No: 28 - P/92).

Door Chowkats

53 Rft

Rs: 228/90 P. Rft

Rs.15312/-

Windows Chowkats

144 Rft

Rs: 240/50 P. Rft

Rs.34632/-

10. Supplying & fixing in position iron steel grill of 3/4 x1/4" size flat iron of approved design i/c painting three coats etc complete weight not to be less than 3.7 lbs sq foot of finished grill (S.I.No.26 P/92).

80 Sft

Rs: 180/50 %Sft

Rs.14440/-

11. Pacca Brick work other than building i/c strucking of joints in cement sand mortar (S.I.No:7 P/22).

1222 Cft

Rs: 12346/56 %Cft

Rs.158284/-

12. Cement plaster 1:6 upto 20" height 1/2" thick (S.I.No: 13 (b) - P/52)

6050 Sft

Rs: 2206/60 %Sft

Rs. 133499/-

13. Cement plaster 1:4 upto 20" height 3/8" thick (S.I.No: 11 (a) - P/51)

6050 Sft

Rs: 2197/52 P.Sft

Rs.132950/-

14. Cement pointing struc joints on walls 1:2 (S.I.No.19 a P/53).

3070 Sft

Rs: 1287/44 %Sft

Rs: 35533/-

20. 1st Class Deodar wood wrought joinery in doors and windows etc fixed in position i/c Chowkats holds fasts hinges iron towers bolts paneled glazed fully 1 3/4" thick. (Only shutters) (S.I.No: 7 (b) - P/38)

145 Sft

Rs: 902/93 P.Sft

Rs: 130925/-

21. Cement concrete plain i-c placing compacting finishing and curing complete ic screening and washing at stone aggregate without shuttering 1:3:6 (S.I.No: 5 (i) - P/15)

97 Cft

Rs:12595/83 %Cft

Rs: 12217/-

22. Providing and laying floor of Verona marbel tiles of size 12" x12"x3/4" fine dressed on the surface without winding set in white cement laid over 3/4" thick bed of 1:2 grey cement mortar setting the tiles with grey cement slurry, jointing and washing the tiles with slurry and pigment to match the color of tiles, including, curring, gridding, rubbing and chemicals polishing etc complete i.c cutting tiles to proper frofile (RA)

893 Sft

Rs: 307/- P.Sft

Rs. 274151/-

23. P/L 1" thick topping cement concrete 1:2:4 i/c surface and finishing dividing into panels (S.I.No: 24 - P/42)
2" thick

624 Sft

Rs: 3275/50 % Sft

Rs.20435/-

24. Two coats of bitumen laid hot using 34 Lbs for % sft. Over roof and blinded with cement sand at one Cft per % Sft (S.I.No: 13 - P/34)

624 Sft

Rs: 1887/40 % Sft

Rs.11777/-

25. White washing of three coats .

554 Sft

Rs:829/95 % Sft

Rs. 4598/-

26. Making Notice Board made with cement (S.I.No: 1 - P/94)

32 Sft

Rs 58/11 P.Sft

Rs. 1860/-

27. Making & fixing steel grated door with 1/16" thick sheeting i/c angle grame 2"x2" x5/8" and 3/4" bars cement concrete with locking arrangement. (S.I.No:24P-92).

72 Sft

Rs: 726/72 p. Sft

Rs 42809/-

28. Primary coat of chalk under Distempering (S.I.No.23 P/53).

6050 Sft

Rs:442/75 %Sft

Rs 18365/-

29. Distempering of three coats (S.I.No.24 (c) P/53).

6050 Sft

Rs:1079/65 %Sft

Rs 44784/

30. Colour washing of three coats (S.I.No. P/53).

2760 Sft

Rs:1303/17 % Sft

Rs 35967/

31. Extra labour rate for making cement plaster pattas / band around straight or carved openings and around the edges of roof slabs, the width not less than 6" with fine finishing as directed by Engineer Incharge (S.I.No: 35 - P/54)

741 Rft

Rs: 19/36 P.Rft

Rs: 14346/-

Rs.1738462/-

Amount total (a)
_____ % above / below on
The rates of CSR

Amount to be added / deducted on
the basis premium quoted total (b)

Contractor

Executive Engineer /Procuring Agency