

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents. The following specific data for the works to be tendered shall complement, amend, or supplement the provisions in the Instructions to Bidders. Wherever there is a conflict, the provisions herein shall prevail over those in the Instructions to Bidders).

Instructions to Bidders

Clause Reference

1.1 Name of Procuring Agency

Executive Engineer Education Works Division N.Feroze

(Insert name of the Procuring Agency)

Brief Description of Works: MAINTENANCE & REPAIR OF GBDC KANDIARO
TALUKA KANDIARO

5.1 (a) Procuring Agency's address:

Near Deputy Commissioner House N.Feroze

(Insert address of the Procuring Agency with telex/fax)

(b) Engineer's address:

Near Deputy Commissioner House N.Feroze

Ph: 0242 - 920027

(Insert name and address of the Engineer, if any, with telex/fax.)

10.3 Bid shall be quoted entirely in Pak. Rupees. The payment shall be made in Pak. Rupees.

11.2 The bidder has the financial, technical and constructional capability necessary to perform

the Contract as follows: *(Insert required capabilities and documents)*

i. Financial capacity: *(must have turnover of Rs. 2.00 Million);*

ii. Technical capacity: *(mentions the appropriate category of registration with PEC and qualification and experience of the staff);*

iii. Construction Capacity: *(mention the names and number of equipments required for the work).* Sindh Public Procurement Regulatory Authority | www.pprasindh.gov.pk

12.1 (a) A detailed description of the Works, essential technical and performance characteristics.

(b) Complete set of technical information, description data, literature and drawings as required in accordance with Schedule B to Bid, Specific Works Data. This will include but not be limited to a sufficient number of drawings, photographs, catalogues, illustrations and such other information as is necessary to illustrate clearly the significant characteristics such as general construction dimensions and other relevant information about the works to be performed.

13.1 Amount of Bid Security 2%

(Fill in lump sum amount or in % age of bid amount /estimated cost, but not below 1% and not exceeding 5%)

14.1 Period of Bid Validity 60 days

(Fill in "number of days" not exceeding 90)

14.4 Number of Copies of the Bid to be submitted:

One original plus 01 copies.

14.6 (a) Procuring Agency's Address for the Purpose of Bid Submission

Executive Engineer Education Works Division N.Feroze

Near Deputy Commissioner House N.Feroze

(insert postal address or location of bid box for delivery by hand)

15.1 Deadline for Submission of Bids

Time: 2:00 PM on 12-04-2017

16.1 Venue, Time, and Date of Bid Opening

Venue: **Executive Engineer Education Works Division Office N.Feroze**

Time: 3:00 PM Date: 12-04-2017

16.4 Responsiveness of Bids

(i) Bid is valid till required period, Sindh Public Procurement Regulatory Authority
www.pprasindh.gov.pk.

(ii) Bid prices are firm during currency of contract/Price adjustment;

(iii) Completion period offered is within specified limits,

(iv) Bidder is eligible to Bid and possesses the requisite experience, capability and qualification.

(v) Bid does not deviate from basic technical requirements and

(vi) Bids are generally in order, etc. Procuring agency can adopt either of two options.
(Select either of them).

(a) **Fixed Price contract:** In these contracts no escalation will be provided during currency of the contract and normally period of completion of these works is upto **03 months.**

(b) **Price adjustment contract:** In these contracts escalation will be paid only on those items and in the manner as notified by Finance Department, Government of Sindh, after bid opening during currency of the contract.


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
NAUSHAHRO FEROZE

SCHEDULE 'B'NAME OF SCHEME:-REPAIR TO GOVT:BOYS DEGREE COLLEGE KANDIARO
TALUKA KANDIARO DISTRICT NAUSHAHRO FEROZE

<u>S.NO</u>	<u>ITEM OF WORK</u>	<u>QTY</u>	<u>RATE</u>	<u>UNIT</u>	<u>AMOUNT</u>
01	Excavation in foundation of building bridges and other structures i/c dag belling dressing refilling around the structure with excavated earth watering ramming Lead upto 5 feet	390	3176/25	%ocft	RS:-1239/-
02	Cement concrete brick or stone ballast 1 ½ to 2" guage ratio 1.5.10.	715	8694/95	%sft	RS:-62169/-
03	Pacca brick work in foundation and plinth in cement sand mortar ratio 1.6.	349	11948/36	%cft	RS:-41700/-
04	R.C.C.Work in all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately .This rate also includes all Kinds of forms moulds lifting shuttering curring rendering and finishing the exposedSurface including screening and washing of shingle (a) R.c.c. work in roof slabs,beams,Coloumns rafts lintels and other structurel members laid in situ or pre cost laid in position completed in all respects ratio 1.2.4.	20	337/-	P:cft	RS:-6740/-
05	Fabrication of Milled Steel reinforcement for cement concre /cutting bending Laying in position aking joints and fasternings including cost of binding wire Also includes reoval of rust from bars	0.892	5001/70	P:cwt	RS:-4462/-
06.	Filling Waering and ramming earth under floor with new earth excavated From out side led upto one and lift upto 5 ft.	1050	3630/-	%oCft	RS:-3812/-
07.	Providing and fixing G:I: frames/chowkats of size 7"x2"or 4 ½ x3" door using 20 guage G.I.sheet i/c welded hinges and fixing at site with necessary hold fasts filling with cement Sand slurry of ratio 1.6. and repairing the jambs .The cost also i/c all carriage of tools and Plants used in making and fixing	35	240/50	P:Rft	RS:-8012/-
08.	Supplying and fixing in position iron/steel grill ¾" x ¼" size flat iron of approved design Including painting three coats etc complete weight not to be less than 3.7 lbs/sq footOf finished grill	61	180/50	P:Sft	RS:-11011/-
09.	Ist Class Deodar Wood Wrought joinery in doors and windows etc fixed in positionIncluding chowkats hold fasts hinges iron tower chocks cleats handles andcords with Hocks etc 1-3/4"	111	902/93	P:Sft	RS:-100225/-

10.	Providing and lying 1" thick topping cement concrete 1,2,4, including surface Finishing and dividing into panels				
	3"Thick	1200	4411/82	%Sft	RS:-52942/-
	2"Thick	55	3275/50	%Sft	RS:-1802/-
	1-1/2"Thick	1141	2548/29	%Sft	RS:-29076/-
11.	Cement Plaster upto 20" height 1/2" Thick ratio 1.6				
		3652	2206/60	%Sft	RS:-80585/-
12.	Cement Plaster 1.4. upto 20" Height 3/8"Thick				
		3652	2197/52	%Sft	RS:-80253/-
13.	Pacca Brick work in Ground Floor in cement sand mortar ratio 1.6				
		330	12674/36	%Cft	RS:-41825/-
14.	Pacca Brick work in Other than building including striking of joints upto 20" Feet height in cement sand mortar ratio 1.6.				
		416	12346/65	%Cft	RS:-51362/-
15.	Laying white marble flooring fine dressed on the surface without winding set in limeMortar 1.2. i/c rubbing and polishing of the joints 3/4" thick flooring				
		1141	307/-	P:Sft	RS:-350287/-
16.	Laying floor of approved glazed tile 1/4"thick in white cement 1.2. over 3/4"thick Cement mortar 1.2. complete.				
		220	27678/86	%Sft	RS:-60893/-
17.	Glazed tile dado 1/4"Thick laid in pigment over 1/2 cement sand mortar 3/4"Thick Including finishing				
		440	28299/30	%sft	RS:-124517/-
18.	White washing of three coats				
		6031	829/95	%sft	RS:-50054/-
19.	Primary coat of chalk under distempering				
		23888	442/75	%sft	RS:-205413/-
20.	Distempering of two coats				
		23888	1043/90	%sft	RS:-249367/-
21.	Colour wash of two coats				
		222	859/90	%sft	RS:-6090/-

22. Preparing painting doors and windows new surface any type i/c edges three coats

20977 2116/41

%sft

RS:-180381/-

TOTAL:- RS:-1660780/-

CONTRACTOR

EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
NAUSHAHRO FEROZE

SCHEDULE 'B'

PART: B: WATER SUPPLY S. FITTING

NAME OF WORK: -REPAIR TO GOVT; GIRLS HIGHER SECONDARY SCHOOL KANDIARO
TALUKA KANDIARO DISTRICT NAUSHAHRO FEROZE

S.NO:	ITEM OF WORK.	QTY.	RATE.	UNIT	AMOUNT.
01.	Boring and fixing squatting type white glazed earthen ware W.C.pan With including the cost of flushing cistern with internal fitting and Flush pipe with bend & making requisite number of holes in walls Plinth & floor for pipe connections & making good in cement concrete 1,2,4,(a) w.c. pan of not less than 23" clear opening between flushing P Rims and 3 gallons flushing tank with 4" dia C:I trape.(S.I.NO:1(a)P-01)	02Nos	5044/60	P:NO:	RS:-10089/-
02.	Providing and fixing 24"x18" Lavotary basin in white glazed earthen ware Complete & i/c the cost of W.C or C.I cantilever brackets 6" inches into wall Painted white in two coats after a primary coat of red lead paint a pair of 1/2" dia rubber plug & chorme Plate brass chain 1-1/4" dia malleable iron Of c.p. brass traps malleable iron of brass union and making requisite Number of holes in walls plinth & floor for pipe connections and making Good in cement concrete 1.2.4.(standard pattern)(S.I.NO:08 Page NO:03)	02Nos	4253/90	P:NO:	RS:-4254/-
03.	Supplying and fixing in position C.P. Bib cock (a) 3/4" Dia c.p. bib cock Light pattern(S.I.NO:02 (ii)(a) Page NO:16)	03No:	337/92	P:NO:	RS:-1014/-
04.	Supplying and fixing in position stop cock (a) 3/4" dia c.p. stop cock Cock light pattern pattern (S.I.NO:1 (II)(a) Page NO:16)	02No:	337/92	P:NO:	RS:-894/-
05.	Providing and fixing in position nylon connections complete with 1/2" dia Brass stop cock with pair of brass nuts and linging joints to nylon Connections(S.I.NO:23 Page NO:06)	-----	447/15	P:NO:	RS:-----
06.	Providing and fixing G.I.Pipes specials and clamps etc i/c fixing & fitting Complete with and i/c the cost of breaking through walls and roof,making Good etc painting two coats after cleaning the pipe etc with white zink Paint with pigment to match the colour of the building and testing with water To a pressure head of 200 feet and handling (S.I.NO:01 Page NO:12)				
	1" Dia	15Rft	128/55	P:Rft	RS:-1928
	3/4" D	15Rft	95/79	P:Rft	RS:-1437/-
	1/2" Dia	15Rft	73/21	P:Rft	RS:-1098/-

17.	Providing and fixing Handle valves china(S.I.NO:5 P=17)				
	3/4"	01No:	271/22	P:NO:	RS:-271/-
	1/2"	01No:	200/42	P:NO:	RS:-200/-
08.	Supplying and fixing Fibre glass Tank of approved quality and design and Wall thickness as specified i/c cost of nuts bolts and fixing in plateform of Cement concrete 1.3.6. and making connections for inlet out let over flow Pipes etc complete (S.I.NO:3(a)Page NO:21).				
	250Gallons	01NO:	21989/61	P:NO:	RS:-21990/-
09.	Providing and fixing piston pump				
		01NO:	8235/-	P:NO:	RS:-8235/-
10.	Providing and fixing Hand Pump				
		01NO:	3500/-	P:NO:	RS:-3500/-
11.	Providing R.C.C.Pipe with collars class "B" and digging the trenches to Required depth & fitting in position including cutting fitting & jointing with Maxphalt composition & cement mortar 1.1. and testing with water pressure To a head of 4" feet above the top of the highest pipe & refilling with executed Staff (S.I.NO:02 Page NO:23).				
	6"Dia	20Rft	199/25	P:Rft	RS:-3985/-
12.	Boring and fixing 1-1/2"Dia pressure pipe (S.I.NO:26 Page NO:109)				
	2x60	120.0	53/44	P:Rft	RS:-6413/-
13.	Assembling 1-1/2"Dia pressure pipe (S.I.NO:25 Page NO:101)				
	2x60	120.0	166/38	<u>P:Rft</u>	<u>RS:-19965/-</u>
				TOTAL	RS:-85949/-
	Add:15% Above on Item No:6 & 11				RS:-1267/-
				TOTAL	RS:-87216/-
				SAY	RS:-87000/-

Amount Total (a)

_____ above/below on the
The rates of CSRAmount to be added / deducted on the
basis of premium quoted Total (b)

Total (A) a+b in words and figure: _____

Contractor

Executive Engineer / Procuring Agency