

SX031

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents).

(a). Name of Procuring Agency: Executive Engineer Education Works Division N.Feroze

(b). Brief Description of Works: MAINTENANCE & REPAIR OF GGHS KANDIARO TALUKA KANDIARO.

(c). Procuring Agency's address: Near DC House N.Feroze.

(d). Estimated Cost:- 1000000/-

(e). Amount of Bid Security:- 2% (Fill in lump sum amount or in % age of bid amount /estimated cost, but not exceeding 5%)

(f). Period of Bid Validity (days):- 30 Days (Not more than sixty days).

(g). Security Deposit :- (including bid security): 10% (in % age of bid amount / estimated cost equal to 10%)

(h). Percentage, if any, to be deducted from bills:- 10.50%.

(i). Deadline for Submission of Bids along with time:- 12-04-2017 (2:00PM)


(j). Venue, Time, and Date of Bid Opening:- XEN Office dated: 12-04-2017 on 3:00 PM

(k). Time for Completion from written order of commence: - 03 Months

(L). Liquidity damages:- _____ (0.05 of Estimated Cost or Bid cost per day of delay, but total not exceeding 10%).

(m). Deposit Receipt No: Date: Amount: (in words and figures)

(Executive Engineer/Authority issuing bidding document)


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
NAUSHAHRO FEROZE

SCHEDULE 'B'

NAME OF SCHEME:-REPAIR TO GOVT:GIRLS HIGHER SECONDARY SCHOOL
KANDIARO TALUKA KANDIARO DISTRICT NAUSHAHRO FEROZE

S.NO	ITEM OF WORK	QTY	RATE	UNIT	AMOUNT
01.	Removing cement plaster from walls.				
		4440.0	121/-	%Sft	RS:-5372/-
02.	Dismantling cement concrete plain 1.2.4.				
		1420.0	3327/50	%Sft	RS:-47251/-
03.	Dismantling Brick work in lime or cement mortar				
		160.0	1285/63	%Cft	RS:-2057/-
04.	Removing Doors with chowkats				
		01No	142/18	P:NO:	RS:-142/18
05.	Removing Windows with chowkats.				
		03Nos	102/85	P:NO:	RS:-309/-
06.	Providing and fixing G:I: Frames/Chowkats of size 7"x2" or 4-1/2"x3" for door Using 20 guage G:I: Sheet i/c welded hinges and fixing at site with necessary hold fasts Filling with cement sand slurry of ratio 1.6. and repairing the jambs>The cost also i/c All carriage of tools and plants used in making and fixing				
	Doors	18.0	228/90	P:Rft	RS:-4120/-
	Windows	90.0	240/50	P:Rft	RS:-21645/-
07.	Pacca Brick work in Ground floor in cement sand mortar ratio 1.6.				
		160..0	12674/36	%Cft	RS:-20279/-
08.	Supplying and fixing in position iron/steel grill 3/4" x1/4" size flate iron of approved design Including painting 3 coats approved design including painting three coats etc complete Weight not to be less than 3.7 lbs/sq foot of finished grill				
		36.0	180/50	P:Sft	RS:-6498/-
09.	Cement Plaster 1/2" Thick upto 20" height ratio 1.6.				
		4440.0	2206/60	%Sft	RS:-97973/-
10.	Cement Plaster 3/8" Thick upto 20" height ratio 1.4.				
		4440.0	2197/52	%Sft	RS:-97570/-
11.	Cement Plaster 3/4" Thick upto 20" Height ratio 1.4				
		2426.0	3015/76	%Sft	RS:-73162/-

12.	Ist Class Deodar Wood Wrought Joinery in Doors and windows etc fixed in Position including chowkats hold fasts hinges and fixing iron tower bolts chocks cleats Handles and cords with hocks etc (b0 1-3/4"	61.0	902/93	P:Sft	RS:-55079/-
13.	Providing and lying c.c. topping 1.2.4. including surface finishing and dividing in to panels				
	<u>2"Thick</u>	1380.0	3275/50	%Sft	RS:-45202/-
	<u>1-1-2"Thick</u>	2686.0	2548/29	%Sft	RS:-68447/-
14.	Two coats of Bitumen laid hot using 34 lbs for %sft over roof and blinded with sand At one cft per %sft	2446.0	1887/40	%Sft	RS:-46166/-
15.	Laying white marble flooring fine dressed on the surface without winding set in lime Mortar 1.2. i/c rubbing and polishing of the joints 3/4" thick flooring	144.0	307/-	P:Sft	RS:-44208/-
16.	White Glazed Tile 1/4"Thick dado jointed in white cement and laid over 1.2. cement sand Mortar 3/4" thick including finishing.	96.0	28253/61	%Sft	RS:-27123/-
17.	Glazed tile dado 1/4" thick laid in pigment over 1.2 cement sand mortar Including finishing	56.0	28299/30	%Sft	RS:-15848/-
18.	White washing of three coats	2186.0	829/95	%Sft	RS:-18143/-
19.	Colour wash of two coats	5556.0	859/90	%Sft	RS:-47776/-
20.	Preparing painting doors and windows new surface any type i/c edges three coats	61..0	2743/14	%Sft	RS:-3347/-
TOTAL					RS:-7,47,717/-

CONTRACTOR

EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
NAUSHAHRO FEROZE

SCHEDULE 'B'

PART: B: WATER SUPPLY S. FITTING

NAME OF WORK: -REPAIR TO GOVT; GIRLS HIGHER SECONDARY SCHOOL KANDIARO
TALUKA KANDIARO DISTRICT NAUSHAHRO FEROZE

S.NO:	ITEM OF WORK.	QTY.	RATE.	UNIT	AMOUNT.
01.	Boring and fixing squatting type white glazed earthen ware W.C.pan With including the cost of flushing cistern with internal fitting and Flush pipe with bend & making requisite number of holes in walls Plinth & floor for pipe connections & making good in cement concrete 1,2,4,(a) w.c. pan of not less than 23" clear opening between flushingP Rims and 3 gallons flushing tank with 4" dia C:I trape.(S.I.NO:1(a)P-01)	02Nos	5044/60	P:NO:	RS:-10089/-
02.	Providing and fixing 24"x18" Lavotary basin in white glazed earthen ware Complete & i/c the cost of W.C or C.I cantilever brackets 6" inches into wall Painted white in two coats after a primary coat of red lead paint a pair of ½" dia rubber plug & chorme Plate brass chain 1-1/4" dia malleable iron Of c.p. brass traps malleable iron of brass union and making requisite Number of holes in walls plinth & floor for pipe connections and making Good in cement concrete 1.2.4.(standard pattern)(S.I.NO:08 Page NO:03)	02Nos	4253/90	P:NO:	RS:-4254/-
03.	Supplying and fixing in position C.P. Bib cock (a) 3/4" Dia c.p. bib cock Light pattern(S.I.NO:02 (ii)(a) Page NO:16)	03No:	337/92	P:NO:	RS:-1014/-
04.	Supplying and fixing in position stop cock (a) ¾" dia c.p. stop cock Cock light pattern pattern (S.I.NO:1 (II)(a) Page NO:16)	02No:	337/92	P:NO:	RS:-894/-
05.	Providing and fixing in position nylon connections complete with ½" dia Brass stop cock with pair of brass nuts and linging joints to nylon Connections(S.I.NO:23 Page NO:06)	-----	447/15	P:NO:	RS:-----
06.	Providing and fixing G.I.Pipes specials and clamps etc i/c fixing & fitting Complete with and i/c the cost of breaking through walls and roof,making Good etc painting two coats after cleaning the pipe etc with white zink Paint with pigment to match the colour of the building and testing with water To a pressure head of 200 feet and handling (S.I.NO:01 Page NO:12)				
	1"Dia	15Rft	128/55	P:Rft	RS:-1928
	¾"D	15Rft	95/79	P:Rft	RS:-1437/-
	½"Dia	15Rft	73/21	P:Rft	RS:-1098/-

7.	Providing and fixing Handle valves china(S.I.NO:5 P=17)				
	3/4"	01No:	271/22	P:NO:	RS:-271/-
	1/2"	01No:	200/42	P:NO:	RS:-200/-
8.	Supplying and fixing Fibre glass Tank of approved quality and design and Wall thickness as specified i/c cost of nuts bolts and fixing in plateform of Cement concrete 1.3.6. and making connections for inlet out let over flow Pipes etc complete (S.I.NO:3(a)Page NO:21).				
	250Gallons	01NO:	21989/61	P:NO:	RS:-21990/-
9.	Providing and fixing piston pump				
		01NO:	8235/-	P:NO:	RS:-8235/-
10.	Providing and fixing Hand Pump				
		01NO:	3500/-	P:NO:	RS:-3500/-
11.	Providing R.C.C.Pipe with collars class "B" and digging the trenches to Required depth & fitting in position including cutting fitting & jointing with Maxphalt composition & cement mortar 1.1. and testing with water pressure To a head of 4" feet above the top of the highest pipe & refilling with executed Staff (S.I.NO:02 Page NO:23).				
	6"Dia	20Rft	199/25	P:Rft	RS:-3985/-
12.	Boring and fixing 1-1/2"Dia pressure pipe (S.I.NO:26 Page NO:109)				
	2x60	120.0	53/44	P:Rft	RS:-6413/-
13.	Assembling 1-1/2"Dia pressure pipe (S.I.NO:25 Page NO:101)				
	2x60	120.0	166/38	P:Rft	RS:-19965/-
				TOTAL	RS:-85949/-
	Add:15% Above on Item No:6 & 11				RS:-1267/-
				TOTAL	RS:-87216/-
				SAY	RS:-87000/-

Amount Total (a)

_____ above/below on the
The rates of CSR

Amount to be added / deducted on the
basis of premium quoted Total (b)

Total (A) a+b in words and figure: _____