

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents. The following specific data for the works to be tendered shall complement, amend, or supplement the provisions in the Instructions to Bidders. Wherever there is a conflict, the provisions herein shall prevail over those in the Instructions to Bidders).

Instructions to Bidders

Clause Reference

1.1 Name of Procuring Agency

Executive Engineer Education Works Division N.Feroze

(Insert name of the Procuring Agency)

Brief Description of Works: MAINTENANCE & REPAIR OF GBHS KANDIARO TALUKA KANDIARO.

5.1 (a) Procuring Agency's address:

Near Deputy Commissioner House N.Feroze

(Insert address of the Procuring Agency with telex/fax)

(b) Engineer's address:

Near Deputy Commissioner House N.Feroze

Ph: 0242 - 920027

(Insert name and address of the Engineer, if any, with telex/fax.)

10.3 Bid shall be quoted entirely in Pak. Rupees. The payment shall be made in Pak. Rupees.

11.2 The bidder has the financial, technical and constructional capability necessary to perform

the Contract as follows: *(Insert required capabilities and documents)*

i. Financial capacity: *(must have turnover of Rs. 2.00 Million);*

ii. Technical capacity: *(mentions the appropriate category of registration with PEC and qualification and experience of the staff);*

iii. Construction Capacity: *(mention the names and number of equipments required for the work).* Sindh Public Procurement Regulatory Authority | www.pprasindh.gov.pk

12.1 (a) A detailed description of the Works, essential technical and performance characteristics.

(b) Complete set of technical information, description data, literature and drawings as required in accordance with Schedule B to Bid, Specific Works Data. This will include but not be limited to a sufficient number of drawings, photographs, catalogues, illustrations and such other information as is necessary to illustrate clearly the significant characteristics such as general construction dimensions and other relevant information about the works to be performed.

13.1 Amount of Bid Security 2%

(Fill in lump sum amount or in % age of bid amount /estimated cost, but not below 1% and not exceeding 5%)

14.1 Period of Bid Validity 60 days

(Fill in "number of days" not exceeding 90)

14.4 Number of Copies of the Bid to be submitted:

One original plus 01 copies.

14.6 (a) Procuring Agency's Address for the Purpose of Bid Submission

Executive Engineer Education Works Division N.Feroze

Near Deputy Commissioner House N.Feroze

(insert postal address or location of bid box for delivery by hand)

15.1 Deadline for Submission of Bids

Time: 2:00 PM on 12-04-2017

16.1 Venue, Time, and Date of Bid Opening

Venue: Executive Engineer Education Works Division Office N.Feroze

Time: 3:00 PM Date: 12-04-2017

16.4 Responsiveness of Bids

(i) Bid is valid till required period, Sindh Public Procurement Regulatory Authority
www.pprasindh.gov.pk.

(ii) Bid prices are firm during currency of contract/Price adjustment;

(iii) Completion period offered is within specified limits,

(iv) Bidder is eligible to Bid and possesses the requisite experience, capability and qualification.

(v) Bid does not deviate from basic technical requirements and

(vi) Bids are generally in order, etc. Procuring agency can adopt either of two options.
(Select either of them).

(a) **Fixed Price contract:** In these contracts no escalation will be provided during currency of the contract and normally period of completion of these works is upto **03 months.**

(b) **Price adjustment contract:** In these contracts escalation will be paid only on those items and in the manner as notified by Finance Department, Government of Sindh, after bid opening during currency of the contract.


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
NAUSHAHRO FEROZE

SCHEDULE 'B'**NAME OF SCHEME:-REPAIR OF GOVT:BOYS HIGH SCHOOL KANDIARO
TALUKA KANDIARO DISTRICT NAUSHAHRO FEROZE**

S.NO	ITEM OF WORK	QTY	RATE	UNIT	AMOUNT
01.	Dismantling cement concrete reinforced separating reinforcement from concrete Cleaning and straightening the same	1034.0	5445/-	%Cft	RS:-27878/-
02.	Dismantling Brick work in lime or cement mortar	3647.0	1285/63	%Cft	RS:-46887/-
03.	Removing Doors with chowkats	03Nos	142/18	P:NO:	RS:-427/-
04.	Removing Windows With chowkats.	15Nos	102/85	P:NO:	RS:-1543/-
05.	Cement concrete Brick or stone Ballast 1-1/2 to 2" guage ratio 1.5.10.	582.0	8694/95	%Sft	RS:-50605/-
06.	Pacca Brick work in Foundation and plinth in cement sand mortar ratio 1.6.	151.0	11948/36	%Cft	RS:-18042/-
07.	R.C.C.Work in all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately .This rate also includes all Kinds of forms moulds lifting shuttering curring rendering and finishing the exposed Surface including screening and washing of shingle (a) R.c.c. work in roof slabs,beams, Coloumns rafts lintels and other structurle members laid in situ or pre cost laid in position completed in all respects ratio 1.2.4.	1404.0	337/-	P:Cft	RS:-473148/-
08.	Fabrication of Mild Steel reinforcement for cement concrete i/c cutting bending And laying in position making joints and fastenings i/c also removal of rust from Bars	56.410	5001/70	P:Cwt	RS:-282146/-
09.	Pacca Brick work in Ground floor in cement sand mortar ratio 1.6.	2165.0	12674/36	%Cft	RS:-274400/-
10.	Providing and fixing G:I: Frames/Chowkats of size 7"x2"or 4-1/2"x3" for door Using 20 guage G;I: Sheet i/c welded hinges and fixing at site with necessary hold fasts Filling with cement sand slurry of ratio 1.6. and repairing the jambs>The cost also i/c All carriage of tools and plants used in making and fixing	53.0	228/90	P:Rft	RS:-12132/-
		458.0	240/50	P:Rft	RS:-110149/-
11.	Supplying and fixing in position iron/steel grill 3/4" x1/4"size flate iron of approved design Including painting 3 coats approved design including painting three coats etc complete Weight not to be less than3.7 lbs/sq foot of finished grill	61.0	180/50	P:Sft	RS:-11011/-

12.	Cement Plaster ½" Thick upto 20" height ratio 1.6.	4001.0	2206/60	%Sft	RS:-88286/-
13.	Cement Plaster 3/8" Thick upto 20" height ratio 1.4.	4001.0	2197/52	%Sft	RS:-87923/-
14.	Cement pointing striking of joints on walls ratio 1.2.	1497.0	1287/44	%Sft	RS:-19273/-
15.	Providing and lying c.c. topping 1.2.4. including surface finishing and dividing in to panels				
	2" Thick	1800.0	3275/50	%Sft	RS:-58959/-
	1-1/2" Thick	2370.0	3015/76	%Sft	RS:-60409/-
16.	Ist Class Deodar Wood Wrought Joinery in Doors and windows etc fixed in Position including chowkats hold fasts hinges and fixing iron tower bolts chocks cleats Handles and cords with hocks etc (b) 1-3/4"	135.0	902/93	P:Sft	RS:-121896/-
17.	Two coats of Bitumen laid hot using 34 lbs for % sft over roof and blinded with sand At one cft per % Sft	2370.0	1887/40	%Sft	RS:-44731/-
18.	Filling Watering and ramming earth under floor with new earth Excavated from Outside Lead upto one chain and lift upto 5 feet	2203.0	3630/-	%ocft	RS:-7997/-
19.	White washing of three coats	1800.0	829/95	%Sft	RS:-14939/-
20.	Colour wash of two coats	3420.0	859/90	%Sft	RS:-29409/-
21.	Preparing painting doors and windows new surface any type i/c edges three coats	512.0	2743/14	%Sft	RS:-14045/-

TOTAL RS:-18,11,504/-

Amount Total (a)

_____ above/below on the
The rates of CSR

Amount to be added / deducted on the
basis of premium quoted Total (b)

Total (A) a+b in words and figure: _____

Contractor