

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents).

- (a). Name of Procuring Agency: Executive Engineer Education Works Division N.Feroze
- (b). Brief Description of Works: MAINTENANCE & REPAIR OF GBPS JUMO NORIO TALUKA MORO.
- (c). Procuring Agency's address: Near DC House N.Feroze.
- (d). Estimated Cost:- 400000/-
- (e). Amount of Bid Security:- 2% (Fill in lump sum amount or in % age of bid amount /estimated cost, but not exceeding 5%)
- (f). Period of Bid Validity (days):- 30 Days (Not more than sixty days).
- (g). Security Deposit :-(including bid security): 10% (in % age of bid amount / estimated cost equal to 10%)
- (h). Percentage, if any, to be deducted from bills:- 10.50%.
- (i). Deadline for Submission of Bids along with time:- 12-04-2017 (2:00PM)
- (j). Venue, Time, and Date of Bid Opening:- XEN Office dated: 12-04-2017 on 3:00 PM
- (k). Time for Completion from written order of commence: - 03 Months
- (L). Liquidity damages:- _____ (0.05 of Estimated Cost or Bid cost per day of delay, but total not exceeding 10%).
- (m). Deposit Receipt No: Date: Amount: (in words and figures)

(Executive Engineer/Authority issuing bidding document)


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
NAUSHAHRO FEROZE

SCHEDULE B

NAME OF WORK: REPAIR TO GOVT: BOYS PRIMARY SCHOOL AT: JUMO NOURIO
TAL: MORO

S.NO:	Description	Qty	unit	Rate	Amount
1.	Dismantling CC reinforcement separating reinf: from concrete cleaning and straighting the same (S.I.NO: 20 P.10)				
=	--	RS: 5445/-	%sft	RS: --	
	(RS: five thousand four hundred forty five)				
2.	Dismantling CC plain 1:2:4 (S.I.NO: 19 P.10)				
=	223	RS: 3327/50	%sft	RS: 7421/-	
	(RS: three thousand three hundred twenty seven and ps: fifty)				
3.	Dismantling brick work in lime or mortar cement mortar (S.I.NO: 13 P.10)				
=	--	RS: 1285/63	%sft	RS: --	
	(RS: one thousand two hundred eighty five and ps: sixty three)				
4.	Removing cement or lime plaster (S.I.NO: 53 P.13)				
=	1136	RS: 121/-	%sft	RS: 1375/-	
	(RS: one hundred twenty one)				
5.	Excavation in foundation of building bridges and other structure i/c degbelling dressing reinf: filling around the structure with excavated earth watering lead upto 5ft' (S.I.NO: 18 P.4)				
=	140	RS: 3176/25	%ocft	RS: 445/-	
	(RS: three thousand one hundred seventy six and ps: twenty five)				
6.	CC brick or stone ballst 1-1/2" to 2" guage ratio 1:5:10 (S.I.NO: 4 P.14)				
=	63	RS: 8694/95	%sft	RS: 5478/-	
	(RS: eight thousand six hundred ninty four and ps: ninty five)				
7.	Pacca brick work in foundation & plinth cement sand mortar 1:6 (S.I.NO: 4 P.19)				
=	162	RS: 11948/36	%sft	RS: 19357/-	
	(RS: eleven thousand nine hundred forty eight and ps: thirty six)				

(2)

i/c all labour and material except the cost of steel reinf: and its labour for binding and binding which will be paid separately this rate also includes moulds lifting shuttering curing rendering and finishing exposed surface screening washing of shingle (A) R/c work roof slab beam col: rafters lintel and other structure members laid situ cost of in position complete ratio 1:2:4 (S.I.NO: 6 P.15)

= 62 337/- P.sft RS: 20894/-

(RS: three hundred thirty seven)

9. Fabrication of M.S reinf: for CC i/c cutting bending laying in position making joints fastening i/c cost of binding wire also i/c removal rust from bars (S.I.NO: 8 P.16)

= 2.767 RS: 5001/70 p.cwt RS: 13840/-

(RS: five thousand one & p: seventy)

10. Pucca brick work in G.F in cement sand mortar 1:6 (S.I.NO: 5 P.20)

= 216 RS: 12674/36 %sft RS: 27377/-

(RS: twelve thousand six hundred seventy four and p: thirty six)

11. P.F G.I frame chowkats of size 7"x2" or 4-1/4" x3" for door using 20 gauge H.I sheet i/c welded hinges and fixing with cement slurry of ratio 1:6 and repairing the jambs the cost of i/c all carriage tools plants making & fixing (S.I.NO: 28 P.92)

= 11 RS: 228/90 P.rft RS: 2518/-

(RS: two hundred twenty eight & p: ninty)

12. Ist: class deador wood wrought joinery in D/W in fixed in position i/c chowkats fasts hinges iron tower bolts nuts hooks penlled glazed fully 4-3/4" thick (S.I.NO: 7 P.57)

= 29 RS: 902/93 p.sft RS: 26185/-

(RS: Nine hundred two & p: ninty three)

13. filling watering reamming earth under floor with new earth excavated from out side lead upto one chain 5ft' (S.I.NO: 22 P.4)

= 94 RS: 3630/- %ocft RS: 341/-

(RS: three thousand six hundred thirty)

(3)

brick work other than building in
of joints upto 20' height in
(S.I.NO: 7 P.21)

= -- RS: 12346/65 %sft RS: --
(RS: twelve thousand three hundred forty six
and ps: sixty five)

15. P/L CC topping 1:2:4 i/c surface finishing
& dividing into penlls 2" thick (S.I.NO: 16 P.47)

= 995 RS:3275/50 %sft RS: 31281/-

(RS: three thousand two hundred seventy five
and ps: fifty)

3" thick

= -- RS: 4417/82 %sft RS: ---

(RS: four thousand four hundred eleven
and ps: eighty two)

1-1/2" thick

= 1334 RS: 2548/29 %sft RS: 33995/-

(RS: two thousand five hundred forty eight
and ps: twenty nine)

16. Cement plaster 1:6 upto 20' height 1/2" thick
(S.I.NO: 13 P.51)

= 1741 RS: 2206/60 %sft RS: 38417/-

(RS: two thousand two hundred six
and ps: sixty)

17. cement plaster 1:4 upto 20' height 3/8"

(S.I.NO: 11 P.53)
= 1741 RS: 2198/53 %sft RS: 38259/-

(RS: two thousand one hundred ninty seven
and ps: fifty two)

18. cement plaster 1:4 upto 20' height 3/4" thick

= -- RS: RS: --

(RS:

19. cement pointing strucco joint on walls 1:2
(S.I.NO 19 P.52)

= --- RS: 1287/44 %sft RS: --

(RS: one thousand two hundred eighty seven
and ps: forty four)

(4)

3 coat (S.I.NO: 26 P.53)

RS: 829/95 %sft RS: 7686/-

(RS: eight hundreded twenty nine &ps: ninty five)

21. Colour wash 2 coat

= 4307 RS:859/90 %sft RS: 37035/-

(RS: eight hundreded fifty nine &ps: ninty)

22. prepering surface painting D/W any type 3 coat

(S.I.NO: 5 P.69)

= 70 RS: 2116/41 %sft RS: 1482/-

(RS: two thousand one hundreded sixteen &ps: forty one)

23. painting old surface painting D/W any type
3 coat (S.I.NO: 4 P.67)

= 256 RS: 1662/21 %sft RS: 4256/-

(RS: one thousand six hundreded sixty two
&ps: twenty one)

Total; RS: 317642/-

