

**BIDDING DATA**

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents).

(a). Name of Procuring Agency: Executive Engineer Education Works Division N.Feroze

(b). Brief Description of Works: MAINTENANCE & REPAIR OF GBPS NIHAL KHAN MARI TALUKA MORO.

(c). Procuring Agency's address: Near DC House N.Feroze.

(d). Estimated Cost:- 500000/-

(e). Amount of Bid Security:- 2% (Fill in lump sum amount or in % age of bid amount /estimated cost, but not exceeding 5%)

(f). Period of Bid Validity (days):- 30 Days (Not more than sixty days).

(g). Security Deposit :- (including bid security): 10% (in % age of bid amount / estimated cost equal to 10%)

(h). Percentage, if any, to be deducted from bills:- 10.50%.

(i). Deadline for Submission of Bids along with time:- 12-04-2017 (2:00PM)


(j). Venue, Time, and Date of Bid Opening:- XEN Office dated: 12-04-2017 on 3:00 PM

(k). Time for Completion from written order of commence: - 03 Months

(L). Liquidity damages:- \_\_\_\_\_ (0.05 of Estimated Cost or Bid cost per day of delay, but total not exceeding 10%).

(m). Deposit Receipt No: Date: Amount: (in words and figures)

(Executive Engineer/Authority issuing bidding document)

  
EXECUTIVE ENGINEER  
EDUCATION WORKS DIVISION  
NAUSHAHRO FEROZE

SCHEDULE B

NAME OF WORK: REPAIR TO GOVT: BOYS PRIMARY SCHOOL AT: NIHAL KHAN MARI  
TAL: MORO.

---

S.NO:	Description	Qty	unit	Rate	Amount
1.	Dismantling CC reinforcement separating reinf: from concrete cleaning and straighting the same (S.I.NO: 20 P.10)				
=	100	RS: 5445/-	%sft		RS: 5445/-
	(RS: five thousand four hundred forty five)				
2.	Dismantling CC plain 1:2:4 (S.I.NO: 19 P.10)				
=	316	RS: 3327/50	%sft		RS: 10515/-
	(RS: three thousand three hundred twenty seven and ps: fifty)				
3.	Dismantling brick work in line or mortar cement mortar (S.I.NO: 13 P.10)				
=	335	RS: 1285/63	%sft		RS: 4307/-
	(RS: one thousand two hundred eighty five and ps: sixty three)				
4.	Removing cement or lime plaster (S.I.NO: 53 P.13)				
=	--	RS: 121/-	%sft		RS: --
	(RS: one hundred twenty one)				
5.	Excavation in foundation of building bridges and other structure i/c degbelling dressing reinf: filling around the structure with excavated earth watering lead upto 5ft' (S.I.NO: 18 P.4)				
=	--	RS: 3176/25	%ocft		RS: --
	(RS: three thousand one hundred seventy six and ps: twenty five)				
6.	CC brick or stone ballst 1-1/2" to 2" guage ratio 1:5:10 (S.I.NO: 4 P.14)				
=	16	RS: 8694/95	%sft		RS: 1392/-
	(RS: eight thousand six hundred ninety four and ps: ninty five)				
7.	Pacca brick work in foundation & plinth cement sand mortar 1:6 (S.I.NO: 4 P.19)				
=	72	RS: 11948/36	%sft		RS: 8603/-
	(RS: eleven thousand nine hundred forty eight and ps: thirty six)				

(2)

i/c all labour and material except the cost of steel reinf: and its labour for binding and binding which will be paid separately this rate also includes moulds lifting shuttering curing rendering and finishing exposed surface screening washing of shingle (A) Re work roof slab beam col: rafters lintel and other structure members laid situ cost of in position complete ratio 1:2:4 (S.I.NO: 6 P.15)

= 65                      337/-      P.sft                      RS: 21905/-  
(RS: three hundreded thirty seven)

9. Fabrication of M.S reinf: for CC i/c cutting bending laying in position making joints fastening i/c cost of binding wire also i/c removal rust from bars (S.I.NO: 8 P.16)

= 2,901                      RS: 5001/70 p.cwt                      RS: 14510/-  
(RS: five thousand one & ps: seventy)

10. Pucca brick work in G.F in cement sand mortar 1:6 (S.I.NO: 5 P.20)

= 256                      RS: 12674/36 %sft                      RS: 27377/-  
(RS: twelve thousand six hundreded seventy four and ps: thirty six)

11. P.F G.I frame chowkats of size 7"x2" or 4-1/4" x3" for door using 20 guage H.I sheet i/c welded hinges and fixing with cement slurry of ratio 1:6 and repairing the jambs the cost of i/c all carriage tools plants making & fixing (S.I.NO: 28 P.92)

= 11                      RS: 228/90 P.rft                      RS: 2518/-  
(RS: two hundreded twenty eight & ps: ninty)

12. Ist: class deodor wood wrought joinary in D/W in fixed in position i/c chowkats fasts hinges iron tower bolts nuts hooks penlled glazed fully 4-3/4" thick (S.I.NO: 7 P.57)

= 55                      RS: 902/93 p.sft                      RS: 49663/-  
(RS: Nine hundreded two & ps: ninty three)

13. filling watering reamming earth under floor with new earth excavated from out side lead upto one chain 5ft' (S.I.NO: 22 P.4)

= 81                      RS: 3630/- %ocft                      RS: 294/-  
(RS: three thousand six hundreded thirty)

(3)

brick work other than building in  
of joints upto 20' height in  
(S.I.NO: 7 P.21)

= --- RS: 12346/65 %sft RS: --

(RS: twelve thousand three hundred forty six  
and ps: sixty five)

15. P/L CC topping 1:2:4 i/c surface finishing  
& dividing into penlls 2" thick (S.I.NO: 16 P.47)

= 1924 RS:3275/50 %sft RS: 63021/-

(RS: three thousand two hundred seventy five  
and ps: fifty)

3" thick

= --- RS: 4417/82 %sft RS: --

(RS: four thousand four hundred eleven  
and ps: eighty two)

1-1/2" thick

= 1383 RS: 2548/29 %sft RS: 35243/-

(RS: two thousand five hundred forty eight  
and ps: twenty nine)

16. Cement plaster 1:6 upto 20' height 1/2" thick  
(S.I.NO: 13 P.51)

= 463 RS: 2206/60 %sft RS: 10217/-

(RS: two thousand two hundred six  
and ps: sixty)

17. cement plaster 1:4 upto 20' height 3/8"  
(S.I.NO: 11 P.53)

= 463 RS: 2198/53 %sft RS: 10175/-

(RS: two thousand one hundred ninty seven  
and ps: fifty two)

18. cement plaster 1:4 upto 20' height 3/4" thick

= -- RS: RS: --

(RS:

19. cement pointing strucco joint on walls 1:2  
(S.I.NO 19 P.52)

= -- RS: 1287/44 %sft RS: --

(RS: one thousand two hundred eighty seven  
and ps: forty four)

(4)

Two coat of bituman laid hot using 34 lbs  
per %sft ober roof and blinded with sand  
at one cft per %sft (S.I.NO: 13 P.34)

= 1383

RS: 1887/40 %sft

RS: 26103/-

(RS: one thousand eight hundered eighty seven  
and ps: forty)

21. M/F stee; grated door with 1/16" thick iron  
frame 2"x2"3/8" and 3/4" sq: bars CC with  
locking arrangement (S.I.NO: 24 P.91)

= --

RS: 726/72 P.sft

RS: --

(RS: seven hundered twenty six & ps: seventy two)

22. DPC with cement sand and shingle concrete  
1:2:4 1/c 2 coats of asphaltic mixture  
3" thick (S.I.NO: 28 P.18)

= --

RS: 4982/18 %sft

RS: --

(RS: four thousand nine hundered eighty two  
and ps: eighteen)

23. Whi te wash 3 coat (S.I.NO: 25 P.53)

= 1867

RS: 829/95 %sft

RS: 15496/-

(RS: eight hundered twenty nine & ps: ninty five)

24. Colour wash 2 coat (S.I.NO: 25 P.53)

= 9072

RS: 859/90

RS: 78011/-

(RS: eight hundered fifty nine & ps: ninty)

25. Preparing surface painting D/W any type  
3 coat (S.I.NO: 5 P.69)

= 70

RS: 2116/41 %sft

RS: 1482/-

(RS: two thousand one hundered sixteen  
and ps: forty one)

26. painting Old surface painting D/W any  
type 3 coat (S.I.NO: 4 P.67)

= 608

RS: 1662/21 %sft

RS: 10107/-

(RS: One thousand six hundered sixty two  
and ps: twenty one )

27. praparing new surface painting G/bars gates  
iron grating railing similoropen work 3 coat

= --

RS: 1140/07 %sft

RS: --

(RS: one thousand one hundered forty & ps: seven)

---

Total; RS: 396384/-

**PART-B**

Providing and fixing squinting type white glazed earthen ware W.C pan with i/c the cost of flushing cistern with internal fitting and flush pipe with bend and making requisite numbers of holes in walls plinth & floor for pipe connection & making good in cement concrete 1:2:4 (S.I No. 1 P.1).

Qty 2.0                      Rs. 5044/-                      P. No.                      Rs. 10088/-

2. Providing G.I Pipe & special i/c fixing cutting & fitting cutting & fitting complete with i/c the cost of sitting tranches upto 2-1/2" ft deep refilling watering reaming and disposal of surplus earth within one chain and painting 2 cost of bitumen pain of pipe & special after cleaning & basin cloth socked in masphlatic 200ft handling (S.I No. 1 P.14).

3/4" dia 50                      Rs. 86/36                      P.Rft.                      Rs. 4318/-

3. S/F Position baes bib cock standard  
3/4" dia 2                      Rs. 348/92                      P.No.                      Rs. 698/-

4. Providing & fixing handle valves (China)  
3/4" dia 2                      Rs. 271/92                      P.No.                      Rs. 436/-

5. Supplying & fixing fiber glass tank of approved quality and design and wallis thickness as specification i/c cost of nuts bolts and fixing in platform of C.C 1:3:6 and making connection for in-let & out-let & over flow pipe etc complete (S.I No. 3 P.21)

250                      1.0                      Rs. 21989/61                      Rs. 21990/-<sup>2</sup>

6. Making joints to PVC special fitting i/c laying of special and cost of soivent cemen. of testing the joints along with PVC pipe line B.C and D class to the specification pressure and making good to all leaky joints etc complete (S.INo. 1 P.41) (Schedule P. Health).

100 mm 4" dia) 18                      Rs. 70/-                      P.Joint.                      Rs. 1260/-  
6" dia, 10                      Rs. 96/-                      P.Joint.                      ~~RS. 960/-~~

7. a) Boring and fixing 1-1 Rs2" dia pressure pipe  
80                      Rs. 25/01                      P.Rft                      Rs.2001/-

- b) Assembling 1-1/2" dia pressure pipe  
80                      Rs. 84/70                      P.Rft                      Rs.6776/-

8. P/F water pumping set 1 H.P  
1.0                      Rs. 5235/31                      Each                      Rs.5235/-

5376

Amount Total (a)

\_\_\_\_\_ above/below on the  
The rates of CSR

Amount to be added / deducted on the  
basis of premium quoted Total (b)

Total (A) a+b in words and figure: \_\_\_\_\_

Contractor

Executive Engineer / Procuring Agency