

EXECUTIVE ENGINEER BUILDING DIVISION KAMBER-SHAHDADKOT



**SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY
(SPPRA)
STANDARD BIDDING DOCUMENT**

Name of Work:- CONSTT: GOVT: DISPENSARY @ VILLAGE CHOWDERO TALUKA
NASIRABAD . (CIVIL WORK)

N.I.T No. & Date: XEN/(B)TC/ 519 Dated: 18-10-2017

Date of Issue up to: 07-11-2017


Date of Opening: 08-11-2017

Tender Issued to.

D.R No. & Date:

Amount of Tender Fee:

3000/-


EXECUTIVE ENGINEER,
BUILDINGS DIVISION
KAMBER-SHAHDADKOT

Email:- xenbuildingskamber@gmail.com


**NIT S.NO. 13
CONTRACT / BIDDING DATA**

The following specific data for the works to be tendered shall complement, amend or supplement the provisions in the Instructions to Bidders. Wherever there is a conflict, the provisions herein shall prevail over those in the Instruction to Bidders.

Instruction to Bidders.

Clause Reference

- | | | |
|-----|---|--|
| 1. | Name and Address of the Procuring Agency:- | Office of the Executive Engineer, Buildings Division
Kamber-Shahdadt@ D.C Secretariat Kamber. |
| 2. | Name of the Project and Summary of the Work:- | CONSTR: GOVT: DISPENSARY @ VILLAGE CHOWDERO TALUKA
NASIRABAD. (CIVIL WORK) |
| 3. | Name of the Borrower/Source of Financing /
Funding Agency / Funding Source. | Government of Sindh |
| 4. | Amount and Type of Financing / Scheme Cost
and Allocation Funds:- | Cost of scheme Rs: 5.000 Million
Allocation Rs: Million |
| 5. | Time for clarification:- | Three days prior to submission of bids. |
| 6. | Bid Language:- | English |
| 7. | Prequalification Information to be updated
(Where applicable) :- | |
| 8. | Furnish and Technical Proposal (in case of two
envelope method) of Company Profile in single
stage Single Envelope:- | Single Stage / Single Envelope |
| 9. | Bidders to quote entirely in Pak. Rupees but
specify the percentage of foreign currency they
require, if applicable:- | Pakistan Rupees. |
| 10. | Period of Bid Validity:- | 90 Days |
| 11. | Amount of Bid Security:- | 5% of Bid Price |
| 12. | Venue, time and date of the Pre-Bid meeting:- | -- |
| 13. | Number of copies of the bid to be completed and
returned:- | ONE |
| 14. | Procuring Agency's address for the purpose of
bid submission :- | As Above |
| 15. | Name and Identification Number of the
Contract:- | |
| 16. | Deadline for submission of bids: | Bid submission 07-11-2017 upto 12.00 P.M |
| (a) | | 23-11-2017 upto 12.00 P.M |
| (b) | Venue, time and date of bid opening :- | Bid opening 08-11-2017at 12.30 P.M |
| | | 24-11-2017at 12.30 P.M |
| 17. | Standard form and amount of Performance
Security acceptable to the procuring agency:- | Office of the Executive Engineer, Buildings Division
Kamber-Shahdadt@ D.C Secretariat Kamber. |
| 18. | Stamp duty | 5%
0.30% will be paid by successful bidder as stamp duty. |


Executive Engineer
Buildings Division
Kamber-Shahdadt

CONSTRUCTION OF GOVERNMENT DISPENSARY AT VILLAGE CHOWDERO TALUKA NASIRABAD**DISTRICT KAMBER-SHAHDADKOT****SCHEDULE-B**


S.No.	Item of work.	Quantity	Rate.	Unit	Amount.
1	2	3	4	5	6
Main Building Civil Work					
1	Excavation in foundation of buildings in other structure with excavated earth watering and ramming lead upto one chain 5 ft in ordinary soil (SINO: 18-P-4).	4627	Cft	3176.25	%0Cft 14,607
2	Cement concrete brick or stone ballast 1-1/2" to 2" gauge ratio 1:5:10 (SINO: 4 (C) P 15).	2349	Cft	8694.95	% Cft 204,244
3	Pacca brick work in foundation and plinth in 1:6 ratio.(SINO: 04(E)(P21)	3980	Cft	11948.36	% Cft 475,545
4	Reinforced cement concrete work i/c in all labor and material except the cost of steel reinforced and labor for bending and which will be paid separately. This rate also i/c all kinds of forms molds lifting shiting Curring rendering and finishing the exposed surface i/c screening and washing of shingle. Ratio (1:2:4) 90 lbs cement 2 cft. Sand 4 cft shingle 1/8" to 1/4" gauge. (SINO: 6(a)-P-17).	1721	Cft	337	P.Cft 579,977
5	Fabrication of mild steel reinforcement for cement concrete i/c cutting bending laying in position making joints fastening i/c coat of binding wire also i/c removal of rust from bars. (SINO: 8 (b) P-17).	92	Cwt.	5001.70	P.Cwt 461,087
6	Filling watering ramming earth under floor with new earth (excavated from out side) lead upto 1 chain lift upto 5 ft(SINO:22-P-4).	3216	Cft	3630	% Cft 11,674
7	Supplying and filling sand under floor and plaguing in to walls (SINO: 29 P-26.)	4447	Sft	1141.25	% Sft: 50,751
B	Extra lead for new earth 3.0 miles	7663	Cft	579	% Cft 44,368
8	Providing single layer of polythine sheet 0.13" thick for water proofing as per specifying and instruction of Engineer (S.I.No. 38 P-38)	407	Sft	10.70	P.Sft 4,355
9	Pacca Brick Work in G. Floor (1:6) Cement Sand mortar(S.No:5(E) P-21).	4407	Cft	12674.36	% Cft 558,350
10	Pacca Brick Work other than buildings i/c stircking joints upto 20" feet height in (Si No 7 P 26.	900	Cft	12346.65	% Cft 111,120
11	Providing and laying 1" thick topping Cement concrete 1:2:4 ratio i/c surface finishing and dividing into panels (S.I.NO: 16(c) P-47).				

A	1/12" thick.	1666	Sft	2548.29	% Sft:	42,100
B	3" thick.	3482	Sft	4411.82	% Sft:	153,620
12	Providing and laying Halla tiles 6" x6 1/4" on floor on wall facing required colour and pattern stile specification jointed in white cement and pigment over an base of 1:2 grey cement mortar 3/4" thick i/c washing and filling of points with slurry of white cement and pigment in desired shape with finishing cleaning and cost of wax polish etc complete i/c cutting tiles to proper profile (S No: 60 P-47	63	Sft	47651.56	% Sft:	30,020
13	Cement Concrete plain 1:2:4 ration i/c placing compacting finishing and curring complete i/c scering and washing of stones aggregate without shuttering (SINO.5(b)-P-17).	82	Sft	14429.25	% Sft	11,832
14	Cement plaster 1:6 upto 20'ft height (SINO:13(A)-P-58).	6750	Sft	2206.6	% Sft	148,946
15	Cement plaster 1:4: 3/8 thick upto 20'ft height (SINO:10-P-57).	6750	Sft	2197.52	% Sft	148,333
16	Cement pointing sticking joints on wall 1.3 ratio (S,NO 10 P-58)	2872	Sft	1213.58	% Sft	34,854
17	Providing and fixing G.I frame / Chowkats of size 7"X2 X 41/2x 3" for door using 20 guage G.I sheet welded hihges and fixing at site with necessary hold fasts . Filling with cement sand slurry of ratio 1:6 and repairing th jambs . The cost also i/c all carriage tools and plants used in making and fixing (S NO 29 P-58) .					
	a) doors	264	Rft	228.90	% Sft	60,120
	b) Windows	316	Rft	240.5	% Sft	75,998
18	Supplying and fixing in posotion iron steel grill of 3/4" thick 1/4" iron approved 3 carts etc compelted weights 3.7 ibs (S No. 26 P-93)	184	Sft	180.50	P.Sft:	33,212
19	Making and fixing steel garted door with complete locking arrangements angle iorn frame 2"x2"x3 /8" & 3/4" square bars 4" centre (S.I.No. 23-P-91).	48	Sft	594.57	P.Sft:	28,539
20	First Class deodar wood wrought joinery in doors and windows etc fixed in position i/c chowkats hold fasts hinges, iron, tower bolts, handles and cords with hooks, Deodar paneled or paneled and glazed or fully glazed (b) 1x3/4" thick etc complete.(SI NO: 7a P-58) (Only Shutters).	520	Sft	902.93	P.Sft:	469,524

21	Providing and laying Halla tiles 6" x6"x1/4" on floor or wall facing required colour and pattern stile specification jointed in white cement and pigment over a base of 1:2 grey cement mortar 3/4" thick i/c washing and filling of jpoints with slaury of white cement and pigment in desired shape with finishing cleaning and cost of wax polish etc complete i/c cutting tiles to proper profile (SINO.60 P-47).	650	Sft	30509.77	% Sft:	198,314
22	White Glazed tiles ¼ "thick dado jointed in white cement and laid over 1:2 cement sand mortar ¾ "thick i/c finishing. (SI NO 37 P-45).	75	Sft	28253.61	% Sft	21,190
23	laying floors of approved coloured glazed tiles 1/4" thick laid in white cement and pigment on a bed of 3/4" thick cement mortar 1:2 (S.I.No. 24 P-42).	300	Sft	27678.86	% Sft	83,037
24	First class deodar wood wrought joinery work in wire gauze door and windows with 22 S.W.G Galvanized wire gauze 144 mesh per square inch irion fittings complete. Glavanized wire gauze fixed to chowkats with ¾" deodar stips and screws (S.I.No. 14(d) P-67) Wire guage.	132	Sft	190.72	P.Sft:	25,175
25	Distempering in three Coats. (SINo.24(c)P-54).	4626	Sft	1079.65	% Sft	49,945
26	Preparing the surface and painting % sft with weather coat i/c rubbing th surface paper filling the weather coat appr: new surface (SINO: 36(a-b) P-61).	3544	Sft	1948.10	% Sft	69,041
27	Painting doors and windows any type etc complete New surface painting door and windows (SINO:4(C) - P-75/70). In Three Coats	959	Sft	2116.41	% Sft	20,296
28	Boring & fixing 1-1/2" dia pressure pipe (SIN:26 P-102)	90	Lft	53.44	P-Lft	4,810

TOTAL RS:- 4,225,944

CONTRACTOR


Executive Engineer
(Buildings) Division
Kamli-Shahdadt.