

**EXECUTIVE ENGINEER BUILDING DIVISION KAMBER-SHAHDADKOT**



**SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY  
(SPPRA)  
STANDARD BIDDING DOCUMENT**

**Name of Work:-** CONSTRUCTION OF GOVT., WORK SHOP FOR HIGHWAYS DIVISION  
KAMBER-SHAHDADKOT.

**N.I.T No. & Date:** XEN/(B)TC/ 519 **Dated:** 18-10-2017.


**Date of Issue up to:** 07-10-2017

**Date of Opening:** 08-11-2017

**Tender Issued to.**

**D.R No. & Date:**

**Amount of Tender Fee:** 3000/-

  
EXECUTIVE ENGINEER,  
BUILDINGS DIVISION  
KAMBER-SHAHDADKOT

**Email:-** [xenbuildingskamber@gmail.com](mailto:xenbuildingskamber@gmail.com)


**NIT S.NO. 10  
CONTRACT / BIDDING DATA**

The following specific data for the works to be tendered shall complement, amend or supplement the provisions in the Instructions to Bidders. Wherever there is a conflict, the provisions herein shall prevail over those in the Instruction to Bidders.

### Instruction to Bidders.

#### Clause Reference

1. Name and Address of the Procuring Agency:- Office of the Executive Engineer, Buildings Division  
Kamber-Shahdadkot @ D.C Secretariat Kamber.
2. Name of the Project and Summary of the Work:- CONSTRUCTION OF GOVT., WORK SHOP FOR HIGHWAYS  
DIVISION KAMBER-SHAHDDADKOT.
3. Name of the Borrower/Source of Financing /  
Funding Agency / Funding Source. Government of Sindh
4. Amount and Type of Financing / Scheme Cost  
and Allocation Funds:- Cost of scheme Rs: 4.100 Million  
Allocation Rs: Million
5. Time for clarification:- Three days prior to submission of bids.
6. Bid Language:- English
7. Prequalification Information to be updated  
(Where applicable) :-
8. Furnish and Technical Proposal (in case of two  
evolve method) of Company Profile in single  
stage Single Envelope:- Single Stage / Single Envelope
9. Bidders to quote entirely in Pak. Rupees but  
specify the percentage of foreign currency they  
require, if applicable:- Pakistan Rupees.
10. Period of Bid Validity:- 90 Days
11. Amount of Bid Security:- 5% of Bid Price
12. Venue, time and date of the Pre-Bid meeting:-
13. Number of copies of the bid to be completed and  
returned:- ONE
14. Procuring Agency's address for the purpose of  
bid submission :- As Above
15. Name and Identification Number of the  
Contract:-
16. Deadline for submission of bids: Bid submission 07-11-2017 upto 12.00 P.M.  
(a) 23-11-2017 upto 12.00 P.M.  
Venue, time and date of bid opening :- Bid opening 08-11-2017at 12.30 P.M.  
(b) 24-11-2017at 12.30 P.M.  
Office of the Executive Engineer, Buildings Division  
Kamber-Shahdadkot @ D.C Secretariat Kamber.
17. Standard form and amount of Performance  
Security acceptable to the procuring agency:- 5%
18. Stamp duty 0.30% will be paid by successful bidder as stamp duty.

  
Executive Engineer  
Buildings Division  
Kamber-Shahdadkot

**CONSTRUCTION OF GOVERNMENT WORK SHOP FOR HIGHWAYS DIVISION KAMBER DISTRICT**  
**KAMBER-SHAHDADKOT**

**SCHEDULE-B**

S.No.	Item of work.	Quantity		Rate.	Unit	Amount.
1	2	3		4	5	6
1	Excavation in foundation of buildings in other structure with excavated earth watering and ramming lead upto one chain 5 ft in ordinary soil (SINO: 18-P-4).	2625	Cft:	3176.25	%0Cft	8,338
2	Cement concrete brick or stone ballast 1-1/2" to 2" gauge ratio 1:5:10 (SINO: 4 (C) P 15).	2280	Cft:	8694.95	% Cft	198,245
3	Pacca brick work in foundation and plinth in 1:6 ratio (SINO: 04-E-P31).	1224	Cft:	11948.36	% Cft	146,248
4	Reinforced cement concrete work i/c in all labor and material except the cost of steel reinforced and labor for bending and which will be paid separately. This rate also i/c all kinds of forms molds lifting shiting Curring rendering and finishing the exposed surface i/c screening and washing of shingle. Ratio (1:2:4) 90 lbs cement 2 cft. Sand 4 cft shingle 1/8" to 1/4" gauge. (SINO: 6-P-17).	1684	Cft:	337	P Cft:	567,508
5	Fabrication of mild steel reinforcement for cement concrete i/c cutting bending laying in position making joints fastening i/c coat of binding wire also i/c removal of rust from bars. (SINO: 8 ( b ) P-17).	83	Cwt.	5001.70	P.Cwt	413,623
6	Filling watering ramming earth under floor surplus earth excavated from foundation lead upto 1 chain lift upto 5 ft(SINO:22-P-	13378	Cft:	3630	% 0 Cft	48,562
7	Extra lead of new earth 3.0 miles	13378	Cft:	579	% Cft	7,746
8	Supplying and filling sand under floor and plaguing in to walls ( SINO: 29 P-26.)	4460	Sft:	1141.25	% Cft	50,900
9	Extra lead of new earth 3.0 miles	4460	Sft:	579.0	% Cft	25,823
10	Providing single layer of polythine sheet 0.13" thick for water proofing as per specifying and instruction of Engineer (S.I.No. 38 P-38).	1300	Sft:	10.70	P.Sft	13,915
11	Pacca Brick Work in G. Floor (1:6) Cement Sand mortor(S.No:5-E-P-21).	967	Cft	12674.36	% Cft	122,561
12	Pacca brick work other than building i/c stricking joints upto 20' feet height. (S.I.No:07-P.22)	1350	Cft	12346.65	% Cft	166,680

13	Cement concrete plain 1:2:4 ratio i/c placing compacting finishing and curring complete i/c scering and washing of stones aggagate without shuttering (S.I.No. 5(f) P-17).	239	Cft:	14429.25	% Cft	34,486
14	Providing and laying 1" thick topping Cement concrete 1:2:4 ratio i/c surface finishing and dividing into panels (S.I.NO: 16( c ) P-47).					
A	1-1/2" thick.	42	Sft:	2548.29	% Sft	1,070
B	3" thick.	3793	Sft:	4411.82	% Sft	167,340
15	S/Fixing M.S Girder at site of work.	18	Cwt	3850	P Cwt	67,650
16	S/ Fixing T-iron at site of work.	15	Cwt	3575	P Cwt	52,540
17	Erecting rail steel beams or old rail in roofs	42	Cwt	186.34	P Cwt	7,826
18	Second class tile roofing consisting of 4"earth and 1"mud plaster with gobri leaping over 1/2" thick cement plaster. 1:6 with 34lbs. of hot bitumen coating sand blinded provide over 2, layers of tiles 12" x 6" 1/4 " laid in 1:6 cement mortar with 1/2" thick sand witched layer of 1:6 cement pointing under side of tiles complete including curing etc.(S.I.No:02-P.33)	791	Sft:	7607.25	% Sft	60,173
19	Single layer of tiles 9" x4 1/2" x 2" laid over 4" earth 1" mud plaster without Bhoosa grouted with cement sand 1:3 on top of R.C.C slab provide with 34 Lbs. Bitumen coating sand blinded. (SINo:05-P.34) (With out 4" earth and bitumen coating.	791	Sft:	2615.66	% Sft	20,690
20	Cement plaster 1:6 1/2" thick upto 20'ft height (SINO:13 P-52 ).	4086	Sft:	2206.60	% Sft	90,162
21	Cement plaster 1:4 3/8" thick upto 20'ft height (SINO:11 P-52 ).	4086	Sft:	2197.52	% Sft	89,791
22	Cement Pointing Strking joints on walls 1.2 ratio. (S.I.No. 19-a-P-53).	374	Sft:	1213.58	% Sft	4,539
23	Providing and fixing iron steel grill using solid square bars of size 1/2" x 1/2" placed at 4" i/c and frame of flate iron patti of 3/4" x 3/4" i/c cilcle shape at 1-0 apart equivalent fitted with screw or pins i/c painting 3 coats with 1 coat of red oxide paint etc (S I No 30 P-94)	80	Sft:	180.50	P.Sft:	14,440
24	Making & fixing steel grated doors with complete locking arrangements angle iron frame 2"x2"x3/8" & 3/4" square bars 4" centre (S.I.No. 24 P-92).	168	Sft:	726.72	P.Sft	122,089

25	Providing and fixing G.I. frame/chowkats of size 7"x2" x4 1/2"x3" for door using 20 gauge G.I. sheet welded hinges and fixing at site with necessary hold fasts. Filling with cement sand slurry of ration 1:6 and repairing the jambs. The cost also i/c all carriage, tools and plants used in making and fixing(SINO:28-29-P-93.)					
	Doors	52	Rft	228.90	P.Rft	11,788
	Windows	190	Rft	240.50	P.Rft	45,748
26	First Class deodar wood wrought joinery in doors and windows etc fixed in position i/c chowkats hold fasts hinges, iron, tower bolts, handles and cords with hooks, Deodar paneled or paneled and glazed or fully glazed (b) 1x3/4" thick etc complete.(SI NO: 7a P-58 ) (Only Shutters).	134	Sft	902.93	P.Sft:	120,993
27	White Glazed tiles 1/4 "thick dado jointed in white cement and laid over 1:2 cement sand mortar 3/4 "thick i/c finishing. ( SI NO 37 P-45).	130	Sft	28253.61	% Sft	36,730
28	laying floors of approved coloured glazed tiles 1/4" thick laid in white cement and pigment on a bed of 3/4" thick cement mortar 1:2 (S.I.No.24- P-43).	42	Sft	27678.86	% Sft	11,625
29	Laying floor of approved with glazed tile 1/4" thick in white cement 1:2 over 3/4" thick cement mortar 1:2 complete. (SINO 25/ P-43)	509	Sft	27747.06	% Sft	141,232
30	Providing and laying Halla tiles 6" x6"x1/4" on floor or wall facing required colour and pattern stile specification jointed in white cement and pigment over a base of 1:2 grey cement mortar 3/4" thick i/c washing and filling of jpoints with slaury of white cement and pigment in desired shape with finishing cleaning and cost of wax polish etc complete i/c cutting tiles to proper profile (SINO.62-P-48).	120	Sft:	34520.31	% Sft	41,424
31	First class deodar wood wrought joinery work in wire gauze door and windows with 22 S.W.G Galvanized wire gauze 144 mesh per square inch irion fittings complete. Glavanized wire gauze fixed to chowkats with 3/4" deodar stips and screws (S.I.No. 14 P-67).	80	Sft:	190.72	P.Sft	15,258
32	Priming coat of chalk distemper (S.I.No. 23 P-54).	4086	Sft:	442.75	% Sft	18,091
33	Distemping in three Coats. (SINo.24(c)P-54).	4086	Sft:	1079.65	% Sft	44,114


34	Preparing the surface and painting % sft with weather coat i/c rubbing th surface paper filling the weather coat appr: new surface (SINO:(a-h) 38 P-56)	6345	Sft:	1948.10	% Sft	123,607
35	Painting P N S doors and windows any type etc complete new surface painting door and windows (SINO:5(C) / P-70 ).	293	Sft:	2116.41	% Sft	6,201
36	Painting surface and painting guard bars, gates iron bars gratings , railings including standard braces (etc.) and similar open work(SINO. 5(d) P-69) in three Coats.	769	Sft	896.39	% Sft	6,893

**TOTAL:-** 3,126,649

**Part (B) Non- Schedule Item**

1	Work Shop Steel Canopy Roof i/c fixing colouring & painting complete in all respects.	816	Sft	600.00	P.Sft	489,600
---	---	-----	-----	--------	-------	---------

**TOTAL:-** 489,600

  
**Executive Engineer**  
**Buildings Division**  
**Kamber-Shahdadt**