

Jacques

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents. The following specific data for the works to be tendered shall complement, amend, or supplement the provisions in the Instructions to Bidders. Wherever there is a conflict, the provisions herein shall prevail over those in the Instructions to Bidders).

Instructions to Bidders

Clause Reference

1.2 Name of Procuring Agency

Executive Engineer Education Works Division N.Feroze

(Insert name of the Procuring Agency)

BRIEF DESCRIPTION OF WORKS: PACKAGE # 02 (04 UNITS) TALUKA BHIRIA CONSTRUCTION OF ONE CLASS ROOM (i) GPS SALEH SHAH (ii) GGPS GHULAM MUHAMMAD LAKHO (iii) GPS SIDDIQUE LAKHO (iv) GPS ABDUL MAJEED ABRO.

5.1 (a) Procuring Agency's address:

Near Deputy Commissioner House N.Feroze

(Insert address of the Procuring Agency with telex/fax)

(b) Engineer's address:

Near Deputy Commissioner House N.Feroze

Ph: 0242 - 920027

(Insert name and address of the Engineer, if any, with telex/fax.)

10.3 Bid shall be quoted entirely in Pak. Rupees. The payment shall be made in Pak. Rupees.

11.2 The bidder has the financial, technical and constructional capability necessary to perform

the Contract as follows: *(Insert required capabilities and documents)*

i. Financial capacity: *(must have turnover of **Rs. 5.475 Million**);*

ii. Technical capacity: *(mentions the appropriate category of registration with PEC and qualification and experience of the staff);*

iii. Construction Capacity: *(mention the names and number of equipments required for the work).* Sindh Public Procurement Regulatory Authority | www.pprasindh.gov.pk

12.1 (a) A detailed description of the Works, essential technical and performance characteristics.

(b) Complete set of technical information, description data, literature and drawings as required in accordance with Schedule B to Bid, Specific Works Data. This will include but not be limited to a sufficient number of drawings, photographs, catalogues, illustrations and such other information as is necessary to illustrate clearly the significant characteristics such as general construction dimensions and other relevant information about the works to be performed.

13.1 Amount of Bid Security 5%

(Fill in lump sum amount or in % age of bid amount /estimated cost, but not below 1% and not exceeding 5%)

14.1 Period of Bid Validity 90 days

(Fill in "number of days" not exceeding 90)

14.4 Number of Copies of the Bid to be submitted:

One original plus 01 copies.

14.6 (a) Procuring Agency's Address for the Purpose of Bid Submission

Executive Engineer Education Works Division N.Feroze

Near Deputy Commissioner House N.Feroze

(insert postal address or location of bid box for delivery by hand)

15.1 Deadline for Submission of Bids

Time: 2:00 PM on 28-02-2018

16.1 Venue, Time, and Date of Bid Opening

Venue: Executive Engineer Education Works Division Office N.Feroze

Time: 3:00 PM Date: 01-03-2018

16.4 Responsiveness of Bids

(i) Bid is valid till required period, Sindh Public Procurement Regulatory Authority
www.pprasindh.gov.pk.

(ii) Bid prices are firm during currency of contract/Price adjustment;

(iii) Completion period offered is within specified limits,


(iv) Bidder is eligible to Bid and possesses the requisite experience, capability and qualification.

(v) Bid does not deviate from basic technical requirements and

(vi) Bids are generally in order, etc. Procuring agency can adopt either of two options.
(Select either of them).

(a) **Fixed Price contract:** In these contracts no escalation will be provided during currency of the contract and normally period of completion of these works is upto **06 months.**

(b) **Price adjustment contract:** In these contracts escalation will be paid only on those items and in the manner as notified by Finance Department, Government of Sindh, after bid opening during currency of the contract.


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
NAUSHAHRO FERZE

SN 001

Calculation

SCHEDULE "B"

NAME OF WORK:-CONSTT: OF ONE CLASS ROOM AT GPS village Saleh Shah TALUKA BHIRIA.

S.NO:	ITEM OF WORK	QTY:	RATE	UNIT	AMOUNT	
1.	Excavation in foundation of building bridges i/c degbelling dressing refilling arround the structure with excavated earth watering and ramming lead upto one chain and lift upto 5feet (S.I.NO: 18 P.NO: 5).	1202.0	3176/25	%Cft	RS:3818/-	
2.	Cement concrete brick or stone ballast 1/2"to 2" gauge ratio 1:6: 12 (S.I.NO: 4 P.NO: 15).	609.0	8694/95	%Cft	RS:52953/-	
3.	Pace brick work foundation cement sand mortar. (S.I.NO: 4 P.NO: 20).	1232.0	11948/36	%Cft	RS:147204/-	
4.	R.C.C Work i/c all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also i/c all kinds of forms moulds lifting shuttering curing rendering and finishing the screeing and washing of shingle R.C.C Work in roof slab beams columns laid in situ or precast laid in position complete in all respects ratio 1:2:4 (S.I.NO: 6 P.NO: 16).	659.0	337/-	P.Cft	RS:222085/-	
5.	Fabrication of mild steel reinforcement for cement concrete i/c cutting bensing laying in position making joints and fastenings i/c cost of binding wire also i/c removals of using tor bars (S.I.NO: 3 P.NO:17.).	29.42	5001/70	P.Cft	RS:147150/-	
6.	Filling watering and ramming earth in floor with surplus earth from foundation lead upto one chain and lift jupto 5 feet (S.I.NO: 22 P.NO: 4).	1202.0	1512/50	%Cft	RS:1818/-	
7.	Filling watering and ramming earth under floor with new earth (Excavated from outside lead upto one chain and lift upto 5 feet. (S.I.NO: 22 P.NO: 4	1329.0	3630/-	%Cft	4824/-	
8.	Pacca brick work in ground floor in cement sand (S.I.NO: 5 P.NO: 21).	1286.0	12674/36	%Cft	RS:162992/-	
9.	P/F G.I frames choukhats os size 7"x2"or 4 1/2"x3"for windows using 20 gauge G.I sheet i/c welded hinges and fixing at site with necessary hold fasts filling with cement sand slurry of ratio 1:6 and repairing the jambs the cost also i/c all carriage tools and plants used in making and firing . (S.I.NO: 28 P.NO: 93).	Part "R" Door.	34.0	228/90	P.Rft	RS:7783/-

	Part "B" Windwos.	93.0	240/50	P.sft	RS:22307/-
10.	S/F in position iron steel grill of 3/4"x1/2" size flat iron of approved design i/c painting 3 coats etc complete weight n not to be less than 3.7 lbs sq. foot of finished grill. (S.I.NO: 26 P.NO: 93).				
		41.0	180/50	P.sft	RS:7452/-
11.	Cement plaster 1:6 upto 12'height 1/2"thick. (S.I.NO: 13 P.NO: 52).				
		1863.0	2206/60	%sft	RS:41109/-
12.	Cement plaster 1:4 upto 12'height 3/8"thick. (S.I.NO: 11 P.NO: 52).				
		1853.0	2197/52	%sft	RS:40940/-
13.	Notice board made with cement (S.I.NO:1 P.NO:99).				
		24.0	58/11	P.sft	RS:1395/-
14.	Fist class deodar wood wrought joinery in doors and windows etc fixxed in position i/c chowkats hold fasts hinges iron tower bolts chocks cleats handles and cords with hooks etc (S.I.NO: 7 P.NO: 59).				
		82.0	902/93	P.sft	RS:74040/-
15.	Cement pointing struck joints on walls ratio 1:2 (S.I.NO:19 P.NO: 53).				
		785.0	1287/44	%sft	RS:10106/-
16.	F/L 1"thick topping cement concrete 1:2:4 i/c surface finishing and dividind into panels 3"thick. (S.I.NO: 16 P.NO: 42).				
		460.0	4411/82	%sft	RS:20293/-
	Part "B" 2"thick.	1186.0	3275/50	%sft	RS:38847/-
17.	Cement plaster 1:4 upto 12'height 3/4"thick. (S.I.NO: 11 P.NO: 52).				
		353.0	3015/76	%sft	RS:10645/-
18.	Two coats of bitumen laid hot using 34 lbs for % sft over roof and blinded with sand at one cft per %sft (S.I.NO: 13 P.NO: 35).				
		805.0	1887/40	%sft	RS:15193/-
19.	Providing and laying HALA br pattern tiles glazed 6"x6"x1/4" on floor or wall facing in required colour and pattern of of stile specification jointed in white cement and pigment over a base of 1:2 grey cement mortar 3/4" thick i/c washing and filling of joints with slurry of white cement and pigment in desired shape with finishing cleaning and coat of wax polish including cutting tiles to proper profile (S.I.NO:61 P.NO:48).				
		144.0	47651/56	%sft	RS:68618/-

P.....3.

20.	White glazed tiles 1/4" thick jointed in white cement and laid over 1:2 cement sand mortar 3/4" thick 1/c finishing sand mortar 3/4" thick 1/c finishing. (S.I.NO: 37 P.NO: 45).	35.0	28253/61	%Srt	RS:9688/-
21.	Glazed tile dado 1/4" thick laid in pigment over 1:2 cement sand mortar 3/4" thick including finishing. (S.I.NO: 38 P.NO: 45).	136.0	28299/30	%Srt	RS:38478/-
22.	White washing three coats (S.I.NO:26 P.NO:54).	683.0	829/95	%Srt	RS:5669/-
23.	Priming coat of chalk distemper (S.I.NO: 23 P.NO:54).	1863.0	442/75	%Srt	RS:8248/-
24.	Distemping three coats. (S.I.NO:24 P.NO:54).	1863.0	1079/65	%Srt	RS:20113/-
25.	Preparing new surface painting door and windows any type ipc surface (S.I.NO: 5 P.NO: 70).	187.0	2116/41	%Srt	RS:3958/-
26.	P/B verona Marble tile 12x22" 3/4" thick laid R.A (S.I.NO: P.NO:).	144.0	307/-	%Srt	RS:44208/-
					<hr/>
					Total RS:1232.191/-

W/S & S/F

.....
 S.NO: ITEM OF WORK QTY: RATE UNIT AMOUNT

1. P/F squatting tupe white glazed earthen ware W.C pan with
 i/c the cost of flushing cistern with internal fitting
 and flush pipe with bend & making requisite number of holes in
 walls plinth & floor for pipe connections & making good in
 cement concrete 1.2.4 (A) W.C pan of not less than 25" clear ope
 ning between flushin rin s and 3 gallons flushing tank with
 4"dia G.I trape (S.I.NO:1 A P.NO:01).

1 No: 5044/60 P.NO: RS:5045/-

2. S/F in position brass bib cock 1/2"dia brass bib cock
 standrd pattern (S.I.NO: 1 (B) P.NO:16).

2 Nos 337/92 P:NO: RS:676/-

3. Providing and fixing handle valves china (S.I.NO:5 P.17).

1/2"dia 1 No: 200/42 P:NO: RS:200/-

3/4"dia 1 No: 271/- P:NO: RS:272/-

4. Providing G.I Pipes specials and clamps etc i/c fixing
 cutting & fitting complete with and i/c the cost of breaking
 through walls and roof making good etc painting two coats
 attee cleaning the pipe colour of the building and testing
 with water to apressure head of 200 feet and handling
 (S.I.NO: 1 P.NO: 12).

1"dia 20Rft 122/55 P.Rft RS:2571/-

3/4"dia 30Rft 95/79 P.Rft RS:2874/-

1/2"dia 10Rft 73/21 P.Rft RS:732/-

5. S/F Fibre Glass Tank of approved quality and design and
 wall thickness as specified i/c cost of nuts and fixing
 in platefor of cement concrete 1.3.6 and making connctions
 for inlet & out let & over flow pipes etc complete
 250 gallons (S.I.NO: 2 A P.NO:21).

250gallons 1No: 21989/61 P:NO: 21990/-

6. P/F piston pump with A.C moter with approved quality with
 fixing etc complete (S.I.NO: P.NO:).

1 NO: 8235/- P:NO: 8235/-

7. Boring and fixing 1"dia pressure pipe.

60Rft 53/44 P:Rft 3206/-

8. Assembling 1"dia pressure pipe.

60Rft 166/38 P:Rft RS:9983/-

Total RS:50784/-

800.03

(all or)

SCHEDULE "B"

NAME OF WORK:-CONSTT: OF ONE CLASS ROOM AT GPS village & Dign Lakho.
TALUKA BHIRIA.

S.NO:	ITEM OF WORK	QTY:	RATE	UNIT	AMOUNT
1.	Excavation in foundation of building bridges i/c degbelling dressing refilling around the structure with excavated earth watering and ramming lead upto one chain and lift upto 5feet (S.I.NO: 18 P.NO: 5).	1202.0	3176/25	%Crt	RS:3818/-
2.	Cement concrete brick or stone ballast 1/2"to 2" gauge ratio 1:6: 12 (S.I.NO: 4 P.NO: 15).	609.0	8694/95	%Crt	RS:52953/-
3.	Face brick work foundation cement sand mortar. (S.I.NO: 4 P.NO: 20).	1232.0	11948/36	%Crt	RS:147204/-
4.	R.C.C Work i/c all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also i/c all kinds of forms moulds lifting shuttering curing rendering and finishing the screeing and washing of shingle R.C.C Work in roof slab beams columns laid in situ or precast laid in position complete in all respects ratio 1:2:4 (S.I.NO: 6 P.NO: 16).	659.0	337/-	P.Crt	RS:222085/-
5.	Fabrication of mild steel reinforcement for cement concrete i/c cutting bensing laying in position making joints and fastenings i/c cost of binding wire also i/c removeals of using tor bars (S.I.NO: 3 P.NO:17.).	29.42	5001/70	P.Crt	RS:147150/-
6.	Filling watering and ramming earth in floor with surplus earth from foundation lead upto one chain and lift jupto 5 feet (S.I.NO: 22 P.NO: 4).	1202.0	1512/50	%Crt	RS:1818/-
7.	Filling watering and ramming earth under floor with new earth (Excavated from outside lead upto one chain and lift upto 5 feet. (S.I.NO: 22 P.NO: 4	1329.0	3030/-	%Crt	4824/-
8.	Face brick work in ground floor in cement sand (S.I.NO: 5 P.NO: 21).	1286.0	12674/36	%Crt	RS:162992/-
9.	P/F G.I frames choukhats os size 7"x2"or 4 1/2"x3"for windows using 20 gauge G.I sheet i/c welded hinges and fixing at site with necessary hold fasts filling with cement sand slurry of ratio 1:6 and repairing the jambs the cost also i/c all carriage tools and plants used in making and firing . (S.I.NO: 28 P.NO: 93).	34.0	228/90	P.Rft	RS:7785/-

	Part "B" Windwos.	93.0	240/50	P.sft	RS:22307/-
10.	S/F in position iron steel grill of 3/4"x1/4" size flat iron of approved design i/c painting 3 coats etc complete weight n not to be less than 3.7 lbs sq. foot of finished grill. (S.I.NO: 26 P.NO: 93).				
		41.0	180/50	P.sft	RS:7452/-
11.	Cement plaster 1:6 upto 12"height 1/2"thick. (S.I.NO: 13 P.NO: 52).				
		1863.0	2206/60	%sft	RS:41109/-
12.	Cement plaster 1:4 upto 12"height 3/8"thick. (S.I.NO: 11 P.NO: 52).				
		1863.0	2197/52	%sft	RS:40940/-
13.	Notice board made with cement (S.I.NO:1 P.NO:99).				
		24.0	58/11	P.sft	RS:1395/-
14.	First class deodr wood wrought joinery in doors and windows etc fixxed in position i/c chowkats hold fasts hinges iron tower bolts checks cleats handles and cords with hooks etc (S.I.NO: 7 P.NO: 59).				
		82.0	902/93	P.sft	RS:74040/-
15.	Cement pointing struck joints on walls ratio 1:2 (S.I.NO:19 P.NO: 53).				
		785.0	1287/44	%sft	RS:10106/-
16.	F/L 1"thick topping cement concrete 1:2:4 i/c surface finishing and dividing into panels 3"thick. (S.I.NO: 16 P.NO: 42).				
		460.0	4411/82	%sft	RS:20293/-
	Part "B" 2"thick.	1186.0	3275/50	%sft	RS:38847/-
17.	Cement plaster 1:4 upto 12"height 3/4"thick. (S.I.NO: 11 P.NO: 52).				
		353.0	3015/76	%sft	RS:10645/-
18.	Two coats of bitumen laid hot using 34 lbs for % sft over roof and blinded with sand at one cft per %sft (S.I.NO: 13 P.NO: 35).				
		805.0	1887/40	%sft	RS:15193/-
19.	Providing and laying HALA or pattern tiles glazed 6"x6"x1/4" on floor or wall facing in required colour and pattern of of stile specification jointed in white cement and pigment over a base of 1:2 grey cement mortar 3/4" thick i/c washing and filling of joints with slurry of white cement and pigment in desired shape with finishing cleaning and cost of wax polish including cutting tiles to proper profile (S.I.NO:61 P.NO:48).				
		144.0	47651/56	%sft	RS:68618/-

P.....3.

20.	White glazed tiles 1/4" thick jointed in white cement and laid over 1:2 cement sand mortar 3/4" thick i/c finishing sand mortar 3/4" thick i/c finishing. (S.I.NO: 37 P.NO: 45).	35.0	28253/61	%sft	RS:9688/-
21.	Glazed tile dado 1/4" thick laid in pigment over 1:2 cement sand mortar 3/4" thick including finishing. (S.I.NO: 38 P.NO: 45).	136.0	28299/30	%sft	RS:38478/-
22.	White washing three coats (S.I.NO:26 P.NO:54).	683.0	829/95	%sft	RS:5669/-
23.	Priming coat of chalk distemper (S.I.NO: 23 P.NO:54).	1863.0	442/75	%sft	RS:8248/-
24.	Distemping three coats. (S.I.NO:24 P.NO:54).	1863.0	1079/65	%sft	RS:20113/-
25.	Preparing new surface painting door and windows andy type ipc surface (S.I.NO: 5 e P.NO: 70).	187.0	2116/41	%sft	RS:3958/-
26.	P/B verona Marble tile 12x22" x3/4" thick laid R.A (S.I.NO: P.NO:).	144.0	307/-	%sft	RS:44208/-
					Total RS:1232.191/-

W/S & S/F

S.NO:	ITEM OF WORK	QTY:	RATE	UNIT	AMOUNT
1.	P/F squatting tube white glazed earthen ware W.C pan with i/c the cost of flushing cistern with internal fitting and flush pipe with bend & making requisite number of holes in walls plinth & floor for pipe connections & making good in cement concrete 1.2.4 (A) W.C pan of not less than 23" clear opening between flushin rin s and 3 gallons flushing tank with 4"dia G.I trape (S.I.NO:1 A P.NO:01).	1 No:	5044/60	P.NO:	RS:5045/-
2.	S/F in position brass bib cock 1/2"dia brass bib cock standard pattern (S.I.NO: 1 (B) P.NO:16).	2 Nos	337/92	P:NO:	RS:676/-
3.	Providing and fixing handle valves china (S.I.NO:5 P.17).				
	1/2"dia	1 No:	200/42	P:NO:	RS:200/-
	3/4"dia	1 No:	271/-	P:NO:	RS:272/-
4.	Providing G.I Pipes specials and clamps etc i/c fixing cutting & fitting complete with and i/c the cost of breaking through walls and roof making good etc painting two coats after cleaning the pipe colour of the building and testing with water to a pressure head of 200 feet and handling (S.I.NO: 1 P.NO: 12).				
	1"dia	20Rft	128/55	P.Rft	RS:2571/-
	3/4"dia	30Rft	95/79	P.Rft	RS:2874/-
	1/2"dia	10Rft	73/21	P.Rft	RS:732/-
5.	S/F Fibra Glass Tank of approved quality and design and wall thickness as specified i/c cost of nuts and fixing in platefor of cement concrete 1.3.6 and making connections for inlet & out let & over flow pipes etc complete 250 gallons (S.I.NO: 2 A P.NO:21).	250gallons	1No:	21989/61	P:NO: 21990/-
6.	P/F piston pump with A.C moter with approved quality with fixing etc complete (S.I.NO: P.NO:).	1 NO:	8235/-	P:NO:	8235/-
7.	Boring and fixing 1"dia pressure pipe.	60Rft	53/44	P:Rft	3206/-
8.	Assembling 1"dia pressure pipe.	60Rft	166/38	P:Rft	RS:9983/-
Total					RS:50784/-

SCHEDULE "B"

NAME OF WORK:-CONSTT: OF LAV: BLOCK AND C/WALL @ GBPS ABDUL MAJEED ABRO
TALUKA BHIRIA.

S.NO:	ITEM OF WORK	QTY:	RATE	UNIT	AMOUNT
1.	Excavation of foundation of building bridges and other structure i/c degbelling dressing refilling around the structure with excavated earth watering and ramming lead upto 5 feet. (S.I.NO: 18 P.NO: 4).	1504.0	3176/25	%Cft	RS:4777/-
2.	Cement concrete brick or stone ballast 1½gauge ratio 1:5:10 (S.I.NO: 4 P.NO: 15).	393.0	8694/95	%Cft	RS:34171/-
3.	Pacca brick work in foundation and plainth cement sand ratio 1:6 (S.I.NO:4 P.NO:21).	1370.0	11948/36	%Cft	RS:163692/-
4.	R.C.C Work i/c all labour and material except the cost of steel reinforcement and its labour for binding and banding which will be paid separately. This rate also i/c all kinds of forms moulds lifting shattering curring rendering and finishing the espose surface i/c rendering and washing of shing R.C.C Work in roof slab beam col: rafts lintal and other stracture laid in site ratio 1:2: (S.I.NO:6 P.NO:16).	362.0	337/-	P.Cft	RS:121994/-
5.	Fabrication of mild steel reinforcement concrete i/c cutting bending lying in position making joints and festering i/c cost of binding wires also i/c removal of rust from bars (S.I.NO: 8 P.NO: 17).	16.161	5001/70	P.Cwt	RS:80832/-
6.	Filling watering and ramming earth in floors with surplus excavated from outside lead upto one chain lift upto 5 feet. (S.I.NO: 22 P.NO: 4).	132.0	3630/-	%Cft	RS:479/-
7.	Pacca brick work in ground floor in (S.I.NO: 5 P.NO: 21).	229.0	12674/36	%Cft	RS:29024/-
8.	Pacca brick work other than building i/c striking of joints upto 20 feet height in (S.I.NO: 7 P.NO: 22).	1028.0	12346/65	%Cft	RS:136924/-
9.	P/F G.I frames choukhats of size 7"x2"or 4 1/2"x3" for door using 20 gauge G.I sheet i/c welded hinges and fixing at site with necessary hold fasts filling with cement sand slurry of ratio 1:6 and repairing the jambs the cost also i/c all carriage toolsm and plants used in making and fixing (S.I.NO: 29 P.NO: 93).	33.0	228/90	P.Rft	RS:7554/-

10. S/F in position iron steel grill or 3/4"x1/4" size flat iron of approved design i/c painting 3 coats etc complete weight not to be less than 3.7 lbs sq foot of finished grill (S.I.NO: 26 P.NO: 93).
- 6.0 180/50 P.Sft RS:1083/-
11. Cement plaster 1:6 upto 1/2"height (S.I.NO:13 P.NO:52).
- 3102.0 2206/60 %Sft RS:68448/-
12. Cement plaster 3/8"upto 12"height 3/8"thick. (S.I.NO: 11 P.NO:52).
- 3102.0 2197/52 %Sft RS:68167/-
13. Cement plster ist upto 20"height 3/4"thick. (S.I.NO:11 P.52).
- 90.0 3015/76 %Sft RS:2714/-
14. Cement pointing struck joints on walls ratio 1:2. (S.I.NO: 19 P.NO:53).
- 282.0 1287/44 %Sft RS:3631/-
15. Extra labour rate for making cement plaster pattas/band around straight or of roof slabs the width not less than 6"with 6"with fine finishing as derected by Engineer incharge (S.I.NO: 35 P.NO: 55).
- 400.0 19/36 P.Rft RS:7744/-
16. Fist class deodar wood wrought joinery in doors and windows etc fixxed in position i/c chowkats hold fasts hinges iron tower bolts chocks cleats handles and deodar panelled or panelled and glazed or fully glazed (S.I.NO:7 P.NO:58).
- 35.0 902/93 P.Sft RS:31602/-
17. M/F steel grated door with 1/16"thick sheeting i/c angle iron frame 2"x2" 3/8"and 3/4"square bars 4"centre to centre with locking arrangement. (S.I.NO:24 P.NO:92).
- 48.0 726/72 P.Sft RS:34883/-
18. P/L 1"thick topping cement concrete 1:2:4 i/c surface finishing and dividing into panels 1-1/2"thick. (S.I.NO: 16 P.NO: 42).
- 72.0 2548/29 %Sft RS:1835/-
19. White glazed tiles 1/4" thick dedo jointed in white cement and laid over 1:2 cement sand mortar 3/4"thick i/c finishing (S.I.NO: 37 P.NO:45).
- 40.0 28253/61 %Sft RS:11301/-
20. Glazed tile dado 1/4"thick laid in pigment over 1:2 cement sand mortar 3/4"thick i/c finishing (S.I.NO: 38 P.NO:45).
- 61.0 28299/30 %Sft RS:17263/-

21. P.....3.
Colour washing two coats. (S.I.NO: 25 P.NO: 54).
3384.0 859/90 %sft RS:29099/-
22. Preparing surface and painting of doors and windows
any tupe including edges. (S.I.NO: 5 e P.NO:70).
350.0 2116/61 %sft RS:741/-
23. Preparing surface and painting guard bars gates of iron
bars gratings railings including standards braces etc
and similar open work. (S.I.NO: 5 d P.NO: 70).
96.0 1270/83 %sft RS:1220/-

Total RS: 841624/-