

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents. The following specific data for the works to be tendered shall complement, amend, or supplement the provisions in the Instructions to Bidders. Wherever there is a conflict, the provisions herein shall prevail over those in the Instructions to Bidders).

Instructions to Bidders

Clause Reference

1.3 Name of Procuring Agency

Executive Engineer Education Works Division N.Feroze

(Insert name of the Procuring Agency)

BRIEF DESCRIPTION OF WORKS: PACKAGE # 03 (05 UNITS) TALUKA BHIRIA
CONSTRUCTION OF ONE CLASS ROOM (i) GPS SAJAN
KOT DHOUROO (ii) GPS NEBAHO RAJPAR (iii) GPS
HANEE WAHAN (iv) GPS MALOOK LASHARI (v) GGPS
MALIK SHAHJAHAN.

5.1 (a) Procuring Agency's address:

Near Deputy Commissioner House N.Feroze

(Insert address of the Procuring Agency with telex/fax)

(b) Engineer's address:

Near Deputy Commissioner House N.Feroze

Ph: 0242 - 920027

(Insert name and address of the Engineer, if any, with telex/fax.)

10.3 Bid shall be quoted entirely in Pak. Rupees. The payment shall be made in Pak. Rupees.

11.2 The bidder has the financial, technical and constructional capability necessary to perform

the Contract as follows: *(Insert required capabilities and documents)*

i. Financial capacity: *(must have turnover of* **Rs. 5.800 Million;**

ii. Technical capacity: *(mentions the appropriate category of registration with PEC and qualification and experience of the staff);*

iii. Construction Capacity: *(mention the names and number of equipments required for the work).* Sindh Public Procurement Regulatory Authority | www.pprasindh.gov.pk

12.1 (a) A detailed description of the Works, essential technical and performance characteristics.

(b) Complete set of technical information, description data, literature and drawings as required in accordance with Schedule B to Bid, Specific Works Data. This will include but not be limited to a sufficient number of drawings, photographs, catalogues, illustrations and such other information as is necessary to illustrate clearly the significant characteristics such as general construction dimensions and other relevant information about the works to be performed.

13.1 Amount of Bid Security 5%

(Fill in lump sum amount or in % age of bid amount /estimated cost, but not below 1% and not exceeding 5%)

14.1 Period of Bid Validity 90 days

(Fill in "number of days" not exceeding 90)

14.4 Number of Copies of the Bid to be submitted:

One original plus 01 copies.

14.6 (a) Procuring Agency's Address for the Purpose of Bid Submission

Executive Engineer Education Works Division N.Feroze

Near Deputy Commissioner House N.Feroze

(insert postal address or location of bid box for delivery by hand)

15.1 Deadline for Submission of Bids

Time: 2:00 PM on 28-02-2018

16.1 Venue, Time, and Date of Bid Opening

Venue: Executive Engineer Education Works Division Office N.Feroze

Time: 3:00 PM Date: 01-03-2018

16.4 Responsiveness of Bids

(i) Bid is valid till required period, Sindh Public Procurement Regulatory Authority
www.ppr.sindh.gov.pk.

(ii) Bid prices are firm during currency of contract/Price adjustment;

(iii) Completion period offered is within specified limits,


(iv) Bidder is eligible to Bid and possesses the requisite experience, capability and qualification.

(v) Bid does not deviate from basic technical requirements and

(vi) Bids are generally in order, etc. Procuring agency can adopt either of two options.
(Select either of them).

(a) **Fixed Price contract:** In these contracts no escalation will be provided during currency of the contract and normally period of completion of these works is upto 06 months.

(b) **Price adjustment contract:** In these contracts escalation will be paid only on those items and in the manner as notified by Finance Department, Government of Sindh, after bid opening during currency of the contract.


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
NAUSHAHRO FEROZE

SCHEDULE "B"

NAME OF WORK:-CONSTT: OF ONE CLASS ROOM AT GPS village Saj'an kot shawoo
4/2 Raju kano TALUKA BHIRIA.

| S.NO: | ITEM OF WORK | QTY: | RATE | UNIT | AMOUNT |
|-------|---|--------|----------|-------|-------------|
| 1. | Excavation in foundation of building bridges i/c degbelling dressing refilling arround the structure with excavated earth watering and ramming lead upto one chain and lift upto 5feet (S.I.NO: 18 P.NO: 5). | 1202.0 | 3176/25 | %Crt | RS:3818/- |
| 2. | Cement concrete brick or stone ballast 1/2"to 2" gauge ratio 1:6: 12 (S.I.NO: 4 P.NO: 15). | 609.0 | 8694/95 | %Crt | RS:52953/- |
| 3. | Pace brick work foundation cement sand mortar. (S.I.NO: 4 P.NO: 20). | 1232.0 | 11948/36 | %Crt | RS:147204/- |
| 4. | R.C.C Work i/c all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also i/c all kinds of forms moulds lifting shuttering curing rendering and finishing the screeing and washing of shingle R.C.C Work in roof slab beams columns laid in situ or precast laid in position complete in all respects ratio 1:2:4 (S.I.NO: 6 P.NO: 16). | 659.0 | 337/- | P.Crt | RS:222083/- |
| 5. | Fabrication of mild steel reinforcement for cement concrete i/c cutting bensing laying in position making joints and fastenings i/c cost of binding wire also i/c removeals of using tor bars (S.I.NO: 8 P.NO: 17.). | 29.42 | 5001/70 | P.Crt | RS:147150/- |
| 6. | Filling watering and ramming earth in floor with surplus earth from foundation lead upto one chain and lift upto 5 feet (S.I.NO: 22 P.NO: 4). | 1202.0 | 1512/50 | %Crt | RS:1818/- |
| 7. | Filling watering and ramming earth under floor with new earth (Excavated from outside lead upto one chain and lift upto 5 feet. (S.I.NO: 22 P.NO: 4 | 1329.0 | 3030/- | %Crt | 4824/- |
| 8. | Pacca brick work in ground floor in cement sand (S.I.NO: 5 P.NO: 21). | 1286.0 | 12674/36 | %Crt | RS:162992/- |
| 9. | P/F G.I frames choukhats os size 7"x2"or 4 1/2"x3"for windows using 20 gauge G.I sheet i/c welded hinges and fixing at site with necessary hold fasts filling with cement sand slurry of ratio 1:6 and repairing the jambs the cost also i/c all carriage tools and plants used in making and firing . (S.I.NO: 28 P.NO: 93). | 34.0 | 228/90 | P.Rft | RS:7783/- |

Part "B" Door.

| | | | | | |
|-----|---|--------|----------|-------|------------|
| | Part "B" Windwos. | 93.0 | 240/50 | P.Sft | RS:22367/- |
| 10. | S/F in position iron steel grill of 3/4"x1/4" size flat iron of approved design i/c painting 3 coats etc complete weight n not to be less than 3.7 lbs sq. foot of finished grill. (S.I.NO: 26 P.NO: 93). | | | | |
| | | 41.0 | 180/50 | P.Sft | RS:7452/- |
| 11. | Cement plaster 1:6 upto 12'height 1/2"thick. (S.I.NO: 13 P.NO: 52). | | | | |
| | | 1863.0 | 2206/60 | %Sft | RS:41109/- |
| 12. | Cement plaster 1:4 upto 12'height 3/8"thick. (S.I.NO: 11 P.NO: 52). | | | | |
| | | 1863.0 | 2197/52 | %Sft | RS:40940/- |
| 13. | Notice board made with cement (S.I.NO:1 P.NO:93). | | | | |
| | | 24.0 | 58/11 | P.Sft | RS:1395/- |
| 14. | First class deodr wood wrought joinery in doors and windows etc fixxed in position i/c chowkats hold fasts hinges iron tower bolts chocks cleats handles and cords with hooks etc (S.I.NO: 7 P.NO: 58). | | | | |
| | | 82.0 | 902/93 | P.Sft | RS:74040/- |
| 15. | Cement pointing struck joints on walls ratio 1:2 (S.I.NO:19 P.NO: 53). | | | | |
| | | 785.0 | 1287/44 | %Sft | RS:10106/- |
| 16. | F/L 1"thick topping cement concrete 1:2:4 i/c surface finishing and dividling into panels 3"thick. (S.I.NO: 16 P.NO: 42). | | | | |
| | | 460.0 | 4411/82 | %Sft | RS:20293/- |
| | Part "B" 2"thick. | 1186.0 | 3275/50 | %Sft | RS:38847/- |
| 17. | Cement plaster 1:4 upto 12'height 3/4"thick. (S.I.NO: 11 P.NO: 52). | | | | |
| | | 353.0 | 3015/76 | %Sft | RS:10645/- |
| 18. | Two coats of bitumen laid hot using 34 lbs for % sft over roof and blinded with sand at one cft per %sft (S.I.NO: 13 P.NO: 35). | | | | |
| | | 805.0 | 1887/40 | %Sft | RS:15193/- |
| 19. | Providing and laying HALA br pattern tiles glazed 6"x6"x1/4" on floor or wall facing in required colour and pattern of of stile specification jointed in white cement and pigment over a base of 1:2 grey cement mortar 3/4" thick i/c washing and filling of joints with slurry of white cement and pigment in desired shape with finishing cleaning and cost of wax polish including cutting tiles to proper profile (S.I.NO:61 P.NO:48). | | | | |
| | | 144.0 | 47651/56 | %Sft | RS:68618/- |

P.....3.

| | | | | | |
|-------|---|--------|----------|------|---------------|
| 20. | White glazed tiles 1/4" thick jointed in white cement and laid over 1:2 cement sand mortar 3/4" thick 1/c finishing sand mortar 3/4" thick 1/c finishing. (S.I.NO: 37 P.NO: 45). | 35.0 | 28253/61 | %Sft | RS:9885/- |
| 21. | Glazed tile dado 1/4" thick laid in pigment over 1:2 cement sand mortar 3/4" thick including finishing. (S.I.NO: 38 P.NO: 45). | 136.0 | 28299/30 | %Sft | RS:38478/- |
| 22. | White washing three coats (S.I.NO:26 P.NO:54). | 683.0 | 829/95 | %Sft | RS:5669/- |
| 23. | Priming coat of chalk distemper (S.I.NO: 23 P.NO:54). | 1863.0 | 442/75 | %Sft | RS:8248/- |
| 24. | Distemping three coats. (S.I.NO:24 P.NO:54). | 1863.0 | 1079/65 | %Sft | RS:20113/- |
| 25. | Preparing new surface painting door and windows and type ipc surface (S.I.NO: 5 c P.NO: 70). | 187.0 | 2116/41 | %Sft | RS:3958/- |
| 26. | P/B verona Marble tile 12x22" 3/4" thick laid R.A (S.I.NO: P.NO:). | 144.0 | 307/- | %Sft | RS:44208/- |
| Total | | | | | RS:1232.191/- |

W/S & S/F

40-----
 S.NO: ITEM OF WORK QTY: RATE UNIT AMOUNT

1. P/F squatting tupe white glazed earthen ware W.C pan with i/c the cost of flushing cistern with internal fitting and flush pipe with bend & making requisite number of holes in walls plinth & floor for pipe connections & making good in cement concrete 1.2.4 (A) W.C pan of not less than 23" clear opening between flushin rin s and 3 gallons flushing tank with 4"dia G.I trape (S.I.NO:1 A P.NO:01).

1 No: 5044/60 P.NO: RS:5045/-

2. S/F in position brass bib cock 1/2"dia brass bib cock standrd pattern (S.I.NO: 1 (B) P.NO:16).

2 Nos 337/92 P:NO: RS:676/-

3. Providing and fixing handle valves china (S.I.NO:5 P.17).

1/2"dia 1 No: 200/42 P:NO: RS:200/-

3/4"dia 1 No: 271/- P:NO: RS:272/-

4. Providing G.I Pipes specials and clamps etc i/c fixing cutting & fitting complete with and i/c the cost of breaking through walls and roof making good etc painting two coats after cleaning the pipe colour of the building and testing with water to apressure head of 200 feet and handling (S.I.NO: 1 P.NO: 12).

1"dia 20Rft 128/55 P.Rft RS:2571/-

3/4"dia 30Rft 95/79 P.Rft RS:2874/-

1/2"dia 10Rft 73/21 P.Rft RS:732/-

5. S/F Fibra Glaze Tank of approved quality and design and wall thickness as specified i/c cost of nuts and fixing in platefor of cement concrete 1.3.6 and making connctions for inlet & out let & over flow pipes etc complete 250 gallons (S.I.NO: 2 A P.NO:21).

250gallons 1No: 21989/61 P:NO: 21990/-

6. P/F piston pump with A.C moter with approved quality with fixing etc complete (S.I.NO: P.NO:).

1 NO: 8235/- P:NO: 8235/-

7. Boring and fixing 1 1/2"dia pressure pipe.

60Rft 53/44 P:Rft 3206/-

8. Assembling 1-1/2"dia pressure pipe.

60Rft 166/38 P:Rft RS:9983/-

Total RS:50784/-